


MILANO

MATCHING IN LINE

The elegance of the Milano collection, combined with the functionality of in-line burners. The ultra-flat cast-iron grates are incomparably beautiful, reminiscent of the Black grates that cover the Milano sinks. A perfect match in the kitchen. Milano also features the important metal knob designed by Foster, a detail of incomparable class.





The gas hobs are equipped with AEO high-efficiency burners with a brass ring separator. Thanks to the inclined flames, it is possible to achieve a very high efficiency, with energy savings of up to 25% compared to standard burners.

G681 F00
Milano 4B
gas cooktop

GAS COOKTOPS

PVD GUN METAL

FOSTER MILANO

FLUSH - MOUNT



Foster *Milano*

G680 F06
Milano 3B
gas cooktop
PVD Gun Metal

GAS COOKTOPS




Foster offers Milano hobs in brushed stainless steel and PVD finish, in the colours Gun Metal, Copper and Gold. In the PVD versions, even the knobs undergo a PVD (Physical Vapor Deposition) treatment for a perfect harmony of colours and finishes.

G680 F08
Milano 3B
gas cooktop
PVD Copper



MILANO 4B
 Dimensions 1115 x 476 x h 69 mm
 1 side control zone
 1 auxiliary burner 1.000 W
 1 semi-rapid burner 1.750 W
 1 rapid burner 3.000 W
 1 Dual burner 5.000 W
 Total power 10.750 W
 BASE 120

Installation FT | FTS



G681 F00 € 1939
 Brushed INOX AISI 304 st. steel



G681 F06 € 2899
 Brushed INOX AISI 304 st. steel PVD Gun Metal



G681 F08 € 2899
 Brushed INOX AISI 304 st. steel PVD Copper



G681 F09 € 2899
 Brushed INOX AISI 304 st. steel PVD Gold

MILANO 3B
 Dimensions 870 x 476 x h 69 mm
 1 side control zone
 1 auxiliary burner 1.000 W
 1 semi-rapid burner 1.750 W
 1 Dual burner 5.000 W
 Total power 7.750 W
 BASE 90

Installation FT | FTS




G680 F00 € 1699
 Brushed INOX AISI 304 st. steel




G680 F06 € 2649
 Brushed INOX AISI 304 st. steel PVD Gun Metal



G680 F08 € 2649
 Brushed INOX AISI 304 st. steel PVD Copper




G680 F09 € 2649
 Brushed INOX AISI 304 st. steel PVD Gold




FTS | cut-out for Flush resting on top



FT | cut-out for Flush-mount




Supply 220-240 V - 50/60 Hz
 Safety valve with quick action thermocouple
 Electric ignition under the button
 Tested for methane gas installation, LPG nozzle set included



FTS | cut-out for Flush resting on top



FT | cut-out for Flush-mount



Supply 220-240 V - 50/60 Hz
 Safety valve with quick action thermocouple
 Electric ignition under the button
 Tested for methane gas installation, LPG nozzle set included

COSMO

ULTRA-FLAT DESIGN

The unparalleled beauty of the ultra-flat cast iron pan supports that protrude only a few millimetres beyond the hob surface to form a continuous surface, allowing large pans to be moved easily and safely.

G682 F06
Cosmo
gas cooktop
PVD Gun Metal





The Cosmo hobs are equipped with flat burners with the Precise Power - PP system. Thanks to the 10 pre-set levels of the PP system, with the Cosmo it is possible to regulate the flame precisely, allowing considerable energy savings. The Cosmo hobs are equipped with an auxiliary burner, three semi-fast burners and a double crown.

G682 F00
Cosmo
gas cooktop



Foster offers Cosmo hobs in brushed stainless steel and PVD finish, in the colours Gun Metal, Gold and Copper. The knobs also undergo a PVD (Physical Vapor Deposition) treatment for a perfect harmony of colours and finishes. The PVD treatment is an evolution of the vacuum deposition process that allows to obtain a thin metallic surface layer with innovative properties both from an aesthetic and technical point of view.

G682 F09
Cosmo
gas cooktop
PVD Gold

COSMO
 Dimensions 803 x 513 x h 76 mm
 1 auxiliary burner 1.000 W
 3 semi-rapide auxiliary burner 1.750 W
 1 Dual auxiliary burner 4.000 W
 Total over 10.250 W
 BASE 90

Installation **FT | FTS**



G682 F00 € 1499
 Brushed INOX AISI 304 st. steel



G682 F06 € 1999
 Brushed INOX AISI 304 st. steel PVD Gun Metal




G682 F08 € 1999
 Brushed INOX AISI 304 st. steel PVD Copper



G682 F09 € 1999
 Brushed INOX AISI 304 st. steel PVD Gold





Power supply 220-240 V - 50/60 Hz
 Safety valve with quick action thermocouple
 Electric ignition under the button
 Tested for methane gas installation, LPG nozzle set included



FTS | cut-out for Flush resting on top



FT | cut-out for Flush-mount



OPERA
GAZ



N602 F00
Opera sink

G440 F00
Opera gas
gas cooktop

THE LOWERED COOKTOP

This gas hob fits perfectly with the Opera sink. Complementary elements that disappear inside the kitchen worktop thanks to the side knob area on the right side that characterises this collection.

G440 F00
Opera gas
gas cooktop



THE ARTEFACT FRAMEWORK

The worktop is also available in two finishes with the special Rim H25 raised edge. This special edge is an example of the highest level of technical execution, which allows for a clean and decisive fold even on the hob shelves.

G441 B06
Opera gas H25
gas cooktop
PVD Gun Metal



OPERA GAS

Dimensions 873 x 513 x h 70 mm
 independent control area
 2 auxiliary burners 1.000 W
 2 semi-rapid auxiliary burners 1.750 W
 1 double crown burner 4.000 W
 Total power 10.250 W
 Installation PD | AF
 BASE 90

Installation **FT | FTS**



G440 F00 € 1899
 Brushed INOX AISI 304 st. steel



G440 F06 € 3199
 Brushed INOX AISI 304 st. steel PVD Gun Metal



G440 F08 € 3199
 Brushed INOX AISI 304 st. steel PVD Copper



G440 F09 € 3199
 Brushed INOX AISI 304 st. steel PVD Gold

OPERA GAS H25

Dimensions 880 x 518 x h 70 mm
 independent control area
 2 auxiliary burners 1.000 W
 2 semi-rapid auxiliary burners 1.750 W
 1 double crown burner 4.000 W
 Total power 10.250 W
 Installation PD
 BASE 90


Installation **TM**



G441 B00 € 2499
 Brushed INOX AISI 304 st. steel




G441 B06 € 3599
 Brushed INOX AISI 304 st. steel PVD Gun Metal




TM | cut-out for Top mount




FT | cut-out for Flush-mount



Power supply 220-240 V - 50/60 Hz
 Safety valve with quick action thermocouple
 Electric ignition under the button
 Tested for methane gas installation, LPG nozzle set included



TM | cut-out for Top mount



Power supply 220-240 V - 50/60 Hz
 Safety valve with quick action thermocouple
 Electric ignition under the button
 Tested for methane gas installation, LPG nozzle set included