

Fhiaba

Information Notes

Product Updates

Fhiaba is continuously committed to enhancing the performance and design of its appliances. As a result, models may be updated over time, and certain aesthetic or technical details may differ from those shown in the following pages. Although we strive to keep all documentation current, we recommend referring to the specific technical sheets for all design and installation requirements

Prices and Conditions

All prices listed exclude VAT and transportation costs. This price list is not a contractual document and does not replace the commercial terms agreed upon with Fhiaba's authorized sales representatives.

Warranty

In compliance with European regulations, Fhiaba offers a standard 2 year warranty on domestic appliances, starting from the purchase date indicated on the invoice or other valid proof of purchase.

For information on how to request service during the warranty period, please refer to the warranty certificate supplied with the appliance.

Technical Data


Power and energy consumption values are based on laboratory testing and may vary depending on usage conditions and the installation environment of each appliance..

INDEX

4	FHIABA'S SOLUTIONS	
	FULL SIZE: FRIDGE FREEZERS, FRIDGES, FREEZER AND WINE CELLARS	
6	PERSONALISING YOUR FHIABA	
7	PRODUCT CODE	
8	FHIABA COLLECTION: FULL SIZE	
10	SUMMARY PRICES	
15	FRENCH DOOR WIDTH 120 CM	
23	FRENCH DOOR WIDTH 105 CM	
31	FRENCH DOOR WIDTH 90 CM	FRIDGE FREEZERS
38	WIDTH 90 CM	
104	WIDTH 75 CM	
161	WIDTH 60 CM	
213	WIDTH 45 CM	
226	ACCESSORIES	
	UNDERCOUNTER	
237	PRODUCT CODE	
238	FHIABA COLLECTION: UNDERCOUNTER INDOOR & OUTDOOR	
240	SUMMARY PRICES	
242	FRIDGES, BEVERAGE CENTRE, WINE CELLARS & HUMODORS	
279	TRIMODE DRAWERS	
298	ACCESSORIES	
	BLAST CHILLER	
304	BLAST CHILLER	

FHIABA'S SOLUTIONS

FULL SIZE: FRIDGES | FREEZERS | WINE CELLARS




4 microclimates




*or a prosciutteria/cheese cabinet

Our patented TriMode™ drawers can be set to three different microclimates: freezer, fresco or fridge.




UNDERCOUNTER MODELS

Undercounter units are available in 8 versions, ideal for small indoor spaces or outdoor use.



BLAST CHILLER

The Fhiaba blast chiller has a Temperature ranges range from -40°C to +75°C. With 11 functions, it makes creative, all-encompassing cooking quick and easy. Take food directly out of the oven, without even changing the tray!



THE FOUR DIMENSIONS OF QUALITY

Exclusive Fhiaba technology makes it possible to combine the four “key variables” of refrigeration, to create and maintain perfectly balanced climates.

- Temperature ranges
- Humidity
- Ventilation
- Time

Accurate Temperature ranges

Thanks to the numerous built-in sensors, the indicated Temperature ranges is always accurate.

Uniform ProVent™ Ventilation

The ProVent™ system uniformly distributes cold air to all parts of the fridge.

TriPro Refrigeration™

The triple cooling system ensures each ingredient and dish gets the right microclimate.

Humidity control

Our wine cellars offer three different humidity level settings: low, medium and high.

Fhiaba is the only company in the world today with technology capable of managing three independent climate zones, for unrivalled, high-quality food storage. Fhiaba systems also feature lateral refrigeration, thereby allowing for maximum use of the full depth of the inner compartments.



PERSONALISING YOUR FHIABA

Your Fhiaba, Exactly as You Want It
Every space is unique. Every project requires balance, character, and proportion.
Fhiaba offers one of the most extensive customisation platforms in the high end refrigeration sector: over 30 configuration options to transform each model into a bespoke design element.

Installation Options

Inset / Flush / Integrated / Freestanding

Model Types

- Full Size and Undercounter units for indoor and outdoor installations
- Top compressor Full Size (XPro, Country)
- Bottom compressor Full Size (Designer, Classic, Integrated, Brilliance Integrated, Brilliance Classic)
- Panel ready, fully integrated, and freestanding versions

Available Sizes

- Full Size widths: 45 / 60 / 75 / 90 / 105 / 120 cm
- Full Size heights: 2050 mm (Classic, Brilliance Classic) | 2120 mm (XPro, Country, Designer, Integrated, Brilliance Integrated)
- Undercounter widths: 60 / 75 / 90 cm

Climate Configurations

- 1T — 3 independent climate zones
- OT — 2 independent climate zones + low temperature zone
- OH — 2 independent climate zones + low temperature zone
- OF (refrigerators) — 1 climate zone + low temperature zone
- OF (wine cellars) — 2 independent climate zones
- FD (french door): 2 independent climate zones + low temperature zone

Series

- X Pro
- Designer
- Country
- Classic
- Integrated
- Brilliance Integrated
- Brilliance Classic

FUNCTIONAL Customisation

- Door swing: right or left hinge
- Ice Maker with water filter
- Water Dispenser with water filter (OF fridge columns 75–90 cm)
- Center joining kit for side by side installations
- Stainless steel side panels for freestanding units (XPro, Classic, Brilliance)
- Glass door option
- Single grille + single toe kick kit (XPro Series)
- Single toe kick kit (Classic Series)
- Extra anti tip kit for structures up to 80 cm deep
- Anti condensation kit for top compressor models
- Front ventilation kit (Classic and Integrated Series)
- 90° hinge stop
- Push/Pull opening (Integrated OF models)
- Panel installation down to 5 cm from the floor (Integrated Series)

AESTHETIC CUSTOMISATION

- AISI 304 stainless steel fronts and handles
- AISI 316 Marine Grade stainless steel fronts and handles
- Stainless steel panels with drilling for Ø30 mm or Ø18 mm handles
- Handle less front panel (Integrated Series)
- Painted fronts, sides, and handles in Fhiaba palette or RAL scale
- Customer supplied handles (Integrated Series)
- Fhiaba tubular handles in AISI 304 stainless steel: Ø30 mm Classic/Pro, Ø18 mm

INTERNAL CUSTOMISATION — REFRIGERATORS

- EvenLift™ adjustable shelves (standard on 1T and Country models)
- Gastronorm trays (90 cm fridge columns)
- Pull out beverage drawers

EXCLUSIVE ACCESSORIES — WINE CELLARS

- Enoteca kit
- Cheese preservation drawers
- Cigar preservation drawers
- Knife set
- Prosciutto kit
- Chocolate kit
- Pull out beverage drawers

PRODUCT CODE

example:

KS

90

OT

ST

6

i

KS

Digit # 1-> model Series
XS = X-Pro (top compressors, stainless steel front)
AS= Country (top compressors, Built-in or Freestanding installation, Custom-colored front and sides, ice maker included)
KS = Classic (bottom compressors, stainless steel front)
RS = Designer (bottom compressors, stainless steel front)
S = Integrated (bottom compressors, flush or built-in)
BS = Brilliance - Integrated ((bottom compressors, flush or built-in, white interiors)
BKS = Brilliance - Classic (bottom compressors, stainless steel front, white interiors)

90

digit # 2 > width
120 cm
105 cm
90 cm
75 cm
60 cm
45 cm

OT

digit # 3 > model configuration
1T = One door, one bottom drawer, three separate temperature
OT = One door, one bottom drawer, two separate temperature
OH = One door, two bottom drawers, two separate temperature
OF = One door. Fridge and Freezer one temperature. Wine cellar two separate temperature
FD = French Door, two doors, one bottom drawer, two separate temperature

ST

digit # 4 > function and door style
ST = Fridge/Trimode, Solid door
GT = Fridge/Trimode, Glass door
WT = Wine Cellar/Trimode
R = Fridge column
G = Fridge column, Glass door
Z = Freezer column
W = Wine Cellar column

6

digit # 6 > hinge positioning
3 = Hinge on the left
6 = Hinge on the right

i

digit # 7 > model options
i = indicate a unit equipped with Ice Maker
(not available on wine cellars, 60 fridges and OF fridge models)
D = Water dispenser (available only for OF fridge columns 90 and 75 cm)

D



Export Price list 2.2 / 2026

					Top compressors						Designer R		
					X-Pro XS			Country AS					
Model	Version	Width	Hinge	Optionals	Product code	Price	Page	Product code	Price	Page	Product code	Price	Page
FD	FRENCH DOOR	120		Water dispenser, ice maker	XS120FDSTID	17.890 €	18				RS120FDSTID	16.570 €	19
		105		Water dispenser, ice maker	XS105FDSTID	16.330 €	26				RS105FDSTID	15.010 €	27
		90		Water dispenser, ice maker	XS90FDSTID	14.890 €	34				RS90FDSTID	13.570 €	35
1T	FRIDGE + FREEZER	90	SX		XS901TST3	14.180 €	42				RS901TST3	12.980 €	44
			DX		XS901TST6	14.180 €	42				RS901TST6	12.980 €	44
			SX	Ice maker	XS901TST3I	15.020 €	42	AS901TST3I	17.420 €	43	RS901TST3I	13.820 €	44
			DX	Ice maker	XS901TST6I	15.020 €	42	AS901TST6I	17.420 €	43	RS901TST6I	13.820 €	44
	WINE CELLARS	90	SX		XS901TWT3	15.550 €	50	AS901TWT3	17.950 €	51	RS901TWT3	14.350 €	52
			DX		XS901TWT6	15.550 €	50	AS901TWT6	17.950 €	51	RS901TWT6	14.350 €	52
		60	SX		XS601TWT3	12.870 €	164	AS601TWT3	15.270 €	165	RS601TWT3	11.670 €	166
			DX		XS601TWT6	12.870 €	164	AS601TWT6	15.270 €	165	RS601TWT6	11.670 €	166
OT	FRIDGE + FREEZER	90	SX		XS900TST3	12.270 €	58				RS900TST3	11.070 €	62
			DX		XS900TST6	12.270 €	58				RS900TST6	11.070 €	62
			SX	Ice maker	XS900TST3I	13.120 €	58	AS900TST3I	15.520 €	60	RS900TST3I	11.920 €	62
			DX	Ice maker	XS900TST6I	13.120 €	58	AS900TST6I	15.520 €	60	RS900TST6I	11.920 €	62
			SX		XS900TGT3	13.250 €	59				RS900TGT3	12.050 €	63
			DX		XS900TGT6	13.250 €	59				RS900TGT6	12.050 €	63
			SX	Ice maker, Glass Door	XS900TGT3I	14.100 €	59				RS900TGT3I	12.900 €	63
			DX	Ice maker, Glass Door	XS900TGT6I	14.100 €	59				RS900TGT6I	12.900 €	63
		75	SX		XS750TST3	12.160 €	108				RS750TST3	10.960 €	112
			DX		XS750TST6	12.160 €	108				RS750TST6	10.960 €	112
			SX	Ice maker	XS750TST3I	13.010 €	108	AS750TST3I	15.410 €	110	RS750TST3I	11.810 €	112
			DX	Ice maker	XS750TST6I	13.010 €	108	AS750TST6I	15.410 €	110	RS750TST6I	11.810 €	112
			SX		XS750TGT3	13.150 €	109				RS750TGT3	11.950 €	113
			DX		XS750TGT6	13.150 €	109				RS750TGT6	11.950 €	113
			SX	Ice maker, Glass Door	XS750TGT3I	13.980 €	109				RS750TGT3I	12.780 €	113
			DX	Ice maker, Glass Door	XS750TGT6I	13.980 €	109				RS750TGT6I	12.780 €	113
		60	SX		XS600TST3	11.730 €	172	AS600TST3	14.130 €	174	RS600TST3	10.530 €	176
			DX		XS600TST6	11.730 €	172	AS600TST6	14.130 €	174	RS600TST6	10.530 €	176
			SX	Glass Door	XS600TGT3	12.710 €	173				RS600TGT3	11.510 €	177
			DX	Glass Door	XS600TGT6	12.710 €	173				RS600TGT6	11.510 €	177
	WINE CELLARS	75	SX		XS750TWT3	12.600 €	122				RS750TWT3	11.400 €	123
			DX		XS750TWT6	12.600 €	122				RS750TWT6	11.400 €	123
		60	SX		XS600TWT3	11.610 €	184				RS600TWT3	10.410 €	185
			DX		XS600TWT6	11.610 €	184				RS600TWT6	10.410 €	185
OH	FRIDGE + FREEZER	90	SX		XS900HST3	12.870 €	72				RS900HST3	11.670 €	73
			DX		XS900HST6	12.870 €	72				RS900HST6	11.670 €	73
			SX	Ice maker	XS900HST3I	13.720 €	72				RS900HST3I	12.520 €	73
			DX	Ice maker	XS900HST6I	13.720 €	72				RS900HST6I	12.520 €	73
		75	SX		XS750HST3	12.710 €	126				RS750HST3	11.510 €	129
			DX		XS750HST6	12.710 €	128				RS750HST6	11.510 €	129
			SX	Ice maker	XS750HST3I	13.550 €	128				RS750HST3I	12.350 €	129
			DX	Ice maker	XS750HST6I	13.550 €	128				RS750HST6I	12.350 €	129
	WINE CELLARS	90	SX		XS900HWT3	12.820 €	78				RS900HWT3	11.620 €	79
			DX		XS900HWT6	12.820 €	78				RS900HWT6	11.620 €	79
		75	SX		XS750HWT3	12.600 €	134				RS750HWT3	11.400 €	135
			DX		XS750HWT6	12.600 €	134				RS750HWT6	11.400 €	135

Bottom compressors											
Classic K			Integrated S			Brilliance Classic BK			Brilliance Integrated BS		
Product code	Price	Page	Product code	Price	Page	Product code	Price	Page	Product code	Price	Page
			S120FDSTID	15.450 €	20						
			S105FDSTID	13.890 €	28						
			S90FDSTID	12.450 €	36						
KS901TST3	12.980 €	45	S901TST3	12.180 €	46						
KS901TST6	12.980 €	45	S901TST6	12.180 €	46						
KS901TST3I	13.820 €	45	S901TST3I	13.020 €	46						
KS901TST6I	13.820 €	45	S901TST6I	13.020 €	46						
KS901TWT3	14.350 €	53	S901TWT3	13.550 €	54						
KS901TWT6	14.350 €	53	S901TWT6	13.550 €	54						
KS601TWT3	11.670 €	167	S601TWT3	10.870 €	168						
KS601TWT6	11.670 €	167	S601TWT6	10.870 €	168						
KS900TST3	11.070 €	64	S900TST3	10.270 €	66	BKS900TST3	9.180 €	68	BS900TST3	8.520 €	69
KS900TST6	11.070 €	64	S900TST6	10.270 €	66	BKS900TST6	9.180 €	68	BS900TST6	8.520 €	69
KS900TST3I	11.920 €	64	S900TST3I	11.120 €	66	BKS900TST3I	10.030 €	68	BS900TST3I	9.370 €	69
KS900TST6I	11.920 €	64	S900TST6I	11.120 €	66	BKS900TST6I	10.030 €	68	BS900TST6I	9.370 €	69
KS900TGT3	12.050 €	65	S900TGT3	11.250 €	67						
KS900TGT6	12.050 €	65	S900TGT6	11.250 €	67						
KS900TGT3I	12.900 €	65	S900TGT3I	12.100 €	67						
KS900TGT6I	12.900 €	65	S900TGT6I	12.100 €	67						
KS750TST3	10.960 €	114	S750TST3	10.160 €	116	BKS750TST3	8.690 €	118	BS750TST3	8.310 €	119
KS750TST6	10.960 €	114	S750TST6	10.160 €	116	BKS750TST6	8.690 €	118	BS750TST6	8.310 €	119
KS750TST3I	11.810 €	114	S750TST3I	11.010 €	116	BKS750TST3I	9.530 €	118	BS750TST3I	9.150 €	119
KS750TST6I	11.810 €	114	S750TST6I	11.010 €	116	BKS750TST6I	9.530 €	118	BS750TST6I	9.150 €	119
KS750TGT3	11.950 €	115	S750TGT3	11.150 €	117						
KS750TGT6	11.950 €	115	S750TGT6	11.150 €	117						
KS750TGT3I	12.780 €	115	S750TGT3I	11.980 €	117						
KS750TGT6I	12.780 €	115	S750TGT6I	11.980 €	117						
KS600TST3	10.530 €	178	S600TST3	9.730 €	180						
KS600TST6	10.530 €	178	S600TST6	9.730 €	180						
KS600TGT3	11.510 €	179	S600TGT3	10.710 €	181						
KS600TGT6	11.510 €	179	S600TGT6	10.710 €	181						
KS750TWT3	11.400 €	124	S750TWT3	10.600 €	125						
KS750TWT6	11.400 €	124	S750TWT6	10.600 €	125						
KS600TWT3	10.410 €	186	S600TWT3	9.610 €	187						
KS600TWT6	10.410 €	186	S600TWT6	9.610 €	187						
KS900HST3	11.670 €	74	S900HST3	10.870 €	75						
KS900HST6	11.670 €	74	S900HST6	10.870 €	75						
KS900HST3I	12.520 €	74	S900HST3I	11.720 €	75						
KS900HST6I	12.520 €	74	S900HST6I	11.720 €	75						
KS750HST3	11.510 €	130	S750HST3	10.710 €	131						
KS750HST6	11.510 €	130	S750HST6	10.710 €	131						
KS750HST3I	12.350 €	130	S750HST3I	11.550 €	131						
KS750HST6I	12.350 €	130	S750HST6I	11.550 €	131						
KS900HWT3	11.620 €	80	S900HWT3	10.820 €	81						
KS900HWT6	11.620 €	80	S900HWT6	10.820 €	81						
KS750HWT3	11.400 €	136	S750HWT3	10.600 €	137						
KS750HWT6	11.400 €	136	S750HWT6	10.600 €	137						



					Top compressors						Bottom compressors																	
					X-Pro XS			Country AS			Designer R			Classic K			Integrated S			Brilliance Classic BK			Brilliance Integrated BS					
Model	Version	Width	Hinge	Optionals	Product code	Price	Page	Product code	Price	Page	Product code	Price	Page	Product code	Price	Page	Product code	Price	Page	Product code	Price	Page						
OF	FRIDGE	90	SX		XS900FR3	10.690 €	84				RS900FR3	9.490 €	86				KS900FR3	9.490 €	88	S900FR3	8.690 €	90						
			DX		XS900FR6	10.690 €	84				RS900FR6	9.490 €	86				KS900FR6	9.490 €	88	S900FR6	8.690 €	90						
			SX	Water dispenser	XS900FR3D	11.530 €	84				RS900FR3D	10.330 €	86				KS900FR3D	10.330 €	88	S900FR3D	9.530 €	90						
			DX	Water dispenser	XS900FR6D	11.530 €	84				RS900FR6D	10.330 €	86				KS900FR6D	10.330 €	88	S900FR6D	9.530 €	90						
			SX	Glass Door	XS900FG3	11.680 €	85				RS900FG3	10.480 €	87				KS900FG3	10.480 €	89	S900FG3	9.680 €	91						
			DX	Glass Door	XS900FG6	11.680 €	85				RS900FG6	10.480 €	87				KS900FG6	10.480 €	89	S900FG6	9.680 €	91						
			SX	Glass Door, water dispenser	XS900FG3D	12.510 €	85				RS900FG3D	11.310 €	87				KS900FG3D	11.310 €	89	S900FG3D	10.510 €	91						
			DX	Glass Door, water dispenser	XS900FG6D	12.510 €	85				RS900FG6D	11.310 €	87				KS900FG6D	11.310 €	89	S900FG6D	10.510 €	91						
		75	SX		XS750FR3	10.420 €	140				RS750FR3	9.220 €	142				KS750FR3	9.220 €	144	S750FR3	8.420 €	146						
			DX		XS750FR6	10.420 €	140				RS750FR6	9.220 €	142				KS750FR6	9.220 €	144	S750FR6	8.420 €	146						
			SX	Water dispenser	XS750FR3D	11.250 €	140				RS750FR3D	10.050 €	142				KS750FR3D	10.050 €	144	S750FR3D	9.250 €	146						
			DX	Water dispenser	XS750FR6D	11.250 €	140				RS750FR6D	10.050 €	142				KS750FR6D	10.050 €	144	S750FR6D	9.250 €	146						
			SX	Glass Door	XS750FG3	11.400 €	141				RS750FG3	10.200 €	143				KS750FG3	10.200 €	145	S750FG3	9.400 €	147						
			DX	Glass Door	XS750FG6	11.400 €	141				RS750FG6	10.200 €	143				KS750FG6	10.200 €	145	S750FG6	9.400 €	147						
			SX	Glass Door, water dispenser	XS750FG3D	12.240 €	141				RS750FG3D	11.040 €	143				KS750FG3D	11.040 €	145	S750FG3D	10.240 €	147						
			DX	Glass Door, water dispenser	XS750FG6D	12.240 €	141				RS750FG6D	11.040 €	143				KS750FG6D	11.040 €	145	S750FG6D	10.240 €	147						
		60	SX		XS600FR3	9.980 €	190				RS600FR3	8.780 €	192				KS600FR3	8.780 €	194	S600FR3	7.980 €	196						
			DX		XS600FR6	9.980 €	190				RS600FR6	8.780 €	192				KS600FR6	8.780 €	194	S600FR6	7.980 €	196						
			SX	Glass Door	XS600FG3	10.970 €	191				RS600FG3	9.770 €	193				KS600FG3	9.770 €	195	S600FG3	8.970 €	197						
			DX	Glass Door	XS600FG6	10.970 €	191				RS600FG6	9.770 €	193				KS600FG6	9.770 €	195	S600FG6	8.970 €	197						
	WINE CELLARS	90	SX		XS900FW3	12.060 €	94				RS900FW3	10.860 €	95				KS900FW3	10.860 €	96	S900FW3	10.060 €	97						
			DX		XS900FW6	12.060 €	94				RS900FW6	10.860 €	95				KS900FW6	10.860 €	96	S900FW6	10.060 €	97						
		75	SX		XS750FW3	11.730 €	150				RS750FW3	10.530 €	151				KS750FW3	10.530 €	152	S750FW3	9.730 €	153						
			DX		XS750FW6	11.730 €	150				RS750FW6	10.530 €	151				KS750FW6	10.530 €	152	S750FW6	9.730 €	153						
		60	SX		XS600FW3	11.290 €	200				RS600FW3	10.090 €	201				KS600FW3	10.090 €	202	S600FW3	9.290 €	203	BKS600FW3	8.910 €	204	BS600FW3	8.800 €	205
			DX		XS600FW6	11.290 €	200				RS600FW6	10.090 €	201				KS600FW6	10.090 €	202	S600FW6	9.290 €	203	BKS600FW6	8.910 €	204	BS600FW6	8.800 €	205
		45	SX		XS450FW3	10.970 €	216				RS450FW3	9.770 €	217				KS450FW3	9.770 €	218	S450FW3	8.970 €	219						
			DX		XS450FW6	10.970 €	216				RS450FW6	9.770 €	217				KS450FW6	9.770 €	218	S450FW6	8.970 €	219						
	FREEZER	90	SX		XS900FZ3	11.730 €	100				RS900FZ3	10.530 €	101				KS900FZ3	10.530 €	102	S900FZ3	9.730 €	103						
			DX		XS900FZ6	11.730 €	100				RS900FZ6	10.530 €	101				KS900FZ6	10.530 €	102	S900FZ6	9.730 €	103						
			SX	Ice maker	XS900FZ3I	12.570 €	100				RS900FZ3I	11.370 €	101				KS900FZ3I	11.370 €	102	S900FZ3I	10.570 €	103						
			DX	Ice maker	XS900FZ6I	12.570 €	100				RS900FZ6I	11.370 €	101				KS900FZ6I	11.370 €	102	S900FZ6I	10.570 €	103						
		75	SX		XS750FZ3	10.520 €	156				RS750FZ3	9.320 €	157				KS750FZ3	9.320 €	158	S750FZ3	8.520 €	159						
			DX		XS750FZ6	10.520 €	156				RS750FZ6	9.320 €	157				KS750FZ6	9.320 €	158	S750FZ6	8.520 €	159						
			SX	Ice maker	XS750FZ3I	11.370 €	156				RS750FZ3I	10.170 €	157				KS750FZ3I	10.170 €	158	S750FZ3I	9.370 €	159						
			DX	Ice maker	XS750FZ6I	11.370 €	156				RS750FZ6I	10.170 €	157				KS750FZ6I	10.170 €	158	S750FZ6I	9.370 €	159						
		60	SX		XS600FZ3	10.310 €	208				RS600FZ3	9.110 €	209				KS600FZ3	9.110 €	210	S600FZ3	8.310 €	211						
			DX		XS600FZ6	10.310 €	208				RS600FZ6	9.110 €	209				KS600FZ6	9.110 €	210	S600FZ6	8.310 €	211						
			SX	Ice maker	XS600FZ3I	11.150 €	208				RS600FZ3I	9.950 €	209				KS600FZ3I	9.950 €	210	S600FZ3I	9.150 €	211						
			DX	Ice maker	XS600FZ6I	11.150 €	208				RS600FZ6I	9.950 €	209				KS600FZ6I	9.950 €	210	S600FZ6I	9.150 €	211						
		45	SX		XS450FZ3	10.190 €	222				RS450FZ3	8.990 €	223				KS450FZ3	8.990 €	224	S450FZ3	8.190 €	225						
			DX		XS450FZ6	10.190 €	222				RS450FZ6	8.990 €	223				KS450FZ6	8.990 €	224	S450FZ6	8.190 €	225						
			SX	Ice maker	XS450FZ3I	11.040 €	222				RS450FZ3I	9.840 €	223				KS450FZ3I	9.840 €	224	S450FZ3I	9.040 €	225						
			DX	Ice maker	XS450FZ6I	11.040 €	222				RS450FZ6I	9.840 €	223				KS450FZ6I	9.840 €	224	S450FZ6I	9.040 €	225						

FULL SIZE: FRENCH DOOR
Width: 120cm

French-Door

Fridges

120

X-PRO

Top compressors



XS120FDST

DESIGNER

Bottom compressors



RS120FDST

INTEGRATED

Bottom compressors



S120FDST



FRIDGE

LOW TEMP

TRIMODE®

FULL SIZE: FRENCH DOOR

Model: FD

Width: 120cm

Two doors, one drawer, 2 separate temperatures

Upper compartment: Fridge

Middle compartment: LowTemp

Lower compartment TriMode: Fridge/Fresco/Freezer

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.

Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.

Galvanized Steel Structure: Strength and stability engineered to last.

Antibacterial Interior: Hygienic surfaces preserving freshness and food quality.

Technology and Functionality

EventLift™: Shelves adjustable to any height without removal.

ProVent™: Uniform cold air distribution across every zone.

EquiLance™: Patented variable pivot hinge for silent, stable movement.

OptiView™: Diffuse, uniform LED lighting.

Full Colour TFT Display : Clear, intuitive, high definition interface.

100% Total No Frost: Automatic system preventing ice formation.

Variable Speed Compressors: Precise temperature control and reduced vibrations.

Sabbath Mode: Dedicated function for observance needs.

Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

Two Independent Climate Zones: Professional grade temperature and humidity management

Low Temperature Zone: Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.

Tempered Glass Shelves: With aluminum profiles

TriMode™: Lower drawer configurable as refrigerator, fresh zone, or freezer.

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optievew (LED light spots)	YES
Shelves	3+3 adjustable, 1 fixed
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	1+1 internal drawer
Full Extension shelves 90° door opening	/
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

XS120FDSTID

120 cm, FRENCH DOOR, Model FD

BUILT-IN

XPRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS120FDSTID (water dispenser, ice maker)	17.890 €
CAPACITY	
Volume Compartment1 (L)	581
Volume Compartment2 (L)	/
Volume Compartment3 (L)	186
Total Net Volume (L)	767
Total Gross Volume (L)	793
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	359
DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	1204
Depth of Product without handle(mm)	635
Net Weight (kg)	245
Gross Weight (kg)	266
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22

GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3+3 adjustable, 1 fixed
Type of shelves	GLASS
Door Bins	6
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front panel painting, handles, and side panels
- Door stop 90°

RS120FDSTID

120 cm, FRENCH DOOR, Model FD

BUILT-IN

DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS120FDSTID (water dispenser, ice maker)	16.570 €
CAPACITY	
Volume Compartment1 (L)	581
Volume Compartment2 (L)	/
Volume Compartment3 (L)	186
Total Net Volume (L)	767
Total Gross Volume (L)	793
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	359
DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	1218
Depth of Product without handle(mm)	620
Net Weight (kg)	225
Gross Weight (kg)	246
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22

GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3+3 adjustable, 1 fixed
Type of shelves	GLASS
Door Bins	6
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°

S120FDSTID

120 cm, FRENCH DOOR, Model FD

BUILT-IN

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	No
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S120FDSTID (water dispenser, ice maker)	15.450 €
CAPACITY	
Volume Compartment1 (L)	581
Volume Compartment2 (L)	/
Volume Compartment3 (L)	186
Total Net Volume (L)	767
Total Gross Volume (L)	793
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	359
DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	1218
Depth of Product without handle(mm)	610
Net Weight (kg)	222
Gross Weight (kg)	244
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22

GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3+3 adjustable, 1 fixed
Type of shelves	GLASS
Door Bins	6
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	1+1 internal drawer

- ACCESSORIES (from page 118 to page 227)
- Central Joining Kit for side-by-side installed units
 - Ø 30 mm Tubular Stainless Steel Handles – Classic
 - Ø 30 mm Tubular Stainless Steel Handles – Pro
 - Ø 18 mm Tubular Stainless Steel Handles
 - Stainless steel panels
 - Extra length anti-tipping kit
 - Cleaning Kit
 - Front ventilation kit
 - Door stop 90°

FULL SIZE: FRENCH DOOR
Width: 105cm

French-Door
Fridges

105

X-PRO
Top compressors



XS105FDST

DESIGNER
Bottom compressors



RS105FDST

INTEGRATED
Bottom compressors



S105FDST



FULL SIZE: FRENCH DOOR

Model: FD

Width: 105cm

Two doors, one drawer, 2 separate temperatures

Upper compartment: Fridge

Middle compartment: LowTemp

Lower compartment TriMode: Fridge/Fresco/Freezer

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.

Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.

Galvanized Steel Structure: Strength and stability engineered to last.

Antibacterial Interior: Hygienic surfaces preserving freshness and food quality.

Technology and Functionality

EventLift™: Shelves adjustable to any height without removal.

ProVent™: Uniform cold air distribution across every zone.

EquiLance™: Patented variable pivot hinge for silent, stable movement.

OptiView™: Diffuse, uniform LED lighting.

Full Colour TFT Display : Clear, intuitive, high definition interface.

100% Total No Frost: Automatic system preventing ice formation.

Variable Speed Compressors: Precise temperature control and reduced vibrations.

Sabbath Mode: Dedicated function for observance needs.

Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

Two Independent Climate Zones: Professional grade temperature and humidity management

Low Temperature Zone: Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.

Tempered Glass Shelves: With aluminum profiles

TriMode™ Lower drawer configurable as refrigerator, fresh zone, or freezer.

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	3+3 adjustable, 1 fixed
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	1+1 internal drawer
Full Extension shelves 90° door opening	/
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

XS105FDSTID

105 cm, FRENCH DOOR, Model FD

BUILT-IN

XPRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS105FDSTID (water dispenser, ice maker)	16.330 €
CAPACITY	
Volume Compartment1 (L)	491
Volume Compartment2 (L)	/
Volume Compartment3 (L)	155
Total Net Volume (L)	646
Total Gross Volume (L)	671
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	322
DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	1052
Depth of Product without handle(mm)	635
Net Weight (kg)	225
Gross Weight (kg)	246
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22

GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3+3 adjustable, 1 fixed
Type of shelves	GLASS
Door Bins	6
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front panel painting, handles, and side panels
- Door stop 90°

RS105FDSTID

105 cm, FRENCH DOOR, Model FD

BUILT-IN

DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS105FDSTID (water dispenser, ice maker)	15.010 €
CAPACITY	
Volume Compartment1 (L)	491
Volume Compartment2 (L)	/
Volume Compartment3 (L)	155
Total Net Volume (L)	646
Total Gross Volume (L)	671
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	322
DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	1066
Depth of Product without handle(mm)	620
Net Weight (kg)	225
Gross Weight (kg)	246
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22

GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3+3 adjustable, 1 fixed
Type of shelves	GLASS
Door Bins	6
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°

S105FDSTID

105 cm, FRENCH DOOR, Model FD

BUILT-IN

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	No
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S105FDSTID (water dispenser, ice maker)	13.890 €
CAPACITY	
Volume Compartment1 (L)	491
Volume Compartment2 (L)	/
Volume Compartment3 (L)	155
Total Net Volume (L)	646
Total Gross Volume (L)	671
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	322
DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	1066
Depth of Product without handle(mm)	610
Net Weight (kg)	202
Gross Weight (kg)	224
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22

GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3+3 adjustable, 1 fixed
Type of shelves	GLASS
Door Bins	6
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	1+1 internal drawer

- ACCESSORIES (from page 118 to page 227)
- Central Joining Kit for side-by-side installed units
 - Ø 30 mm Tubular Stainless Steel Handles – Classic
 - Ø 30 mm Tubular Stainless Steel Handles – Pro
 - Ø 18 mm Tubular Stainless Steel Handles
 - Stainless steel panels
 - Extra length anti-tipping kit
 - Cleaning Kit
 - Front ventilation kit
 - Door stop 90°

FULL SIZE: FRENCH DOOR
Width: 90cm

French-Door

Fridges

90

X-PRO

Top compressors



XS90FDST

DESIGNER

Bottom compressors



R90FDST

INTEGRATED

Bottom compressors



S90FDST



FRIDGE

LOW TEMP

TRIMODE®

FULL SIZE: FRENCH DOOR

Model: FD

Width: 90cm

Two doors, one drawer, 2 separate temperatures

Upper compartment: Fridge

Middle compartment: LowTemp

Lower compartment TriMode: Fridge/Fresco/Freezer

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.
Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.
Galvanized Steel Structure: Strength and stability engineered to last.
Antibacterial Interior: Hygienic surfaces preserving freshness and food quality.

Technology and Functionality

EventLift™: Shelves adjustable to any height without removal.
ProVent™: Uniform cold air distribution across every zone.
EquiLance™: Patented variable pivot hinge for silent, stable movement.
OptiView™: Diffuse, uniform LED lighting.
Full Colour TFT Display : Clear, intuitive, high definition interface.
100% Total No Frost: Automatic system preventing ice formation.
Variable Speed Compressors: Precise temperature control and reduced vibrations.
Sabbath Mode: Dedicated function for observance needs.
Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

Two Independent Climate Zones: Professional grade temperature and humidity management
Low Temperature Zone: Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.
Tempered Glass Shelves: With aluminum profiles
TriMode™ Lower drawer configurable as refrigerator, fresh zone, or freezer.

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optievew (LED light spots)	YES
Shelves	4 - 1 fixed, 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer
Full Extension shelves 90° door opening	/
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

XS90FDSTID

90 cm, FRENCH DOOR, Model FD
BUILT-IN
XPRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS90FDSTID (water dispenser, ice maker)	14.890 €
CAPACITY	
Volume Compartment1 (L)	425
Volume Compartment2 (L)	/
Volume Compartment3 (L)	131
Total Net Volume (L)	556
Total Gross Volume (L)	581
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	291
DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	214
Gross Weight (kg)	235
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22

GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	6
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front panel painting, handles, and side panels
- Door stop 90°

RS90FDSTID

90 cm, FRENCH DOOR, Model FD
BUILT-IN
DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS90FDSTID (water dispenser, ice maker)	13.570 €
CAPACITY	
Volume Compartment1 (L)	425
Volume Compartment2 (L)	/
Volume Compartment3 (L)	131
Total Net Volume (L)	556
Total Gross Volume (L)	581
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	291
DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	912
Depth of Product without handle(mm)	620
Net Weight (kg)	214
Gross Weight (kg)	235
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22

GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	6
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°

S90FDSTID

90 cm, FRENCH DOOR, Model FD

BUILT-IN

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	No
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S90FDSTID (water dispenser, ice maker)	12.450 €
CAPACITY	
Volume Compartment1 (L)	425
Volume Compartment2 (L)	/
Volume Compartment3 (L)	131
Total Net Volume (L)	556
Total Gross Volume (L)	581
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	291
DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	610
Net Weight (kg)	191
Gross Weight (kg)	212
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22

GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	6
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

- ACCESSORIES (from page 118 to page 227)
- Central Joining Kit for side-by-side installed units
 - Ø 30 mm Tubular Stainless Steel Handles – Classic
 - Ø 30 mm Tubular Stainless Steel Handles – Pro
 - Ø 18 mm Tubular Stainless Steel Handles
 - Stainless steel panels
 - Extra length anti-tipping kit
 - Cleaning Kit
 - Front ventilation kit
 - Door stop 90°

FULL SIZE: FRIDGE FREEZERS/FRIDGES/FREEZERS/
WINE CELLARS

Width: 90cm

1T

Fridges

Wine Cellars

90

90

X-PRO

Top compressors

XS901TST

XS901TWT

Glass Door

DESIGNER

Bottom compressors

RS901TST

RS901TWT

Glass Door

CLASSIC

Bottom compressors

KS901TST

KS901TWT

Glass Door

INTEGRATED

Bottom compressors

S901TST

S901TWT

Glass Door

COUNTRY

Top compressors

AS901TST

AS901TWT

BRILLIANCE

Bottom compressors

Bottom compressors

BS900TST

BKS900TST

BRILLIANCE CLASSIC

0T

Fridges

Wine Cellars

90

90

XS900TST

XS900TGT

RS900TST

RS900TGT

KS900TST

KS900TGT

S900TST

S900TGT

BS900TST

BKS900TST

0H

Fridges

Wine Cellars

90

90

XS900HST

XS900HWT

RS900HST

RS900HWT

KS900HST

KS900HWT

S900HST

S900HWT

0F

Fridges

Wine Cellars

Freezer

90

90

90

XS900FR

XS900FG

XS900FW

XS900FZ

RS900FR

RS900FG

RS900FW

RS900FZ

KS900FR

KS900FG

KS900FW

KS900FZ

S900FR

S900FG

S900FW

S900FZ



FULL SIZE: FRIDGE FREEZERS

Model: 1T

Width: 90cm

One door, one drawer, 3 separate temperatures

Upper compartment: Fridge

Middle compartment: Fresco

Lower compartment TriMode: Fridge/Fresco/Freezer

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.

Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.

Galvanized Steel Structure: Strength and stability engineered to last.

Antibacterial Interior: Hygienic surfaces preserving freshness and food quality.

Technology and Functionality

EventLift™: Shelves adjustable to any height without removal.

EquiLance™: Patented variable pivot hinge for silent, stable movement.

OptiView™: Diffuse, uniform LED lighting.

Full Colour TFT Display : Clear, intuitive, high definition interface.

Active Safety: Visual and acoustic alerts.

100% Total No Frost: Automatic system preventing ice formation.

Variable Speed Compressors: Precise temperature control and reduced vibrations.

Sabbath Mode: Dedicated function for observance needs.

Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

Three Independent Climate Zones: Professional grade temperature and humidity management

Tempered Glass Shelves: With aluminum profiles.

TriMode™ Lower drawer configurable as refrigerator, fresh zone, or freezer.

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Doppi Shelves EvenLift	3+3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	FRESCO
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	/
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

XS901TST

90 cm, FRIDGE FREEZERS, MODEL 1T

BUILT-IN

X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS901TST6 (right hinge)	14.180 €
XS901TST3 (left hinge)	14.180 €
XS901TST6I (right hinge, with ice maker)	15.020 €
XS901TST3I (left hinge, with ice maker)	15.020 €
CAPACITY	
Volume Compartment1 (L)	268
Volume Compartment2 (L)	128
Volume Compartment3 (L)	131
Total Net Volume (L)	527
Total Gross Volume (L)	651
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	315

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	217
Gross Weight (kg)	238
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	from -2 to 2
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3+3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	FRESCO
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - X-Pro top grill kit - Extra length anti-tipping kit - Anti-condensation kit - Cleaning Kit - Front panel painting, handles, and side panels - Door stop 90°	

AS901TST

90 cm, FRIDGE FREEZERS, MODEL 1T

FREESTANDING

Series COUNTRY®



AESTHETIC	
Compressor position	Top
Front finish e fianchi	Painted Stainless steel
Handles	Stainless Steel Ø30
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
AS901TST6I (right hinge, with ice maker)	17.420 €
AS901TST3I (left hinge, with ice maker)	17.420 €
CAPACITY	
Volume Compartment1 (L)	268
Volume Compartment2 (L)	128
Volume Compartment3 (L)	131
Total Net Volume (L)	527
Total Gross Volume (L)	651
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	315

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	887
Depth of Product without handle(mm)	635
Net Weight (kg)	217
Gross Weight (kg)	238
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	from -2 to 2
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3+3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	FRESCO
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
- Central Joining Kit for side-by-side installed units - Extra length anti-tipping kit - Anti-condensation kit - Cleaning Kit - Door stop 90°	

RS901TST

90 cm, FRIDGE FREEZERS, MODEL 1T

BUILT-IN

DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS901TST6 (right hinge)	12.980 €
RS901TST3 (left hinge)	12.980 €
RS901TST6I (right hinge, with ice maker)	13.820 €
RS901TST3I (left hinge, with ice maker)	13.820 €
CAPACITY	
Volume Compartment1 (L)	268
Volume Compartment2 (L)	128
Volume Compartment3 (L)	131
Total Net Volume (L)	527
Total Gross Volume (L)	651
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	315

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	912
Depth of Product without handle(mm)	620
Net Weight (kg)	209
Gross Weight (kg)	230
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	from -2 to 2
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3+3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	FRESCO
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer
ACCESSORIES (from page 118 to page 227)	

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°

KS901TST

90 cm, FRIDGE FREEZERS, MODEL 1T

BUILT-IN

CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS901TST6 (right hinge)	12.980 €
KS901TST3 (left hinge)	12.980 €
KS901TST6I (right hinge, with ice maker)	13.820 €
KS901TST3I (left hinge, with ice maker)	13.820 €
CAPACITY	
Volume Compartment1 (L)	268
Volume Compartment2 (L)	128
Volume Compartment3 (L)	131
Total Net Volume (L)	527
Total Gross Volume (L)	651
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	315

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	209
Gross Weight (kg)	230
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	from -2 to 2
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3+3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	FRESCO
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer
ACCESSORIES (from page 118 to page 227)	

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°

S901TST

90 cm, FRIDGE FREEZERS, MODEL 1T

FULLY INTEGRATED

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S901TST6 (right hinge)	12.180 €
S901TST3 (left hinge)	12.180 €
S901TST6I (right hinge, with ice maker)	13.020 €
S901TST3I (left hinge, with ice maker)	13.020 €
CAPACITY	
Volume Compartment1 (L)	268
Volume Compartment2 (L)	128
Volume Compartment3 (L)	131
Total Net Volume (L)	527
Total Gross Volume (L)	651
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	315

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	610
Net Weight (kg)	191
Gross Weight (kg)	212
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	from -2 to 2
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3+3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	FRESCO
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - Ø 30 mm Tubular Stainless Steel Handles – Classic - Ø 30 mm Tubular Stainless Steel Handles – Pro - Ø 18 mm Tubular Stainless Steel Handles - Stainless steel panels	- Extra length anti-tipping kit - Cleaning Kit - Front ventilation kit - Door stop 90°



WINE CELLAR

FULL SIZE: WINE CELLARS

Model: 1T

Width: 90cm

One door, one drawer, 3 separate temperatures

Upper compartment: Wine cellar

Middle compartment: Wine cellar

Lower compartment: Wine cellar

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.

Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.

Galvanized Steel Structure: Strength and stability engineered to last.

Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.

Technology and Functionality

ProVent™: Uniform cold air distribution across every zone.

EquiLance™: Patented variable pivot hinge for silent, stable movement.

OptiView™: Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

Full Colour TFT Display : Clear, intuitive, high definition interface.

Active Safety: Visual and acoustic alerts.

100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.

Variable Speed Compressors: Precise temperature control and reduced vibrations.

Sabbath Mode: Dedicated function for observance needs.

Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

Three Independent Climate Zones: Dedicated temperature and humidity control for red, white, and sparkling wines.


Triple-layer bronzed glass door: Total protection against UV rays and external temperature fluctuations.

Humidity control: Precise regulation to preserve corks, labels, and bottle integrity.

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optievew (LED light spots)	YES
Shelves	9
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity Control	YES
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

XS901TWT
90 cm, WINE CELLAR, MODEL 1T
BUILT-IN
X-PRO® SERIES




AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS901TWT6 (right hinge)	15.550 €
XS901TWT3 (left hinge)	15.550 €
CAPACITY	
Volume Compartment1 (L)	247
Volume Compartment2 (L)	128
Volume Compartment3 (L)	131
Total Net Volume (L)	506
Total Gross Volume (L)	525
Compartment 1 / Upper wine cellar capacity (bottles)	72
Compartment 2 / Middle wine cellar capacity (bottles)	36
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	194

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	205
Gross Weight (kg)	226
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Wine kit
• Central Joining Kit for side-by-side installed units	• Cheese drawer
• X-Pro top grill kit	• Set of knives
• Extra length anti-tipping kit	• Cigar drawer
• Anti-condensation kit	• Beverage drawer
• Cleaning Kit	• Beverage shelf
• Active Carbon Filter	• Beverage removable shelf
• Front panel painting, handles, and side panels	
• Door stop 90°	

AS901TWT
90 cm, WINE CELLAR, MODEL 1T
FREESTANDING
Series COUNTRY®




AESTHETIC	
Compressor position	Top
Front finish e fianchi	Painted Stainless steel
Handles	Stainless Steel
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
AS901TWT6 (right hinge)	17.950 €
AS901TWT3 (left hinge)	17.950 €
CAPACITY	
Volume Compartment1 (L)	247
Volume Compartment2 (L)	128
Volume Compartment3 (L)	131
Total Net Volume (L)	506
Total Gross Volume (L)	525
Compartment 1 / Upper wine cellar capacity (bottles)	72
Compartment 2 / Middle wine cellar capacity (bottles)	36
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	194

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	887
Depth of Product without handle(mm)	635
Net Weight (kg)	205
Gross Weight (kg)	226
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units	• Beverage shelf
• Extra length anti-tipping kit	• Beverage removable shelf
• Anti-condensation kit	
• Cleaning Kit	
• Active Carbon Filter	
• Door stop 90°	
• Wine kit	
• Cheese drawer	
• Set of knives	
• Cigar drawer	
• Beverage drawer	

RS901TWT
90 cm, WINE CELLAR, MODEL 1T
BUILT-IN
DESIGNER® SERIES




AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS901TWT6 (right hinge)	14.350 €
RS901TWT3 (left hinge)	14.350 €
CAPACITY	
Volume Compartment1 (L)	247
Volume Compartment2 (L)	128
Volume Compartment3 (L)	131
Total Net Volume (L)	506
Total Gross Volume (L)	525
Compartment 1 / Upper wine cellar capacity (bottles)	72
Compartment 2 / Middle wine cellar capacity (bottles)	36
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	194

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	20120
Width of the product (mm)	912
Depth of Product without handle(mm)	620
Net Weight (kg)	205
Gross Weight (kg)	226
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units • Extra length anti-tipping kit • Cleaning Kit • Active Carbon Filter • Front ventilation kit • Front panel painting, handles • Door stop 90° • Wine kit • Cheese drawer • Set of knives	• Cigar drawer • Beverage drawer • Beverage shelf • Beverage removable shelf

KS901TWT
90 cm, WINE CELLAR, MODEL 1T
BUILT-IN
CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS901TWT6 (right hinge)	14.350 €
KS901TWT3 (left hinge)	14.350 €
CAPACITY	
Volume Compartment1 (L)	247
Volume Compartment2 (L)	128
Volume Compartment3 (L)	131
Total Net Volume (L)	506
Total Gross Volume (L)	525
Compartment 1 / Upper wine cellar capacity (bottles)	72
Compartment 2 / Middle wine cellar capacity (bottles)	36
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	194

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	205
Gross Weight (kg)	226
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	1+1 internal drawer


ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation • Central Joining Kit for side-by-side installed units • Extra length anti-tipping kit • Cleaning Kit • Active Carbon Filter • Front ventilation kit • Front panel painting, handles, and side panels • Door stop 90° • Wine kit	• Cheese drawer • Set of knives • Cigar drawer • Beverage drawer • Beverage shelf • Beverage removable shelf

S901TWT

90 cm, WINE CELLAR, MODEL 1T

FULLY INTEGRATED

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	No
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S901TWT6 (right hinge)	13.550 €
S901TWT3 (left hinge)	13.550 €
CAPACITY	
Volume Compartment1 (L)	247
Volume Compartment2 (L)	128
Volume Compartment3 (L)	131
Total Net Volume (L)	506
Total Gross Volume (L)	525
Compartment 1 / Upper wine cellar capacity (bottles)	72
Compartment 2 / Middle wine cellar capacity (bottles)	36
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	194

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	610
Net Weight (kg)	187
Gross Weight (kg)	208
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Cleaning Kit
• Central Joining Kit for side-by-side installed units	• Active Carbon Filter
• Ø 30 mm Tubular Stainless Steel Handles – Classic	• Front ventilation kit
• Ø 30 mm Tubular Stainless Steel Handles – Pro	• Door stop 90°
• Ø 18 mm Tubular Stainless Steel Handles	• Wine kit
• Stainless steel panels	• Cheese drawer
• Extra length anti-tipping kit	• Set of knives
	• Cigar drawer
	• Beverage drawer
	• Beverage shelf
	• Beverage removable shelf



FULL SIZE: FRIDGE FREEZERS

Model: 0T

Width: 90cm

One door, one drawer, 2 separate temperatures

Upper compartment: Fridge

Middle compartment: LowTemp

Lower compartment TriMode: Fridge/Fresco/Freezer

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.

Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.

Galvanized Steel Structure: Strength and stability engineered to last.

Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.

Technology and Functionality

EventLift™: Shelves adjustable to any height without removal.

ProVent™: Uniform cold air distribution across every zone.

EquiLance™: Patented variable pivot hinge for silent, stable movement.

OptiView™: Diffuse, uniform LED lighting.

Full Colour TFT Display : Clear, intuitive, high definition interface.

100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.

Variable Speed Compressors: Precise temperature control and reduced vibrations.

Sabbath Mode: Dedicated function for observance needs.

Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

Low Temperature Zone: Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.

Tempered Glass Shelves: With aluminum profiles

TriMode™ Lower drawer configurable as refrigerator, fresh zone, or freezer.

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4 - 1 fixed, 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom drawers	1
Full Extension shelves 90° door opening	/
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

XS900TST

90 cm, FRIDGE FREEZERS, MODEL OT
BUILT-IN
X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS900TST6 (right hinge)	12.270 €
XS900TST3 (left hinge)	12.270 €
XS900TST6I (right hinge, with ice maker)	13.120 €
XS900TST3I (left hinge, with ice maker)	13.120 €
CAPACITY	
Volume Compartment1 (L)	425
Volume Compartment2 (L)	/
Volume Compartment3 (L)	131
Total Net Volume (L)	556
Total Gross Volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	214
Gross Weight (kg)	235
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - X-Pro top grill kit - Extra length anti-tipping kit - Anti-condensation kit - Cleaning Kit - Front panel painting, handles, and side panels - Door stop 90° - Separate EvenLift™ shelves	

XS900TGT

90 cm, FRIDGE FREEZERS, MODEL OT
BUILT-IN, Glass Door
X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS900TGT6 (right hinge)	13.250 €
XS900TGT3 (left hinge)	13.250 €
XS900TGT6I (right hinge, with ice maker)	14.100 €
XS900TGT3I (left hinge, with ice maker)	14.100 €
CAPACITY	
Volume Compartment1 (L)	425
Volume Compartment2 (L)	/
Volume Compartment3 (L)	131
Total Net Volume (L)	556
Total Gross Volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	214
Gross Weight (kg)	235
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - X-Pro top grill kit - Extra length anti-tipping kit - Anti-condensation kit - Cleaning Kit - Front panel painting, handles, and side panels - Door stop 90° - Separate EvenLift™ shelves	

AS900TST

90 cm, FRIDGE FREEZERS, MODEL OT

FREESTANDING

Series COUNTRY®



AESTHETIC	
Compressor position	Top
Front finish e fianchi	Painted Stainless steel
Handles	Stainless Steel
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
AS900TST6I (right hinge, with ice maker)	15.520 €
AS900TST3I (left hinge, with ice maker)	15.520 €
CAPACITY	
Volume Compartment1 (L)	425
Volume Compartment2 (L)	/
Volume Compartment3 (L)	131
Total Net Volume (L)	556
Total Gross Volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	887
Depth of Product without handle(mm)	635
Net Weight (kg)	214
Gross Weight (kg)	235
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Door stop 90°
- Separate EvenLift™ shelves

RS900TST

90 cm, FRIDGE FREEZERS, MODEL OT
BUILT-IN
DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS900TST6 (right hinge)	11.070 €
RS900TST3 (left hinge)	11.070 €
RS900TST6I (right hinge, with ice maker)	11.920 €
RS900TST3I (left hinge, with ice maker)	11.920 €
CAPACITY	
Volume Compartment1 (L)	425
Volume Compartment2 (L)	/
Volume Compartment3 (L)	131
Total Net Volume (L)	556
Total Gross Volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	912
Depth of Product without handle(mm)	620
Net Weight (kg)	214
Gross Weight (kg)	235
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units	
• Extra length anti-tipping kit	
• Cleaning Kit	
• Front ventilation kit	
• Front panel painting, handles	
• Door stop 90°	
• Separate EvenLift™ shelves	

RS900TGT

90 cm, FRIDGE FREEZERS, MODEL OT
BUILT-IN, Glass Door
DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS900TGT6 (right hinge)	12.050 €
RS900TGT3 (left hinge)	12.050 €
RS900TGT6I (right hinge, with ice maker)	12.900 €
RKS900TGT3I (left hinge, with ice maker)	12.900 €
CAPACITY	
Volume Compartment1 (L)	425
Volume Compartment2 (L)	/
Volume Compartment3 (L)	131
Total Net Volume (L)	556
Total Gross Volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	912
Depth of Product without handle(mm)	620
Net Weight (kg)	214
Gross Weight (kg)	235
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units	
• Extra length anti-tipping kit	
• Cleaning Kit	
• Front ventilation kit	
• Front panel painting, handles	
• Door stop 90°	
• Separate EvenLift™ shelves	

KS900TST

90 cm, FRIDGE FREEZERS, MODEL OT
BUILT-IN
CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS900TST6 (right hinge)	11.070 €
KS900TST3 (left hinge)	11.070 €
KS900TST6I (right hinge, with ice maker)	11.920 €
KS900TST3I (left hinge, with ice maker)	11.920 €
CAPACITY	
Volume Compartment1 (L)	425
Volume Compartment2 (L)	/
Volume Compartment3 (L)	131
Total Net Volume (L)	556
Total Gross Volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	214
Gross Weight (kg)	235
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation • Central Joining Kit for side-by-side installed units • Extra length anti-tipping kit • Cleaning Kit • Front ventilation kit • Front panel painting, handles, and side panels • Door stop 90° • Separate EvenLift™ shelves	

KS900TGT

90 cm, FRIDGE FREEZERS, MODEL OT
BUILT-IN, Glass Door
CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS900TGT6 (right hinge)	12.050 €
KS900TGT3 (left hinge)	12.050 €
KS900TGT6I (right hinge, with ice maker)	12.900 €
KS900TGT3I (left hinge, with ice maker)	12.900 €
CAPACITY	
Volume Compartment1 (L)	425
Volume Compartment2 (L)	/
Volume Compartment3 (L)	131
Total Net Volume (L)	556
Total Gross Volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	214
Gross Weight (kg)	235
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation • Central Joining Kit for side-by-side installed units • Extra length anti-tipping kit • Cleaning Kit • Front ventilation kit • Front panel painting, handles, and side panels • Door stop 90° • Separate EvenLift™ shelves	

S900TST

90 cm, FRIDGE FREEZERS, MODEL OT

FULLY INTEGRATED

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S900TST6 (right hinge)	10.270 €
S900TST3 (left hinge)	10.270 €
S900TST6I (right hinge, with ice maker)	11.120 €
S900TST3I (left hinge, with ice maker)	11.120 €
CAPACITY	
Volume Compartment1 (L)	425
Volume Compartment2 (L)	/
Volume Compartment3 (L)	131
Total Net Volume (L)	556
Total Gross Volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	610
Net Weight (kg)	191
Gross Weight (kg)	212
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - Ø 30 mm Tubular Stainless Steel Handles – Classic - Ø 30 mm Tubular Stainless Steel Handles – Pro - Ø 18 mm Tubular Stainless Steel Handles - Stainless steel panels - Extra length anti-tipping kit - Cleaning Kit - Front ventilation kit - Door stop 90° - Separate EvenLift™ shelves	

S900TGT

90 cm, FRIDGE FREEZERS, MODEL OT

FULLY INTEGRATED, Glass Door

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S900TGT6 (right hinge)	11.250 €
S900TGT3 (left hinge)	11.250 €
S900TGT6I (right hinge, with ice maker)	12.100 €
S900TGT3I (left hinge, with ice maker)	12.100 €
CAPACITY	
Volume Compartment1 (L)	425
Volume Compartment2 (L)	/
Volume Compartment3 (L)	131
Total Net Volume (L)	556
Total Gross Volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	610
Net Weight (kg)	191
Gross Weight (kg)	212
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - Ø 30 mm Tubular Stainless Steel Handles – Classic - Ø 30 mm Tubular Stainless Steel Handles – Pro - Ø 18 mm Tubular Stainless Steel Handles - Stainless steel panels - Extra length anti-tipping kit - Cleaning Kit - Front ventilation kit - Door stop 90° - Separate EvenLift™ shelves	

BKS900TST

90 cm, FRIDGE FREEZERS, MODEL OT
BUILT-IN
BRILLIANCE® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	White painted aluminium
PRICE (VAT and delivery charges not included)	
BKS900TST6 (right hinge)	9.180 €
BKS900TST3 (left hinge)	9.180 €
BKS900TST6I (right hinge, with ice maker)	10.030 €
BKS900TST3I (left hinge, with ice maker)	10.030 €
CAPACITY	
Volume Compartment1 (L)	425
Volume Compartment2 (L)	/
Volume Compartment3 (L)	131
Total Net Volume (L)	556
Total Gross Volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	199
Gross Weight (kg)	220
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation • Central Joining Kit for side-by-side installed units • Extra length anti-tipping kit • Cleaning Kit • Front ventilation kit • Front panel painting, handles, and side panels • Door stop 90° • Separate EvenLift™ shelves	

BS900TST

90 cm, FRIDGE FREEZERS, MODEL OT
FULLY INTEGRATED
BRILLIANCE® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	White painted aluminium
PRICE (VAT and delivery charges not included)	
BS900TST6 (right hinge)	8.520 €
BS900TST3 (left hinge)	8.520 €
BS900TST6I (right hinge, with ice maker)	9.370 €
BS900TST3I (left hinge, with ice maker)	9.370 €
CAPACITY	
Volume Compartment1 (L)	425
Volume Compartment2 (L)	
Volume Compartment3 (L)	131
Total Net Volume (L)	556
Total Gross Volume (L)	581
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	273

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	610
Net Weight (kg)	178
Gross Weight (kg)	199
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation • Central Joining Kit for side-by-side installed units • Ø 30 mm Tubular Stainless Steel Handles – Classic • Ø 30 mm Tubular Stainless Steel Handles – Pro • Ø 18 mm Tubular Stainless Steel Handles • Stainless steel panels • Extra length anti-tipping kit • Cleaning Kit • Front ventilation kit • Door stop 90° • Separate EvenLift™ shelves	



FULL SIZE: FRIDGE FREEZERS

Model: 0H

Width: 90cm

One door, two drawer, 2 separate temperatures

Upper compartment: Fridge

Middle compartment: LowTemp

Lower compartment TriMode: Fridge/Fresco/Freezer

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.

Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.

Galvanized Steel Structure: Strength and stability engineered to last.

Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.

Technology and Functionality

EventLift™: Shelves adjustable to any height without removal.

ProVent™: Uniform cold air distribution across every zone.

EquiLance™: Patented variable pivot hinge for silent, stable movement.

OptiView™: Diffuse, uniform LED lighting.

Full Colour TFT Display : Clear, intuitive, high definition interface.

100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.

Variable Speed Compressors: Precise temperature control and reduced vibrations.

Sabbath Mode: Dedicated function for observance needs.

Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

Low Temperature Zone: Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.

Tempered Glass Shelves: With aluminum profiles

TriMode™ Lower drawer configurable as refrigerator, fresh zone, or freezer.

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optievew (LED light spots)	YES
Shelves	4 - 1 fixed, 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Bottom drawers	2
Full Extension shelves 90° door opening	/
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

XS900HST

90 cm, FRIDGE FREEZERS, MODEL 0H
BUILT-IN
X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS900HST6 (right hinge)	12.870 €
XS900HST3 (left hinge)	12.870 €
XS900HST6I (right hinge, with ice maker)	13.720 €
XS900HST3I (left hinge, with ice maker)	13.720 €
CAPACITY	
Volume Compartment1 (L)	381
Volume Compartment2 (L)	/
Volume Compartment3 (L)	167
Total Net Volume (L)	548
Total Gross Volume (L)	575
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	319

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	212
Gross Weight (kg)	233
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Bottom Drawers	2

ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves

RS900HST

90 cm, FRIDGE FREEZERS, MODEL 0H
BUILT-IN
DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS900HST6 (right hinge)	11.670 €
RS900HST3 (left hinge)	11.670 €
RS900HST6I (right hinge, with ice maker)	12.520 €
RS900HST3I (left hinge, with ice maker)	12.520 €
CAPACITY	
Volume Compartment1 (L)	381
Volume Compartment2 (L)	/
Volume Compartment3 (L)	167
Total Net Volume (L)	548
Total Gross Volume (L)	575
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	319

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	912
Depth of Product without handle(mm)	620
Net Weight (kg)	193
Gross Weight (kg)	215
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Bottom Drawers	2

ACCESSORIES (from page 118 to page 227)

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°
- Separate EvenLift™ shelves

KS900HST

90 cm, FRIDGE FREEZERS, MODEL 0H
BUILT-IN
CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS900HST6 (right hinge)	11.670 €
KS900HST3 (left hinge)	11.670 €
KS900HST6I (right hinge, with ice maker)	12.520 €
KS900HST3I (left hinge, with ice maker)	12.520 €
CAPACITY	
Volume Compartment1 (L)	381
Volume Compartment2 (L)	/
Volume Compartment3 (L)	167
Total Net Volume (L)	548
Total Gross Volume (L)	575
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	319

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	193
Gross Weight (kg)	215
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Bottom Drawers	2

ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves

S900HST

90 cm, FRIDGE FREEZERS, MODEL 0H
FULLY INTEGRATED
INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S900HST6 (right hinge)	10.870 €
S900HST3 (left hinge)	10.870 €
S900HST6I (right hinge, with ice maker)	11.720 €
S900HST3I (left hinge, with ice maker)	11.720 €
CAPACITY	
Volume Compartment1 (L)	381
Volume Compartment2 (L)	/
Volume Compartment3 (L)	167
Total Net Volume (L)	548
Total Gross Volume (L)	575
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	319

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	610
Net Weight (kg)	184
Gross Weight (kg)	205
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Bottom Drawers	2

ACCESSORIES (from page 118 to page 227)

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Door stop 90°
- Separate EvenLift™ shelves



WINE CELLAR

FULL SIZE: WINE CELLARS

Model: 0H

Width: 90cm

One door, two drawer, 2 separate temperatures

Upper compartment: Wine cellar

Lower compartment: Wine cellar

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.

Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.

Galvanized Steel Structure: Strength and stability engineered to last.

Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.

Technology and Functionality

ProVent™: Uniform cold air distribution across every zone.

EquiLance™: Patented variable pivot hinge for silent, stable movement.

OptiView™: Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

Full Colour TFT Display : Clear, intuitive, high definition interface.

Active Safety: Visual and acoustic alerts.

100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.

Variable Speed Compressors: Precise temperature control and reduced vibrations.

Sabbath Mode: Dedicated function for observance needs.

Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

Two Independent Climate Zones: Dedicated temperature and humidity control for red, white, and sparkling wines.


Triple-layer bronzed glass door: Total protection against UV rays and external temperature fluctuations.

Humidity control: Precise regulation to preserve corks, labels, and bottle integrity.

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	9
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom drawers	2
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity Control	YES
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

XS900HWT
90 cm, WINE CELLAR, MODEL 0H
BUILT-IN
X-PRO® SERIES




AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS900HWT6 (right hinge)	12.820 €
XS900HWT3 (left hinge)	12.820 €
CAPACITY	
Volume Compartment1 (L)	357
Volume Compartment2 (L)	/
Volume Compartment3 (L)	167
Total Net Volume (L)	524
Total Gross Volume (L)	542
Compartment 1 / Upper wine cellar capacity (bottles)	108
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	197

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	212
Gross Weight (kg)	233
TEMPERATURE	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	2

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Door stop 90°
• Central Joining Kit for side-by-side installed units	• Wine kit
• X-Pro top grill kit	• Cheese drawer
• Extra length anti-tipping kit	• Set of knives
• Anti-condensation kit	• Prosciutteria kit
• Cleaning Kit	• Cigar drawer
• Active Carbon Filter	• Beverage drawer
• Front panel painting, handles, and side panels	• Beverage shelf
	• Beverage removable shelf

RS900HWT
90 cm, WINE CELLAR, MODEL 0H
BUILT-IN
DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS900HWT6 (right hinge)	11.620 €
RS900HWT3 (left hinge)	11.620 €
CAPACITY	
Volume Compartment1 (L)	357
Volume Compartment2 (L)	/
Volume Compartment3 (L)	167
Total Net Volume (L)	524
Total Gross Volume (L)	542
Compartment 1 / Upper wine cellar capacity (bottles)	108
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	197

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	912
Depth of Product without handle(mm)	620
Net Weight (kg)	193
Gross Weight (kg)	215
TEMPERATURE	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	2

ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units	• Prosciutteria kit
• Extra length anti-tipping kit	• Cigar drawer
• Cleaning Kit	• Beverage drawer
• Active Carbon Filter	• Beverage shelf
• Front ventilation kit	• Beverage removable shelf
• Front panel painting, handles	
• Door stop 90°	
• Wine kit	
• Cheese drawer	
• Set of knives	

KS900HWT

90 cm, WINE CELLAR, MODEL 0H

BUILT-IN

CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS900HWT6 (right hinge)	11.620 €
KS900HWT3 (left hinge)	11.620 €
CAPACITY	
Volume Compartment1 (L)	357
Volume Compartment2 (L)	/
Volume Compartment3 (L)	167
Total Net Volume (L)	524
Total Gross Volume (L)	542
Compartment 1 / Upper wine cellar capacity (bottles)	108
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	197

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	193
Gross Weight (kg)	215
TEMPERATURE	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	2

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Cheese drawer
• Central Joining Kit for side-by-side installed units	• Set of knives
• Extra length anti-tipping kit	• Prosciutteria kit
• Cleaning Kit	• Cigar drawer
• Active Carbon Filter	• Beverage drawer
• Front ventilation kit	• Beverage shelf
• Front panel painting, handles, and side panels	• Beverage removable shelf
• Door stop 90°	
• Wine kit	

S900HWT

90 cm, WINE CELLAR, MODEL 0H

FULLY INTEGRATED

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S900HWT6 (right hinge)	10.820 €
S900HWT3 (left hinge)	10.820 €
CAPACITY	
Volume Compartment1 (L)	357
Volume Compartment2 (L)	/
Volume Compartment3 (L)	167
Total Net Volume (L)	524
Total Gross Volume (L)	542
Compartment 1 / Upper wine cellar capacity (bottles)	108
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	197

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	610
Net Weight (kg)	181
Gross Weight (kg)	202
TEMPERATURE	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	2

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Active Carbon Filter
• Central Joining Kit for side-by-side installed units	• Front ventilation kit
• Ø 30 mm Tubular Stainless Steel Handles – Classic	• Door stop 90°
• Ø 30 mm Tubular Stainless Steel Handles – Pro	• Wine kit
• Ø 18 mm Tubular Stainless Steel Handles	• Cheese drawer
• Stainless steel panels	• Set of knives
• Extra length anti-tipping kit	• Prosciutteria kit
• Cleaning Kit	• Cigar drawer
	• Beverage drawer
	• Beverage shelf
	• Beverage removable shelf

FULL SIZE: FRIDGES
Model: 0F
Width: 90cm

One door, 1 temperature
Upper compartment: Fridge
Lower compartment: Low Temp



FRIDGE

LOW TEMP

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.
Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.
Galvanized Steel Structure: Strength and stability engineered to last.
Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.

Technology and Functionality

EventLift™: Shelves adjustable to any height without removal.
ProVent™: Uniform cold air distribution across every zone.
EquiLance™: Patented variable pivot hinge for silent, stable movement.
OptiView™: Diffuse, uniform LED lighting.
Full Colour TFT Display : Clear, intuitive, high definition interface.
100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.
Variable Speed Compressors: Precise temperature control and reduced vibrations.
Sabbath Mode: Dedicated function for observance needs.
Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

One climate zone: Precise temperature control for optimal food preservation.
Low Temperature Zone: Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.
Tempered Glass Shelves: With aluminum profiles

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4 - 1 fixed, 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom drawers	/
Full Extension shelves 90° door opening	/
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	NO
Power Failure Function	YES

XS900FR

90 cm, FRIDGE, MODEL OFR
BUILT-IN
X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS900FR6 (right hinge)	10.690 €
XS900FR3 (left hinge)	10.690 €
XS900FR6D (Right hinge, water dispenser)	11.530 €
XS900FR3D (Left hinge, water dispenser)	11.530 €
CAPACITY	
Volume Compartment1 (L)	619
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	619
Total Gross Volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	149

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	200
Gross Weight (kg)	221
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - X-Pro top grill kit - Extra length anti-tipping kit - Anti-condensation kit - Cleaning Kit - Front panel painting, handles, and side panels - Door stop 90° - Separate EvenLift™ shelves - Gastronorm drawers	

XS900FG

90 cm, FRIDGE, MODEL OFG
BUILT-IN, Glass Door
X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS900FG6 (right hinge)	11.680 €
XS900FG3 (left hinge)	11.680 €
XS900FG6D (Right hinge, water dispenser)	12.510 €
XS900FG3D (Left hinge, water dispenser)	12.510 €
CAPACITY	
Volume Compartment1 (L)	619
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	619
Total Gross Volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	149

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	200
Gross Weight (kg)	221
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - X-Pro top grill kit - Extra length anti-tipping kit - Anti-condensation kit - Cleaning Kit - Front panel painting, handles, and side panels - Door stop 90° - Separate EvenLift™ shelves - Gastronorm drawers	

RS900FR

90 cm, FRIDGE, MODEL OFR
BUILT-IN
DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS900FR6 (right hinge)	9.490 €
RS900FR3 (left hinge)	9.490 €
RS900FR6D (Right hinge, water dispenser)	10.330 €
RS900FR3D (Left hinge, water dispenser)	10.330 €
CAPACITY	
Volume Compartment1 (L)	619
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	619
Total Gross Volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	149

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	912
Depth of Product without handle(mm)	620
Net Weight (kg)	189
Gross Weight (kg)	210
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units • Extra length anti-tipping kit • Cleaning Kit • Front ventilation kit • Front panel painting, handles • Door stop 90° • Separate EvenLift™ shelves • Gastronorm drawers	

RS900FG

90 cm, FRIDGE, MODEL OFG
BUILT-IN, Glass Door
DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS900FG6 (right hinge)	10.480 €
RS900FG3 (left hinge)	10.480 €
RS900FG6D (Right hinge, water dispenser)	11.310 €
RS900FG3D (Left hinge, water dispenser)	11.310 €
CAPACITY	
Volume Compartment1 (L)	619
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	619
Total Gross Volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	149

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	912
Depth of Product without handle(mm)	620
Net Weight (kg)	189
Gross Weight (kg)	210
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units • Extra length anti-tipping kit • Cleaning Kit • Front ventilation kit • Front panel painting, handles • Door stop 90° • Separate EvenLift™ shelves • Gastronorm drawers	

KS900FR

90 cm, FRIDGE, MODEL OFR
BUILT-IN
CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS900FR6 (right hinge)	9.490 €
KS900FR3 (left hinge)	9.490 €
KS900FR6D (Right hinge, water dispenser)	10.330 €
KS900FR3D (Left hinge, water dispenser)	10.330 €
CAPACITY	
Volume Compartment1 (L)	619
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	619
Total Gross Volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	149

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	189
Gross Weight (kg)	210
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation • Central Joining Kit for side-by-side installed units • Extra length anti-tipping kit • Cleaning Kit • Front ventilation kit • Front panel painting, handles, and side panels • Door stop 90° • Separate EvenLift™ shelves • Gastronorm drawers	

KS900FG

90 cm, FRIDGE, MODEL OFG
BUILT-IN, Glass Door
CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS900FG6 (right hinge)	10.480 €
KS900FG3 (left hinge)	10.480 €
KS900FG6D (Right hinge, water dispenser)	11.310 €
KS900FG3D (Left hinge, water dispenser)	11.310 €
CAPACITY	
Volume Compartment1 (L)	619
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	619
Total Gross Volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	149

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	189
Gross Weight (kg)	210
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation • Central Joining Kit for side-by-side installed units • Extra length anti-tipping kit • Cleaning Kit • Front ventilation kit • Front panel painting, handles, and side panels • Door stop 90° • Separate EvenLift™ shelves • Gastronorm drawers	

S900FR

90 cm, FRIDGE, MODEL 0FR

FULLY INTEGRATED

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S900FR6 (right hinge)	8.690 €
S900FR3 (left hinge)	8.690 €
S900FR6D (Right hinge, water dispenser)	9.530 €
S900FR3D (Left hinge, water dispenser)	9.530 €
CAPACITY	
Volume Compartment1 (L)	619
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	619
Total Gross Volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	149

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	610
Net Weight (kg)	168
Gross Weight (kg)	189
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - Ø 30 mm Tubular Stainless Steel Handles – Classic - Ø 30 mm Tubular Stainless Steel Handles – Pro - Ø 18 mm Tubular Stainless Steel Handles - Stainless steel panels - Extra length anti-tipping kit	- Cleaning Kit - Front ventilation kit - Door stop 90° - Separate shelves EvenLift™ - Gastronorm drawers - Push to open

S900FG

90 cm, FRIDGE, MODEL 0FG

FULLY INTEGRATED, Glass Door

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S900FG6 (right hinge)	9.680 €
S900FG3 (left hinge)	9.680 €
S900FG6D (Right hinge, water dispenser)	10.510 €
S900FG3D (Left hinge, water dispenser)	10.510 €
CAPACITY	
Volume Compartment1 (L)	619
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	619
Total Gross Volume (L)	629
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	149

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	610
Net Weight (kg)	168
Gross Weight (kg)	189
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - Ø 30 mm Tubular Stainless Steel Handles – Classic - Ø 30 mm Tubular Stainless Steel Handles – Pro - Ø 18 mm Tubular Stainless Steel Handles - Stainless steel panels - Extra length anti-tipping kit	- Cleaning Kit - Front ventilation kit - Door stop 90° - Separate EvenLift™ shelves - Gastronorm drawers - Push to open



WINE CELLAR

FULL SIZE: WINE CELLARS

Model: 0F

Width: 90cm

One door, 2 separate temperatures

Upper compartment: Wine cellar

Lower compartment: Wine cellar

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.

Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.

Galvanized Steel Structure: Strength and stability engineered to last.

Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.

Technology and Functionality

ProVent™: Uniform cold air distribution across every zone.

EquiLance™: Patented variable pivot hinge for silent, stable movement.

OptiView™: Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

Full Colour TFT Display : Clear, intuitive, high definition interface.

Active Safety: Visual and acoustic alerts.

100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.

Variable Speed Compressors: Precise temperature control and reduced vibrations.

Sabbath Mode: Dedicated function for observance needs.

Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

Two Independent Climate Zones: Dedicated temperature and humidity control for red, white, and sparkling wines.

Triple-layer bronzed glass door: Total protection against UV rays and external temperature fluctuations.

Humidity control: Precise regulation to preserve corks, labels, and bottle integrity.


GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optievew (LED light spots)	YES
Shelves	13
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom drawers	/
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity Control	YES
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

XS900FW
90 cm, WINE CELLAR, MODEL 0FW
BUILT-IN
X-PRO® SERIES




AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS900FW6 (right hinge)	12.060 €
XS900FW3 (left hinge)	12.060 €
CAPACITY	
Volume Compartment1 (L)	590
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	590
Total Gross Volume (L)	607
Compartment 1 / Upper wine cellar capacity (bottles)	96
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	60
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	169



DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	192
Gross Weight (kg)	223
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	/
ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Wine kit
• Central Joining Kit for side-by-side installed units	• Cheese drawer
• X-Pro top grill kit	• Set of knives
• Extra length anti-tipping kit	• Prosciutteria kit
• Anti-condensation kit	• Cigar drawer
• Cleaning Kit	• Beverage drawer
• Active Carbon Filter	• Beverage shelf
• Front panel painting, handles, and side panels	• Beverage removable shelf
• Door stop 90°	

RS900FW
90 cm, WINE CELLAR, MODEL 0FW
BUILT-IN
DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS900FW6 (right hinge)	10.860 €
RS900FW3 (left hinge)	10.860 €
CAPACITY	
Volume Compartment1 (L)	590
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	590
Total Gross Volume (L)	607
Compartment 1 / Upper wine cellar capacity (bottles)	96
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	60
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	169


DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	912
Depth of Product without handle(mm)	620
Net Weight (kg)	194
Gross Weight (kg)	215
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	/
ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units	• Cigar drawer
• Extra length anti-tipping kit	• Beverage drawer
• Cleaning Kit	• Beverage shelf
• Active Carbon Filter	• Beverage removable shelf
• Front ventilation kit	
• Front panel painting, handles	
• Door stop 90°	
• Wine kit	
• Cheese drawer	
• Set of knives	
• Prosciutteria kit	

KS900FW

90 cm, WINE CELLAR, MODEL 0FW

BUILT-IN

CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS900FW6 (right hinge)	10.860 €
KS900FW3 (left hinge)	10.860 €
CAPACITY	
Volume Compartment1 (L)	590
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	590
Total Gross Volume (L)	607
Compartment 1 / Upper wine cellar capacity (bottles)	96
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	60
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	194
Gross Weight (kg)	215
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	/


ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Set of knives
• Central Joining Kit for side-by-side installed units	• Prosciutteria kit
• Extra length anti-tipping kit	• Cigar drawer
• Cleaning Kit	• Beverage drawer
• Active Carbon Filter	• Beverage shelf
• Front ventilation kit	• Beverage removable shelf
• Front panel painting, handles, and side panels	
• Door stop 90°	
• Wine kit	
• Cheese drawer	

S900FW

90 cm, WINE CELLAR, MODEL 0FW

FULLY INTEGRATED

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S900FW6 (right hinge)	10.060 €
S900FW3 (left hinge)	10.060 €
CAPACITY	
Volume Compartment1 (L)	590
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	590
Total Gross Volume (L)	607
Compartment 1 / Upper wine cellar capacity (bottles)	96
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	60
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	610
Net Weight (kg)	173
Gross Weight (kg)	194
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Active Carbon Filter
• Central Joining Kit for side-by-side installed units	• Front ventilation kit
• Ø 30 mm Tubular Stainless Steel Handles – Classic	• Door stop 90°
• Ø 30 mm Tubular Stainless Steel Handles – Pro	• Wine kit
• Ø 18 mm Tubular Stainless Steel Handles	• Cheese drawer
• Stainless steel panels	• Set of knives
• Extra length anti-tipping kit	• Prosciutteria kit
• Cleaning Kit	• Cigar drawer
	• Beverage drawer
	• Beverage shelf
	• Beverage removable shelf
	• Push to open



FULL SIZE: FREEZER

Model: 0F

Width: 90cm

One door, 1 temperature

Single compartment: Freezer

FEATURES

- Made in Italy:** Designed and built entirely in Italy with artisanal precision.
- Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.
- Galvanized Steel Structure:** Strength and stability engineered to last.
- Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.
- Technology and Functionality**
 - ProVent™:** Uniform cold air distribution across every zone.
 - EquiLance™:** Patented variable pivot hinge for silent, stable movement.
 - OptiView™:** Diffuse, uniform LED lighting.
 - Full Colour TFT Display :** Clear, intuitive, high definition interface.
 - 100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.
 - Variable Speed Compressors:** Precise temperature control and reduced vibrations.
 - Sabbath Mode:** Dedicated function for observance needs.
 - Easy Installation:** Adjustable front feet and rear wheels.
- Conservation Performance**
 - One climate zone:** Gestione precisa della temperatura per una conservazione ottimale degli alimenti congelati.
 - Tempered Glass Shelves:** With aluminum profiles

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	NO
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	3 - 1 fixed, 2 adjustable
Slide-out shelves	NO
Type of shelves	2 Glass & 1 Stainless steel
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom drawers	4
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	YES
Power Failure Function	YES

FREEZER

XS900FZ

90 cm, FREEZER, MODEL 0FZ
BUILT-IN
INTEGRATED® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS900FZ6 (right hinge)	11.730 €
XS900FZ3 (left hinge)	11.730 €
XS900FZ6I (right hinge, with ice maker)	12.570 €
XS900FZ3I (left hinge, with ice maker)	12.570 €
CAPACITY	
Volume Compartment1 (L)	570
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	570
Total Gross Volume (L)	573
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	360

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	195
Gross Weight (kg)	216
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from -15 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed, 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	4

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - Ø 30 mm Tubular Stainless Steel Handles – Classic - Ø 30 mm Tubular Stainless Steel Handles – Pro - Ø 18 mm Tubular Stainless Steel Handles - Stainless steel panels - Extra length anti-tipping kit - Anti-condensation kit - Cleaning Kit - Front ventilation kit - Door stop 90°	

RS900FZ

90 cm, FREEZER, MODEL 0FZ
BUILT-IN
DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS900FZ6 (right hinge)	10.530 €
RS900FZ3 (left hinge)	10.530 €
RS900FZ6I (right hinge, with ice maker)	11.370 €
RS900FZ3I (left hinge, with ice maker)	11.370 €
CAPACITY	
Volume Compartment1 (L)	570
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	570
Total Gross Volume (L)	573
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	360

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	912
Depth of Product without handle(mm)	620
Net Weight (kg)	195
Gross Weight (kg)	216
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from -15 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed, 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	4

ACCESSORIES (from page 118 to page 227)	
- Central Joining Kit for side-by-side installed units - Extra length anti-tipping kit - Cleaning Kit - Front ventilation kit - Front panel painting, handles - Door stop 90°	

KS900FZ

90 cm, FREEZER, MODEL 0FZ
BUILT-IN
CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS900FZ6 (right hinge)	10.530 €
KS900FZ3 (left hinge)	10.530 €
KS900FZ6I (right hinge, with ice maker)	11.370 €
KS900FZ3I (left hinge, with ice maker)	11.370 €
CAPACITY	
Volume Compartment1 (L)	570
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	570
Total Gross Volume (L)	573
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	360

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	899
Depth of Product without handle(mm)	635
Net Weight (kg)	195
Gross Weight (kg)	216
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from -15 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed, 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	4

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - Extra length anti-tipping kit - Cleaning Kit - Front ventilation kit - Front panel painting, handles, and side panels - Door stop 90°	

S900FZ

90 cm, FREEZER, MODEL 0FZ
FULLY INTEGRATED
INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S900FZ6 (right hinge)	9.730 €
S900FZ3 (left hinge)	9.730 €
S900FZ6I (right hinge, with ice maker)	10.570 €
S900FZ3I (left hinge, with ice maker)	10.570 €
CAPACITY	
Volume Compartment1 (L)	570
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	570
Total Gross Volume (L)	573
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	360

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	899
Depth of Product without handle(mm)	610
Net Weight (kg)	182
Gross Weight (kg)	202
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from -15 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed, 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	4

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - Ø 30 mm Tubular Stainless Steel Handles – Classic - Ø 30 mm Tubular Stainless Steel Handles – Pro - Ø 18 mm Tubular Stainless Steel Handles - Stainless steel panels - Extra length anti-tipping kit - Cleaning Kit - Front ventilation kit - Door stop 90° - Push to open	

FULL SIZE: FRIDGE FREEZERS/FRIDGES/FREEZERS/
WINE CELLARS
Width: 75cm

	OT FridgesWine Cellars		OH FridgesWine Cellars		OF FridgesWine Cellars		Freezer
	75	75	75	75	75	75	75
X-PRO Top compressors							
	XS750TST XS750TGT	XS750TWT	XS750HST	XS750HWT	XS750FR XS750FG	XS750FW	XS750FZ
Glass Door							
DESIGNER Bottom compressors							
	RS750TST RS750TGT	RS750TWT	RS750HST	RS750HWT	RS750FR RS750FG	RS750FW	RS750FZ
Glass Door							
CLASSIC Bottom compressors							
	KS750TST KS750TGT	KS750TWT	KS750HST	KS750HWT	KS750FR KS750FG	KS750FW	KS750FZ
Glass Door							
INTEGRATED Bottom compressors							
	S750TST S750TGT	S750TWT	S750HST	S750HWT	S750FR S750FG	S750FW	S750FZ
Glass Door							
COUNTRY Top compressors							
	AS750TST						
BRILLIANCE Bottom compressors Bottom compressors							
	BS750TST BKS750TST						
BRILLIANCE CLASSIC							



FRIDGE

LOW TEMP

TRIMODE®

FULL SIZE: FRIDGE FREEZERS

Model: 0T

Width: 75cm

One door, one drawer, 2 separate temperatures

Upper compartment: Fridge

Middle compartment: LowTemp

Lower compartment TriMode: Fridge/Fresco/Freezer

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.
Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.
Galvanized Steel Structure: Strength and stability engineered to last.
Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.

Technology and Functionality

EventLift™: Shelves adjustable to any height without removal.
ProVent™: Uniform cold air distribution across every zone.
EquiLance™: Patented variable pivot hinge for silent, stable movement.
OptiView™: Diffuse, uniform LED lighting.
Full Colour TFT Display : Clear, intuitive, high definition interface.
100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.
Variable Speed Compressors: Precise temperature control and reduced vibrations.
Sabbath Mode: Dedicated function for observance needs.
Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

Low Temperature Zone: Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.
Tempered Glass Shelves: With aluminum profiles
TriMode™ Lower drawer configurable as refrigerator, fresh zone, or freezer.

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4 - 1 fixed, 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	/
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

XS750TST

75 cm, FRIDGE FREEZERS, MODEL OT
BUILT-IN
X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS750TST6 (right hinge)	12.160 €
XS750TST3 (left hinge)	12.160 €
XS750TST6I (right hinge, with ice maker)	13.010 €
XS750TST3I (left hinge, with ice maker)	13.010 €
CAPACITY	
Volume Compartment1 (L)	335
Volume Compartment2 (L)	/
Volume Compartment3 (L)	105
Total Net Volume (L)	440
Total Gross Volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	749
Depth of Product without handle(mm)	635
Net Weight (kg)	191
Gross Weight (kg)	212
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation • Central Joining Kit for side-by-side installed units • X-Pro top grill kit • Extra length anti-tipping kit • Anti-condensation kit • Cleaning Kit • Front panel painting, handles, and side panels • Door stop 90° • Separate EvenLift™ shelves	

XS750TGT

75 cm, FRIDGE FREEZERS, MODEL OT
BUILT-IN, Glass Door
X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS750TGT6 (right hinge)	13.150 €
XS750TGT3 (left hinge)	13.150 €
XS750TGT6I (right hinge, with ice maker)	13.980 €
XS750TGT3I (left hinge, with ice maker)	13.980 €
CAPACITY	
Volume Compartment1 (L)	335
Volume Compartment2 (L)	/
Volume Compartment3 (L)	105
Total Net Volume (L)	440
Total Gross Volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	749
Depth of Product without handle(mm)	635
Net Weight (kg)	191
Gross Weight (kg)	212
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation • Central Joining Kit for side-by-side installed units • X-Pro top grill kit • Extra length anti-tipping kit • Anti-condensation kit • Cleaning Kit • Front panel painting, handles, and side panels • Door stop 90° • Separate EvenLift™ shelves	

AS750TST

75 cm, FRIDGE FREEZERS, MODEL OT

FREESTANDING

Series COUNTRY®



AESTHETIC	
Compressor position	Top
Front finish e fianchi	Painted Stainless steel
Handles	Stainless Steel
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
AS750TST6I (right hinge, with ice maker)	15.410 €
AS750TST3I (left hinge, with ice maker)	15.410 €
CAPACITY	
Volume Compartment1 (L)	335
Volume Compartment2 (L)	/
Volume Compartment3 (L)	105
Total Net Volume (L)	440
Total Gross Volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	737
Depth of Product without handle(mm)	635
Net Weight (kg)	191
Gross Weight (kg)	212
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units • Extra length anti-tipping kit • Anti-condensation kit • Cleaning Kit • Door stop 90° • Separate EvenLift™ shelves	

RS750TST

75 cm, FRIDGE FREEZERS, MODEL OT

BUILT-IN

DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS750TST6 (right hinge)	10.960 €
RS750TST3 (left hinge)	10.960 €
RS750TST6I (right hinge, with ice maker)	11.810 €
RS750TST3I (left hinge, with ice maker)	11.810 €
CAPACITY	
Volume Compartment1 (L)	335
Volume Compartment2 (L)	/
Volume Compartment3 (L)	105
Total Net Volume (L)	440
Total Gross Volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	762
Depth of Product without handle(mm)	620
Net Weight (kg)	184
Gross Weight (kg)	205
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units • Extra length anti-tipping kit • Cleaning Kit • Front ventilation kit • Front panel painting, handles • Door stop 90° • Separate EvenLift™ shelves	

RS750TGT

75 cm, FRIDGE FREEZERS, MODEL OT

BUILT-IN, Glass Door

DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS750TGT6 (right hinge)	11.950 €
RS750TGT3 (left hinge)	11.950 €
RS750TGT6I (right hinge, with ice maker)	12.780 €
RS750TGT3I (left hinge, with ice maker)	12.780 €
CAPACITY	
Volume Compartment1 (L)	335
Volume Compartment2 (L)	/
Volume Compartment3 (L)	105
Total Net Volume (L)	440
Total Gross Volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	762
Depth of Product without handle(mm)	620
Net Weight (kg)	187
Gross Weight (kg)	208
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units • Extra length anti-tipping kit • Cleaning Kit • Front ventilation kit • Front panel painting, handles • Door stop 90° • Separate EvenLift™ shelves	

KS750TST

75 cm, FRIDGE FREEZERS, MODEL OT

BUILT-IN

CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS750TST6 (right hinge)	10.960 €
KS750TST3 (left hinge)	10.960 €
KS750TST6I (right hinge, with ice maker)	11.810 €
KS750TST3I (left hinge, with ice maker)	11.810 €
CAPACITY	
Volume Compartment1 (L)	335
Volume Compartment2 (L)	/
Volume Compartment3 (L)	105
Total Net Volume (L)	440
Total Gross Volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	749
Depth of Product without handle(mm)	635
Net Weight (kg)	184
Gross Weight (kg)	205
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - Extra length anti-tipping kit - Cleaning Kit - Front ventilation kit - Front panel painting, handles, and side panels - Door stop 90° - Separate EvenLift™ shelves	

KS750TGT

75 cm, FRIDGE FREEZERS, MODEL OT

BUILT-IN, Glass Door

CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS750TGT6 (right hinge)	11.950 €
KS750TGT3 (left hinge)	11.950 €
KS750TGT6I (right hinge, with ice maker)	12.780 €
KS750TGT3I (left hinge, with ice maker)	12.780 €
CAPACITY	
Volume Compartment1 (L)	335
Volume Compartment2 (L)	/
Volume Compartment3 (L)	105
Total Net Volume (L)	440
Total Gross Volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	749
Depth of Product without handle(mm)	635
Net Weight (kg)	187
Gross Weight (kg)	208
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - Extra length anti-tipping kit - Cleaning Kit - Front ventilation kit - Front panel painting, handles, and side panels - Door stop 90° - Separate EvenLift™ shelves	

S750TST

75 cm, FRIDGE FREEZERS, MODEL OT

FULLY INTEGRATED

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S750TST6 (right hinge)	10.160 €
S750TST3 (left hinge)	10.160 €
S750TST6I (right hinge, with ice maker)	11.010 €
S750TST3I (left hinge, with ice maker)	11.010 €
CAPACITY	
Volume Compartment1 (L)	335
Volume Compartment2 (L)	/
Volume Compartment3 (L)	105
Total Net Volume (L)	440
Total Gross Volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	749
Depth of Product without handle(mm)	610
Net Weight (kg)	169
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation • Central Joining Kit for side-by-side installed units • Ø 30 mm Tubular Stainless Steel Handles – Classic • Ø 30 mm Tubular Stainless Steel Handles – Pro • Ø 18 mm Tubular Stainless Steel Handles • Stainless steel panels • Extra length anti-tipping kit • Cleaning Kit • Front ventilation kit • Door stop 90° • Separate EvenLift™ shelves	

S750TGT

75 cm, FRIDGE FREEZERS, MODEL OT

FULLY INTEGRATED

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S750TGT6 (right hinge)	11.150 €
S750TGT3 (left hinge)	11.150 €
S750TGT6I (right hinge, with ice maker)	11.980 €
S750TGT3I (left hinge, with ice maker)	11.980 €
CAPACITY	
Volume Compartment1 (L)	335
Volume Compartment2 (L)	/
Volume Compartment3 (L)	105
Total Net Volume (L)	440
Total Gross Volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	749
Depth of Product without handle(mm)	610
Net Weight (kg)	169
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation • Central Joining Kit for side-by-side installed units • Ø 30 mm Tubular Stainless Steel Handles – Classic • Ø 30 mm Tubular Stainless Steel Handles – Pro • Ø 18 mm Tubular Stainless Steel Handles • Stainless steel panels • Extra length anti-tipping kit • Cleaning Kit • Front ventilation kit • Door stop 90° • Separate EvenLift™ shelves	

BKS750TST

75 cm, FRIDGE FREEZERS, MODEL OT
BUILT-IN
BRILLIANCE® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	White painted aluminium
PRICE (VAT and delivery charges not included)	
BKS750TST6 (right hinge)	8.690 €
BKS750TST3 (left hinge)	8.690 €
BKS750TST6I (right hinge, with ice maker)	9.530 €
BKS750TST3I (left hinge, with ice maker)	9.530 €
CAPACITY	
Volume Compartment1 (L)	335
Volume Compartment2 (L)	/
Volume Compartment3 (L)	105
Total Net Volume (L)	440
Total Gross Volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	749
Depth of Product without handle(mm)	635
Net Weight (kg)	179
Gross Weight (kg)	200
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
EvenLift Shelves	NO
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

- ACCESSORIES (from page 118 to page 227)
- Stainless Steel Side Panels for freestanding installation
 - Central Joining Kit for side-by-side installed units
 - Extra length anti-tipping kit
 - Cleaning Kit
 - Front ventilation kit
 - Front panel painting, handles, and side panels
 - Door stop 90°
 - Separate EvenLift™ shelves

BS750TST

75 cm, FRIDGE FREEZERS, MODEL OT
FULLY INTEGRATED
BRILLIANCE® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	White painted aluminium
PRICE (VAT and delivery charges not included)	
BS750TST6 (right hinge)	8.310 €
BS750TST3 (left hinge)	8.310 €
BS750TST6I (right hinge, with ice maker)	9.150 €
BS750TST3I (left hinge, with ice maker)	9.150 €
CAPACITY	
Volume Compartment1 (L)	335
Volume Compartment2 (L)	/
Volume Compartment3 (L)	105
Total Net Volume (L)	440
Total Gross Volume (L)	461
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	259

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	749
Depth of Product without handle(mm)	610
Net Weight (kg)	169
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
EvenLift Shelves	NO
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

- ACCESSORIES (from page 118 to page 227)
- Stainless Steel Side Panels for freestanding installation
 - Central Joining Kit for side-by-side installed units
 - Ø 30 mm Tubular Stainless Steel Handles – Classic
 - Ø 30 mm Tubular Stainless Steel Handles – Pro
 - Ø 18 mm Tubular Stainless Steel Handles
 - Stainless steel panels
 - Extra length anti-tipping kit
 - Cleaning Kit
 - Front ventilation kit
 - Door stop 90°
 - Separate EvenLift™ shelves



WINE CELLAR

FULL SIZE: WINE CELLARS

Model: 0T

Width: 75cm

One door, one drawer, 2 separate temperatures

Upper compartment: Wine cellar

Lower compartment: Wine cellar

FEATURES

- Made in Italy:** Designed and built entirely in Italy with artisanal precision.
- Long Term Reliability:** Premium materials and rigorous testing ensure consistent, durable performance.
- Galvanized Steel Structure:** Strength and stability engineered to last.
- Antibacterial Interior:** Hygienic surfaces preserving freshness and bottle quality.
- Technology and Functionality**
 - ProVent™:** Uniform cold air distribution across every zone.
 - EquiLance™:** Patented variable pivot hinge for silent, stable movement.
 - OptiView™:** Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.
 - Full Colour TFT Display :** Clear, intuitive, high definition interface.
 - Active Safety:** Visual and acoustic alerts.
 - 100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.
 - Variable Speed Compressors:** Precise temperature control and reduced vibrations.
 - Sabbath Mode:** Dedicated function for observance needs.
 - Easy Installation:** Adjustable front feet and rear wheels.

Conservation Performance

- Two Independent Climate Zones:** Dedicated temperature and humidity control for red, white, and sparkling wines.
- Triple-layer bronzed glass door:** Total protection against UV rays and external temperature fluctuations.
- Humidity control:** Precise regulation to preserve corks, labels, and bottle integrity.

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	9
Slide-out shelves	NO
Type of shelves	WOOD
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity Control	YES
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

XS750TWT


75 cm, WINE CELLAR, MODEL OT

BUILT-IN

X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS750TWT6 (right hinge)	12.600 €
XS750TWT3 (left hinge)	12.600 €
CAPACITY	
Volume Compartment1 (L)	320
Volume Compartment2 (L)	/
Volume Compartment3 (L)	105
Total Net Volume (L)	425
Total Gross Volume (L)	439
Compartment 1 / Upper wine cellar capacity (bottles)	81
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	184



DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	749
Depth of Product without handle(mm)	635
Net Weight (kg)	169
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Wine kit
• Central Joining Kit for side-by-side installed units	• Cheese drawer
• X-Pro top grill kit	• Set of knives
• Extra length anti-tipping kit	• Prosciutteria kit
• Anti-condensation kit	• Cigar drawer
• Cleaning Kit	• Beverage drawer
• Active Carbon Filter	• Beverage shelf
• Front panel painting, handles, and side panels	• Beverage removable shelf
• Door stop 90°	

RS750TWT


75 cm, WINE CELLAR, MODEL OT

BUILT-IN

DESIGNER® SERIES




AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS750TWT6 (right hinge)	11.400 €
RS750TWT3 (left hinge)	11.400 €
CAPACITY	
Volume Compartment1 (L)	320
Volume Compartment2 (L)	/
Volume Compartment3 (L)	105
Total Net Volume (L)	425
Total Gross Volume (L)	439
Compartment 1 / Upper wine cellar capacity (bottles)	81
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	184



DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	762
Depth of Product without handle(mm)	620
Net Weight (kg)	182
Gross Weight (kg)	203
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units	• Prosciutteria kit
• Extra length anti-tipping kit	• Cigar drawer
• Cleaning Kit	• Beverage drawer
• Active Carbon Filter	• Beverage shelf
• Front ventilation kit	• Beverage removable shelf
• Front panel painting, handles, and side panels	
• Door stop 90°	
• Wine kit	
• Cheese drawer	
• Set of knives	

KS750TWT
75 cm, WINE CELLAR, MODEL OT
BUILT-IN
CLASSIC® SERIES




AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS750TWT6 (right hinge)	11.400 €
KS750TWT3 (left hinge)	11.400 €
CAPACITY	
Volume Compartment1 (L)	320
Volume Compartment2 (L)	/
Volume Compartment3 (L)	105
Total Net Volume (L)	425
Total Gross Volume (L)	439
Compartment 1 / Upper wine cellar capacity (bottles)	81
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	184

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	749
Depth of Product without handle(mm)	635
Net Weight (kg)	182
Gross Weight (kg)	203
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Cheese drawer
• Central Joining Kit for side-by-side installed units	• Set of knives
• Extra length anti-tipping kit	• Prosciutteria kit
• Cleaning Kit	• Cigar drawer
• Active Carbon Filter	• Beverage drawer
• Front ventilation kit	• Beverage shelf
• Front panel painting, handles, and side panels	• Beverage removable shelf
• Door stop 90°	
• Wine kit	

S750TWT
75 cm, WINE CELLAR, MODEL OT
FULLY INTEGRATED
INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S750TWT6 (right hinge)	10.600 €
S750TWT3 (left hinge)	10.600 €
CAPACITY	
Volume Compartment1 (L)	320
Volume Compartment2 (L)	/
Volume Compartment3 (L)	105
Total Net Volume (L)	425
Total Gross Volume (L)	439
Compartment 1 / Upper wine cellar capacity (bottles)	81
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	184

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	749
Depth of Product without handle(mm)	610
Net Weight (kg)	168
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Active Carbon Filter
• Central Joining Kit for side-by-side installed units	• Front ventilation kit
• Ø 30 mm Tubular Stainless Steel Handles – Classic	• Door stop 90°
• Ø 30 mm Tubular Stainless Steel Handles – Pro	• Wine kit
• Ø 18 mm Tubular Stainless Steel Handles	• Cheese drawer
• Stainless steel panels	• Set of knives
• Extra length anti-tipping kit	• Prosciutteria kit
• Cleaning Kit	• Cigar drawer
	• Beverage drawer
	• Beverage shelf
	• Beverage removable shelf



FRIDGE

LOW TEMP

TRIMODE®

FULL SIZE: FRIDGE FREEZERS

Model: 0H

Width: 75cm

One door, two drawer, 2 separate temperatures

Upper compartment: Fridge

Middle compartment: LowTemp

Lower compartment TriMode: Fridge/Fresco/Freezer

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.
Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.
Galvanized Steel Structure: Strength and stability engineered to last.
Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.

Technology and Functionality

EventLift™: Shelves adjustable to any height without removal.
ProVent™: Uniform cold air distribution across every zone.
EquiLance™: Patented variable pivot hinge for silent, stable movement.
OptiView™: Diffuse, uniform LED lighting.
Full Colour TFT Display : Clear, intuitive, high definition interface.
100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.
Variable Speed Compressors: Precise temperature control and reduced vibrations.
Sabbath Mode: Dedicated function for observance needs.
Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

Low Temperature Zone: Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.
Tempered Glass Shelves: With aluminum profiles
TriMode™ Lower drawer configurable as refrigerator, fresh zone, or freezer.

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
OptiView (LED light spots)	YES
Shelves	4 - 1 fixed, 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Bottom drawers	2
Full Extension shelves 90° door opening	/
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

XS750HST

75 cm, FRIDGE FREEZERS, MODEL 0H
BUILT-IN
X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS750HST6 (right hinge)	12.710 €
XS750HST3 (left hinge)	12.710 €
XS750HST6I (right hinge, with ice maker)	13.550 €
XS750HST3I (left hinge, with ice maker)	13.550 €
CAPACITY	
Volume Compartment1 (L)	300
Volume Compartment2 (L)	/
Volume Compartment3 (L)	134
Total Net Volume (L)	434
Total Gross Volume (L)	456
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	351

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	749
Depth of Product without handle(mm)	635
Net Weight (kg)	200
Gross Weight (kg)	221
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Bottom Drawers	2

- ACCESSORIES (from page 118 to page 227)
- Stainless Steel Side Panels for freestanding installation
 - Central Joining Kit for side-by-side installed units
 - X-Pro top grill kit
 - Extra length anti-tipping kit
 - Anti-condensation kit
 - Cleaning Kit
 - Front panel painting, handles, and side panels
 - Door stop 90°
 - Separate EvenLift™ shelves

RS750HST

75 cm, FRIDGE FREEZERS, MODEL 0H
BUILT-IN
DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS750HST6 (right hinge)	11.510 €
RS750HST3 (left hinge)	11.510 €
RS750HST6I (right hinge, with ice maker)	12.350 €
RS750HST3I (left hinge, with ice maker)	12.350 €
CAPACITY	
Volume Compartment1 (L)	300
Volume Compartment2 (L)	/
Volume Compartment3 (L)	134
Total Net Volume (L)	434
Total Gross Volume (L)	456
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	351

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	762
Depth of Product without handle(mm)	620
Net Weight (kg)	181
Gross Weight (kg)	203
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Bottom Drawers	2

- ACCESSORIES (from page 118 to page 227)
- Central Joining Kit for side-by-side installed units
 - Extra length anti-tipping kit
 - Cleaning Kit
 - Front ventilation kit
 - Front panel painting, handles
 - Door stop 90°
 - Separate EvenLift™ shelves

KS750HST

75 cm, FRIDGE FREEZERS, MODEL 0H
BUILT-IN
CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS750HST6 (right hinge)	11.510 €
KS750HST3 (left hinge)	11.510 €
KS750HST6I (right hinge, with ice maker)	12.350 €
KS750HST3I (left hinge, with ice maker)	12.350 €
CAPACITY	
Volume Compartment1 (L)	300
Volume Compartment2 (L)	/
Volume Compartment3 (L)	134
Total Net Volume (L)	434
Total Gross Volume (L)	456
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	351

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	749
Depth of Product without handle(mm)	635
Net Weight (kg)	181
Gross Weight (kg)	203
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Bottom Drawers	2

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - Extra length anti-tipping kit - Cleaning Kit - Front ventilation kit - Front panel painting, handles, and side panels - Door stop 90° - Separate EvenLift™ shelves	

S750HST

75 cm, FRIDGE FREEZERS, MODEL 0H
FULLY INTEGRATED
INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S750HST6 (right hinge)	10.710 €
S750HST3 (left hinge)	10.710 €
S750HST6I (right hinge, with ice maker)	11.550 €
S750HST3I (left hinge, with ice maker)	11.550 €
CAPACITY	
Volume Compartment1 (L)	300
Volume Compartment2 (L)	/
Volume Compartment3 (L)	134
Total Net Volume (L)	434
Total Gross Volume (L)	456
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	351

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	749
Depth of Product without handle(mm)	610
Net Weight (kg)	172
Gross Weight (kg)	193
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	1
Bottom Drawers	2

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - Ø 30 mm Tubular Stainless Steel Handles – Classic - Ø 30 mm Tubular Stainless Steel Handles – Pro - Ø 18 mm Tubular Stainless Steel Handles - Stainless steel panels - Extra length anti-tipping kit - Cleaning Kit - Front ventilation kit - Door stop 90° - Separate EvenLift™ shelves	



WINE CELLAR

FULL SIZE: WINE CELLARS

Model: 0H

Width: 75cm

One door, two drawer, 2 separate temperatures

Upper compartment: Wine cellar

Lower compartment: Wine cellar

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.

Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.

Galvanized Steel Structure: Strength and stability engineered to last.

Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.

Technology and Functionality

ProVent™: Uniform cold air distribution across every zone.

EquiLance™: Patented variable pivot hinge for silent, stable movement.

OptiView™: Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

Full Colour TFT Display : Clear, intuitive, high definition interface.

Active Safety: Visual and acoustic alerts.

100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.

Variable Speed Compressors: Precise temperature control and reduced vibrations.

Sabbath Mode: Dedicated function for observance needs.

Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

Two Independent Climate Zones: Dedicated temperature and humidity control for red, white, and sparkling wines.

Triple-layer bronzed glass door: Total protection against UV rays and external temperature fluctuations.

Humidity control: Precise regulation to preserve corks, labels, and bottle integrity.


GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	9
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom drawers	2
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity Control	YES
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

XS750HWT
75 cm, WINE CELLAR, MODEL 0H
BUILT-IN
X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS750HWT6 (right hinge)	12.600 €
XS750HWT3 (left hinge)	12.600 €
CAPACITY	
Volume Compartment1 (L)	283
Volume Compartment2 (L)	/
Volume Compartment3 (L)	134
Total Net Volume (L)	416
Total Gross Volume (L)	430
Compartment 1 / Upper wine cellar capacity (bottles)	81
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	183




DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	749
Depth of Product without handle(mm)	635
Net Weight (kg)	200
Gross Weight (kg)	221
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	2

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Wine kit
• Central Joining Kit for side-by-side installed units	• Cheese drawer
• X-Pro top grill kit	• Set of knives
• Extra length anti-tipping kit	• Prosciutteria kit
• Anti-condensation kit	• Cigar drawer
• Cleaning Kit	• Beverage drawer
• Active Carbon Filter	• Beverage shelf
• Front panel painting, handles, and side panels	• Beverage removable shelf
• Door stop 90°	

RS750HWT
75 cm, WINE CELLAR, MODEL 0H
BUILT-IN
DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS750HWT6 (right hinge)	11.400 €
RS750HWT3 (left hinge)	11.400 €
CAPACITY	
Volume Compartment1 (L)	283
Volume Compartment2 (L)	
Volume Compartment3 (L)	134
Total Net Volume (L)	416
Total Gross Volume (L)	430
Compartment 1 / Upper wine cellar capacity (bottles)	81
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	183



DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	762
Depth of Product without handle(mm)	620
Net Weight (kg)	187
Gross Weight (kg)	208
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	2

ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units	• Prosciutteria kit
• Extra length anti-tipping kit	• Cigar drawer
• Cleaning Kit	• Beverage drawer
• Active Carbon Filter	• Beverage shelf
• Front ventilation kit	• Beverage removable shelf
• Front panel painting, handles	
• Door stop 90°	
• Wine kit	
• Cheese drawer	
• Set of knives	

KS750HWT


75 cm, WINE CELLAR, MODEL 0H

BUILT-IN

CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS750HWT6 (right hinge)	11.400 €
KS750HWT3 (left hinge)	11.400 €
CAPACITY	
Volume Compartment1 (L)	283
Volume Compartment2 (L)	
Volume Compartment3 (L)	134
Total Net Volume (L)	416
Total Gross Volume (L)	430
Compartment 1 / Upper wine cellar capacity (bottles)	81
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	183



DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	749
Depth of Product without handle(mm)	635
Net Weight (kg)	187
Gross Weight (kg)	208
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	2

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Cheese drawer
• Central Joining Kit for side-by-side installed units	• Set of knives
• Extra length anti-tipping kit	• Prosciutteria kit
• Cleaning Kit	• Cigar drawer
• Active Carbon Filter	• Beverage drawer
• Front ventilation kit	• Beverage shelf
• Front panel painting, handles, and side panels	• Beverage removable shelf
• Door stop 90°	
• Wine kit	

S750HWT


75 cm, WINE CELLAR, MODEL 0H

FULLY INTEGRATED

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S750HWT6 (right hinge)	10.600 €
S750HWT3 (left hinge)	10.600 €
CAPACITY	
Volume Compartment1 (L)	283
Volume Compartment2 (L)	/
Volume Compartment3 (L)	134
Total Net Volume (L)	416
Total Gross Volume (L)	430
Compartment 1 / Upper wine cellar capacity (bottles)	81
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	183



DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	749
Depth of Product without handle(mm)	610
Net Weight (kg)	167
Gross Weight (kg)	188
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	2

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Active Carbon Filter
• Central Joining Kit for side-by-side installed units	• Front ventilation kit
• Ø 30 mm Tubular Stainless Steel Handles – Classic	• Door stop 90°
• Ø 30 mm Tubular Stainless Steel Handles – Pro	• Wine kit
• Ø 18 mm Tubular Stainless Steel Handles	• Cheese drawer
• Stainless steel panels	• Set of knives
• Extra length anti-tipping kit	• Prosciutteria kit
• Cleaning Kit	• Cigar drawer
	• Beverage drawer
	• Beverage shelf
	• Beverage removable shelf



FULL SIZE: FRIDGES

Model: 0F

Width: 75cm

One door, 1 temperature

Upper compartment: Fridge

Lower compartment: Low Temp

FRIDGE

LOW TEMP

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.
Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.
Galvanized Steel Structure: Strength and stability engineered to last.
Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.

Technology and Functionality

EventLift™: Shelves adjustable to any height without removal.
ProVent™: Uniform cold air distribution across every zone.
EquiLance™: Patented variable pivot hinge for silent, stable movement.
OptiView™: Diffuse, uniform LED lighting.
Full Colour TFT Display : Clear, intuitive, high definition interface.
100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.
Variable Speed Compressors: Precise temperature control and reduced vibrations.
Sabbath Mode: Dedicated function for observance needs.
Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

One climate zone: Precise temperature control for optimal food preservation.
Low Temperature Zone: Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.
Tempered Glass Shelves: With aluminum profiles

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
OptiView (LED light spots)	YES
Shelves	4 - 1 fixed, 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom drawers	/
Full Extension shelves 90° door opening	/
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	NO
Power Failure Function	YES

XS750FR

75 cm, FRIDGE, MODEL 0FR
BUILT-IN
X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS750FR6 (right hinge)	10.420 €
XS750FR3 (left hinge)	10.420 €
XS750FR6D (Right hinge, water dispenser)	11.250 €
XS750FR3D (Left hinge, water dispenser)	11.250 €
CAPACITY	
Volume Compartment1 (L)	479
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	479
Total Gross Volume (L)	489
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	132

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	749
Depth of Product without handle(mm)	635
Net Weight (kg)	162
Gross Weight (kg)	183
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/
ACCESSORIES (from page 118 to page 227)	

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves

XS750FG

75 cm, FRIDGE, MODEL 0FG
BUILT-IN, Glass Door
X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS750FG6 (right hinge)	11.400 €
XS750FG3 (left hinge)	11.400 €
XS750FG6D (Right hinge, water dispenser)	12.240 €
XS750FG3D (Left hinge, water dispenser)	12.240 €
CAPACITY	
Volume Compartment1 (L)	479
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	479
Total Gross Volume (L)	489
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	132

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	749
Depth of Product without handle(mm)	635
Net Weight (kg)	162
Gross Weight (kg)	183
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/
ACCESSORIES (from page 118 to page 227)	

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves

RS750FR

75 cm, FRIDGE, MODEL 0FR

BUILT-IN

DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS750FR6 (right hinge)	9.220 €
RS750FR3 (left hinge)	9.220 €
RS750FR6D (Right hinge, water dispenser)	10.050 €
RS750FR3D (Left hinge, water dispenser)	10.050 €
CAPACITY	
Volume Compartment1 (L)	479
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	479
Total Gross Volume (L)	489
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	132

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	762
Depth of Product without handle(mm)	620
Net Weight (kg)	162
Gross Weight (kg)	183
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/
ACCESSORIES (from page 118 to page 227)	

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°
- Separate EvenLift™ shelves

RS750FG

75 cm, FRIDGE, MODEL 0FG

BUILT-IN, Glass Door

DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS750FG6 (right hinge)	10.200 €
RS750FG3 (left hinge)	10.200 €
RS750FG6D (Right hinge, water dispenser)	11.040 €
RS750FG3D (Left hinge, water dispenser)	11.040 €
CAPACITY	
Volume Compartment1 (L)	479
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	479
Total Gross Volume (L)	489
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	132

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	762
Depth of Product without handle(mm)	620
Net Weight (kg)	162
Gross Weight (kg)	183
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/
ACCESSORIES (from page 118 to page 227)	

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°
- Separate EvenLift™ shelves

KS750FR
75 cm, FRIDGE, MODEL 0FR
BUILT-IN
CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS750FR6 (right hinge)	9.220 €
KS750FR3 (left hinge)	9.220 €
KS750FR6D (Right hinge, water dispenser)	10.050 €
KS750FR3D (Left hinge, water dispenser)	10.050 €
CAPACITY	
Volume Compartment1 (L)	479
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	479
Total Gross Volume (L)	489
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	132

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	749
Depth of Product without handle(mm)	635
Net Weight (kg)	162
Gross Weight (kg)	183
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/
ACCESSORIES (from page 118 to page 227)	

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves

KS750FG
75 cm, FRIDGE, MODEL 0FG
BUILT-IN, Glass Door
CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS750FG6 (right hinge)	10.200 €
KS750FG3 (left hinge)	10.200 €
KS750FG6D (Right hinge, water dispenser)	11.040 €
KS750FG3D (Left hinge, water dispenser)	11.040 €
CAPACITY	
Volume Compartment1 (L)	479
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	479
Total Gross Volume (L)	489
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	132

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	749
Depth of Product without handle(mm)	635
Net Weight (kg)	162
Gross Weight (kg)	183
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/
ACCESSORIES (from page 118 to page 227)	

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°
- Separate EvenLift™ shelves

S750FR

75 cm, FRIDGE, MODEL 0FR

FULLY INTEGRATED

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S750FR6 (right hinge)	8.420 €
S750FR3 (left hinge)	8.420 €
S750FR6D (Right hinge, water dispenser)	9.250 €
S750FR3D (Left hinge, water dispenser)	9.250 €
CAPACITY	
Volume Compartment1 (L)	479
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	479
Total Gross Volume (L)	489
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	132

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	749
Depth of Product without handle(mm)	610
Net Weight (kg)	154
Gross Weight (kg)	175
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/
ACCESSORIES (from page 118 to page 227)	

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Door stop 90°
- Separate EvenLift™ shelves
- Push to open

S750FG

75 cm, FRIDGE, MODEL 0FG

FULLY INTEGRATED, Glass Door

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S750FG6 (right hinge)	9.400 €
S750FG3 (left hinge)	9.400 €
S750FG6D (Right hinge, water dispenser)	10.240 €
S750FG3D (Left hinge, water dispenser)	10.240 €
CAPACITY	
Volume Compartment1 (L)	479
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	479
Total Gross Volume (L)	489
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	132

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	749
Depth of Product without handle(mm)	610
Net Weight (kg)	154
Gross Weight (kg)	175
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/
ACCESSORIES (from page 118 to page 227)	

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Door stop 90°
- Separate EvenLift™ shelves
- Push to open



WINE CELLAR

FULL SIZE: WINE CELLARS

Model: 0F

Width: 75cm

One door, 2 separate temperatures

Upper compartment: Wine cellar

Lower compartment: Wine cellar

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.

Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.

Galvanized Steel Structure: Strength and stability engineered to last.

Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.

Technology and Functionality

ProVent™: Uniform cold air distribution across every zone.

EquiLance™: Patented variable pivot hinge for silent, stable movement.

OptiView™: Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

Full Colour TFT Display : Clear, intuitive, high definition interface.

Active Safety: Visual and acoustic alerts.

100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.

Variable Speed Compressors: Precise temperature control and reduced vibrations.

Sabbath Mode: Dedicated function for observance needs.

Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

Two Independent Climate Zones: Dedicated temperature and humidity control for red, white, and sparkling wines.

Triple-layer bronzed glass door: Total protection against UV rays and external temperature fluctuations.

Humidity control: Precise regulation to preserve corks, labels, and bottle integrity.


GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optievew (LED light spots)	YES
Shelves	13
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom drawers	/
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity Control	YES
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

XS750FW
75 cm, WINE CELLAR, MODEL 0FW
BUILT-IN
X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS750FW6 (right hinge)	11.730 €
XS750FW3 (left hinge)	11.730 €
CAPACITY	
Volume Compartment1 (L)	467
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	467
Total Gross Volume (L)	482
Compartment 1 / Upper wine cellar capacity (bottles)	72
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	45
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	169




DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	749
Depth of Product without handle(mm)	635
Net Weight (kg)	153
Gross Weight (kg)	174
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Wine kit
• Central Joining Kit for side-by-side installed units	• Cheese drawer
• X-Pro top grill kit	• Set of knives
• Extra length anti-tipping kit	• Prosciutteria kit
• Anti-condensation kit	• Cigar drawer
• Cleaning Kit	• Beverage drawer
• Active Carbon Filter	• Beverage shelf
• Front panel painting, handles, and side panels	• Beverage removable shelf
• Door stop 90°	

RS750FW
75 cm, WINE CELLAR, MODEL 0FW
BUILT-IN
DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS750FW6 (right hinge)	10.530 €
RS750FW3 (left hinge)	10.530 €
CAPACITY	
Volume Compartment1 (L)	467
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	467
Total Gross Volume (L)	482
Compartment 1 / Upper wine cellar capacity (bottles)	72
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	45
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	169



DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	20120
Width of the product (mm)	762
Depth of Product without handle(mm)	620
Net Weight (kg)	159
Gross Weight (kg)	180
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	/


ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units	• Prosciutteria kit
• Extra length anti-tipping kit	• Cigar drawer
• Cleaning Kit	• Beverage drawer
• Active Carbon Filter	• Beverage shelf
• Front ventilation kit	• Beverage removable shelf
• Front panel painting, handles	
• Door stop 90°	
• Wine kit	
• Cheese drawer	
• Set of knives	

KS750FW

75 cm, WINE CELLAR, MODEL 0FW

BUILT-IN

CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS750FW6 (right hinge)	10.530 €
KS750FW3 (left hinge)	10.530 €
CAPACITY	
Volume Compartment1 (L)	467
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	467
Total Gross Volume (L)	482
Compartment 1 / Upper wine cellar capacity (bottles)	72
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	45
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	749
Depth of Product without handle(mm)	635
Net Weight (kg)	159
Gross Weight (kg)	180
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	/


ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Cheese drawer
• Central Joining Kit for side-by-side installed units	• Set of knives
• Extra length anti-tipping kit	• Prosciutteria kit
• Cleaning Kit	• Cigar drawer
• Active Carbon Filter	• Beverage drawer
• Front ventilation kit	• Beverage shelf
• Front panel painting, handles, and side panels	• Beverage removable shelf
• Door stop 90°	
• Wine kit	

S750FW

75 cm, WINE CELLAR, MODEL 0FW

FULLY INTEGRATED

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S750FW6 (right hinge)	9.730 €
S750FW3 (left hinge)	9.730 €
CAPACITY	
Volume Compartment1 (L)	467
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	467
Total Gross Volume (L)	482
Compartment 1 / Upper wine cellar capacity (bottles)	72
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	45
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	749
Depth of Product without handle(mm)	610
Net Weight (kg)	153
Gross Weight (kg)	174
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Active Carbon Filter
• Central Joining Kit for side-by-side installed units	• Front ventilation kit
• Ø 30 mm Tubular Stainless Steel Handles – Classic	• Door stop 90°
• Ø 30 mm Tubular Stainless Steel Handles – Pro	• Wine kit
• Ø 18 mm Tubular Stainless Steel Handles	• Cheese drawer
• Stainless steel panels	• Set of knives
• Extra length anti-tipping kit	• Prosciutteria kit
• Cleaning Kit	• Cigar drawer
	• Beverage drawer
	• Beverage shelf
	• Beverage removable shelf
	• Push to open



FULL SIZE: FREEZER
Model: 0F
Width: 75cm
One door, 1 temperature
Single compartment: Freezer

FEATURES
Made in Italy: Designed and built entirely in Italy with artisanal precision.
Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.
Galvanized Steel Structure: Strength and stability engineered to last.
Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.
Technology and Functionality
ProVent™: Uniform cold air distribution across every zone.
EquiLance™: Patented variable pivot hinge for silent, stable movement.
OptiView™: Diffuse, uniform LED lighting.
Full Colour TFT Display : Clear, intuitive, high definition interface.
100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.
Variable Speed Compressors: Precise temperature control and reduced vibrations.
Sabbath Mode: Dedicated function for observance needs.
Easy Installation: Adjustable front feet and rear wheels.
Conservation Performance
One climate zone: Gestione precisa della temperatura per una conservazione ottimale degli alimenti congelati.
Tempered Glass Shelves: With aluminum profiles

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	NO
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	3 - 1 fixed, 2 adjustable
Slide-out shelves	NO
Type of shelves	2 Glass & 1 Stainless steel
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom drawers	4
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	YES
Power Failure Function	YES

FREEZER

XS750FZ
75 cm, FREEZER, MODEL 0FZ
BUILT-IN
X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS750FZ6 (right hinge)	10.520 €
XS750FZ3 (left hinge)	10.520 €
XS750FZ6I (right hinge, with ice maker)	11.370 €
XS750FZ3I (left hinge, with ice maker)	11.370 €
CAPACITY	
Volume Compartment1 (L)	452
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	452
Total Gross Volume (L)	455
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	318

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	749
Depth of Product without handle(mm)	635
Net Weight (kg)	167
Gross Weight (kg)	188
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from -15 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed, 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	4

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - X-Pro top grill kit - Extra length anti-tipping kit - Anti-condensation kit - Cleaning Kit - Front panel painting, handles, and side panels - Door stop 90°	

RS750FZ
75 cm, FREEZER, MODEL 0FZ
BUILT-IN
DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS750FZ6 (right hinge)	9.320 €
RS750FZ3 (left hinge)	9.320 €
RS750FZ6I (right hinge, with ice maker)	10.170 €
RS750FZ3I (left hinge, with ice maker)	10.170 €
CAPACITY	
Volume Compartment1 (L)	452
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	452
Total Gross Volume (L)	455
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	318

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	762
Depth of Product without handle(mm)	620
Net Weight (kg)	167
Gross Weight (kg)	188
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from -15 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed, 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	4

ACCESSORIES (from page 118 to page 227)	
- Central Joining Kit for side-by-side installed units - Extra length anti-tipping kit - Cleaning Kit - Front ventilation kit - Front panel painting, handles - Door stop 90°	

KS750FZ

75 cm, FREEZER, MODEL 0FZ
BUILT-IN
CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS750FZ6 (right hinge)	9.320 €
KS750FZ3 (left hinge)	9.320 €
KS750FZ6I (right hinge, with ice maker)	10.170 €
KS750FZ3I (left hinge, with ice maker)	10.170 €
CAPACITY	
Volume Compartment1 (L)	452
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	452
Total Gross Volume (L)	455
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	318

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	749
Depth of Product without handle(mm)	635
Net Weight (kg)	167
Gross Weight (kg)	188
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from -15 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed, 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	4

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	
• Central Joining Kit for side-by-side installed units	
• Extra length anti-tipping kit	
• Cleaning Kit	
• Front ventilation kit	
• Front panel painting, handles, and side panels	
• Door stop 90°	

S750FZ

75 cm, FREEZER, MODEL 0FZ
FULLY INTEGRATED
INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	No
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S750FZ6 (right hinge)	8.520 €
S750FZ3 (left hinge)	8.520 €
S750FZ6I (right hinge, with ice maker)	9.370 €
S750FZ3I (left hinge, with ice maker)	9.370 €
CAPACITY	
Volume Compartment1 (L)	452
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	452
Total Gross Volume (L)	455
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	318

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	749
Depth of Product without handle(mm)	610
Net Weight (kg)	154
Gross Weight (kg)	175
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from -15 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed, 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	4

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	
• Central Joining Kit for side-by-side installed units	
• Ø 30 mm Tubular Stainless Steel Handles – Classic	
• Ø 30 mm Tubular Stainless Steel Handles – Pro	
• Ø 18 mm Tubular Stainless Steel Handles	
• Stainless steel panels	
• Extra length anti-tipping kit	
• Cleaning Kit	
• Front ventilation kit	
• Door stop 90°	
• Push to open	

FULL SIZE: FRIDGE FREEZERS/FRIDGES/FREEZERS/
WINE CELLARS
Width: 60cm

	1T Wine Cellars	OT Fridges	OT Wine Cellars	OF Fridges	OF Wine Cellars	OF Freezer
	60	60	60	60	60	60
X-PRO Top compressors						
	XS601TWT	XS600TST XS600TGT	XS600TWT	XS600FR XS600FG	XS600FW	XS600FZ
Glass Door						
DESIGNER Bottom compressors						
	RS601TWT	RS600TST RS600TGT	RS600TWT	RS600FR RS600FG	RS600FW	RS600FZ
Glass Door						
CLASSIC Bottom compressors						
	KS601TWT	KS600TST KS600TGT	KS600TWT	KS600FR KS600FG	KS600FW	KS600FZ
Glass Door						
INTEGRATED Bottom compressors						
	S601TWT	S600TST S600TGT	S600TWT	S600FR S600FG	S600FW	S600FZ
Glass Door						
COUNTRY Top compressors						
	AS601TWT	AS600TST				
BRILLIANCE Bottom compressors Bottom compressors						
					BS600FW BKS600FW	
BRILLIANCE CLASSIC						



WINE CELLAR

FULL SIZE: WINE CELLARS

Model: 1T

Width: 60cm

One door, one drawer, 3 separate temperatures

Upper compartment: Wine cellar

Middle compartment: Wine cellar

Lower compartment: Wine cellar

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.

Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.

Galvanized Steel Structure: Strength and stability engineered to last.

Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.

Technology and Functionality

ProVent™: Uniform cold air distribution across every zone.

EquiLance™: Patented variable pivot hinge for silent, stable movement.

OptiView™: Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

Full Colour TFT Display : Clear, intuitive, high definition interface.

Active Safety: Visual and acoustic alerts.

100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.

Variable Speed Compressors: Precise temperature control and reduced vibrations.

Sabbath Mode: Dedicated function for observance needs.

Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

Three Independent Climate Zones: Dedicated temperature and humidity control for red, white, and sparkling wines.


Triple-layer bronzed glass door: Total protection against UV rays and external temperature fluctuations.

Humidity control: Precise regulation to preserve corks, labels, and bottle integrity.

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optievew (LED light spots)	YES
Shelves	9
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity Control	YES
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

XS601TWT
60 cm, WINE CELLAR, MODEL 1T
BUILT-IN
X-PRO® SERIES




AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS601TWT6 (right hinge)	12.870 €
XS601TWT3 (left hinge)	12.870 €
CAPACITY	
Volume Compartment1 (L)	147
Volume Compartment2 (L)	76
Volume Compartment3 (L)	77
Total Net Volume (L)	300
Total Gross Volume (L)	315
Compartment 1 / Upper wine cellar capacity (bottles)	36
Compartment 2 / Middle wine cellar capacity (bottles)	18
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	599
Depth of Product without handle(mm)	635
Net Weight (kg)	162
Gross Weight (kg)	182
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Wine kit
• Central Joining Kit for side-by-side installed units	• Cheese drawer
• X-Pro top grill kit	• Set of knives
• Extra length anti-tipping kit	• Cigar drawer
• Anti-condensation kit	• Beverage drawer
• Cleaning Kit	• Beverage shelf
• Active Carbon Filter	• Beverage removable shelf
• Front panel painting, handles, and side panels	• Chocolate kit
• Door stop 90°	

AS601TWT
60 cm, WINE CELLAR, MODEL 1T
FREESTANDING
Series COUNTRY®



AESTHETIC	
Compressor position	Top
Front finish e fianchi	Painted Stainless steel
Handles	Stainless Steel
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
AS601TWT6 (right hinge)	15.270 €
AS601TWT3 (left hinge)	15.270 €
CAPACITY	
Volume Compartment1 (L)	147
Volume Compartment2 (L)	76
Volume Compartment3 (L)	77
Total Net Volume (L)	300
Total Gross Volume (L)	315
Compartment 1 / Upper wine cellar capacity (bottles)	36
Compartment 2 / Middle wine cellar capacity (bottles)	18
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	587
Depth of Product without handle(mm)	635
Net Weight (kg)	162
Gross Weight (kg)	182
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units	• Beverage shelf
• Extra length anti-tipping kit	• Beverage removable shelf
• Anti-condensation kit	• Chocolate kit
• Cleaning Kit	
• Active Carbon Filter	
• Door stop 90°	
• Wine kit	
• Cheese drawer	
• Set of knives	
• Cigar drawer	
• Beverage drawer	

RS601TWT

60 cm, WINE CELLAR, MODEL 1T

BUILT-IN


DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS601TWT6 (right hinge)	11.670 €
RS601TWT3 (left hinge)	11.670 €
CAPACITY	
Volume Compartment1 (L)	147
Volume Compartment2 (L)	76
Volume Compartment3 (L)	77
Total Net Volume (L)	300
Total Gross Volume (L)	315
Compartment 1 / Upper wine cellar capacity (bottles)	36
Compartment 2 / Middle wine cellar capacity (bottles)	18
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	608
Depth of Product without handle(mm)	620
Net Weight (kg)	158
Gross Weight (kg)	178
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units	• Cigar drawer
• Extra length anti-tipping kit	• Beverage drawer
• Cleaning Kit	• Beverage shelf
• Active Carbon Filter	• Beverage removable shelf
• Front ventilation kit	• Chocolate kit
• Front panel painting, handles	
• Door stop 90°	
• Wine kit	
• Cheese drawer	
• Set of knives	



KS601TWT

60 cm, WINE CELLAR, MODEL 1T

BUILT-IN


CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS601TWT6 (right hinge)	11.670 €
KS601TWT3 (left hinge)	11.670 €
CAPACITY	
Volume Compartment1 (L)	147
Volume Compartment2 (L)	76
Volume Compartment3 (L)	77
Total Net Volume (L)	300
Total Gross Volume (L)	315
Compartment 1 / Upper wine cellar capacity (bottles)	36
Compartment 2 / Middle wine cellar capacity (bottles)	18
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	599
Depth of Product without handle(mm)	635
Net Weight (kg)	158
Gross Weight (kg)	178
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Cheese drawer
• Central Joining Kit for side-by-side installed units	• Set of knives
• Extra length anti-tipping kit	• Cigar drawer
• Cleaning Kit	• Beverage drawer
• Active Carbon Filter	• Beverage shelf
• Front ventilation kit	• Beverage removable shelf
• Front panel painting, handles, and side panels	• Chocolate kit
• Door stop 90°	
• Wine kit	



S601TWT


60 cm, WINE CELLAR, MODEL 1T

FULLY INTEGRATED

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S601TWT6 (right hinge)	10.870 €
S601TWT3 (left hinge)	10.870 €
CAPACITY	
Volume Compartment1 (L)	147
Volume Compartment2 (L)	76
Volume Compartment3 (L)	77
Total Net Volume (L)	300
Total Gross Volume (L)	315
Compartment 1 / Upper wine cellar capacity (bottles)	36
Compartment 2 / Middle wine cellar capacity (bottles)	18
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	169



DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	599
Depth of Product without handle(mm)	610
Net Weight (kg)	148
Gross Weight (kg)	168
TEMPERATURE RANGES	
Climatic compartments	3
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	1+1 internal drawer
ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Active Carbon Filter
• Central Joining Kit for side-by-side installed units	• Front ventilation kit
• Ø 30 mm Tubular Stainless Steel Handles – Classic	• Door stop 90°
• Ø 30 mm Tubular Stainless Steel Handles – Pro	• Wine kit
• Ø 18 mm Tubular Stainless Steel Handles	• Cheese drawer
• Stainless steel panels	• Set of knives
• Extra length anti-tipping kit	• Cigar drawer
• Cleaning Kit	• Beverage drawer
	• Beverage shelf
	• Beverage removable shelf
	• Chocolate kit



FULL SIZE: FRIDGE FREEZERS

Model: 0T

Width: 60cm

One door, one drawer, 2 separate temperatures

Upper compartment: Fridge

Middle compartment: LowTemp

Lower compartment TriMode: Fridge/Fresco/Freezer

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.

Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.

Galvanized Steel Structure: Strength and stability engineered to last.

Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.

Technology and Functionality

EventLift™: Shelves adjustable to any height without removal.

ProVent™: Uniform cold air distribution across every zone.

EquiLance™: Patented variable pivot hinge for silent, stable movement.

OptiView™: Diffuse, uniform LED lighting.

Full Colour TFT Display : Clear, intuitive, high definition interface.

100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.

Variable Speed Compressors: Precise temperature control and reduced vibrations.

Sabbath Mode: Dedicated function for observance needs.

Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

Low Temperature Zone: Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.

Tempered Glass Shelves: With aluminum profiles

TriMode™ Lower drawer configurable as refrigerator, fresh zone, or freezer.

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4 - 1 fixed, 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	/
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	YES
Power Failure Function	YES

XS600TST

60 cm, FRIDGE FREEZERS, MODEL OT

BUILT-IN

X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS600TST6 (right hinge)	11.730 €
XS600TST3 (left hinge)	11.730 €
CAPACITY	
Volume Compartment1 (L)	251
Volume Compartment2 (L)	/
Volume Compartment3 (L)	77
Total Net Volume (L)	328
Total Gross Volume (L)	348
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	599
Depth of Product without handle(mm)	635
Net Weight (kg)	170
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer
ACCESSORIES (from page 118 to page 227)	

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front panel painting, handles, and side panels
- Door stop 90°

XS600TGT

60 cm, FRIDGE FREEZERS, MODEL OT

BUILT-IN, Glass Door

X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS600TGT6 (right hinge)	12.710 €
XS600TGT3 (left hinge)	12.710 €
CAPACITY	
Volume Compartment1 (L)	251
Volume Compartment2 (L)	/
Volume Compartment3 (L)	77
Total Net Volume (L)	328
Total Gross Volume (L)	348
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	599
Depth of Product without handle(mm)	635
Net Weight (kg)	170
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	/
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer
ACCESSORIES (from page 118 to page 227)	

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- X-Pro top grill kit
- Extra length anti-tipping kit
- Anti-condensation kit
- Cleaning Kit
- Front panel painting, handles, and side panels
- Door stop 90°

AS600TST

60 cm, FRIDGE FREEZERS, MODEL OT

FREESTANDING

Series COUNTRY®



AESTHETIC	
Compressor position	Top
Front finish e fianchi	Painted Stainless steel
Handles	Stainless Steel
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
AS600TST6 (right hinge)	14.130 €
AS600TST3 (left hinge)	14.130 €
CAPACITY	
Volume Compartment1 (L)	251
Volume Compartment2 (L)	/
Volume Compartment3 (L)	77
Total Net Volume (L)	328
Total Gross Volume (L)	348
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	587
Depth of Product without handle(mm)	635
Net Weight (kg)	170
Gross Weight (kg)	190
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units • Extra length anti-tipping kit • Anti-condensation kit • Cleaning Kit • Door stop 90°	

RS600TST

60 cm, FRIDGE FREEZERS, MODEL OT
BUILT-IN
DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS600TST6 (right hinge)	10.530 €
RS600TST3 (left hinge)	10.530 €
CAPACITY	
Volume Compartment1 (L)	251
Volume Compartment2 (L)	/
Volume Compartment3 (L)	77
Total Net Volume (L)	328
Total Gross Volume (L)	348
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	608
Depth of Product without handle(mm)	620
Net Weight (kg)	158
Gross Weight (kg)	178
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer
ACCESSORIES (from page 118 to page 227)	

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°

RS600TGT

60 cm, FRIDGE FREEZERS, MODEL OT
BUILT-IN, Glass Door
DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS600TGT6 (right hinge)	11.510 €
RS600TGT3 (left hinge)	11.510 €
CAPACITY	
Volume Compartment1 (L)	251
Volume Compartment2 (L)	/
Volume Compartment3 (L)	77
Total Net Volume (L)	328
Total Gross Volume (L)	348
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	608
Depth of Product without handle(mm)	620
Net Weight (kg)	158
Gross Weight (kg)	178
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer
ACCESSORIES (from page 118 to page 227)	

- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles
- Door stop 90°

KS600TST

60 cm, FRIDGE FREEZERS, MODEL OT

BUILT-IN

CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS600TST6 (right hinge)	10.530 €
KS600TST3 (left hinge)	10.530 €
CAPACITY	
Volume Compartment1 (L)	251
Volume Compartment2 (L)	/
Volume Compartment3 (L)	77
Total Net Volume (L)	328
Total Gross Volume (L)	348
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	599
Depth of Product without handle(mm)	635
Net Weight (kg)	158
Gross Weight (kg)	178
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer
ACCESSORIES (from page 118 to page 227)	

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°

KS600TGT

60 cm, FRIDGE FREEZERS, MODEL OT

BUILT-IN, Glass Door

CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS600TGT6 (right hinge)	11.510 €
KS600TGT3 (left hinge)	11.510 €
CAPACITY	
Volume Compartment1 (L)	251
Volume Compartment2 (L)	/
Volume Compartment3 (L)	77
Total Net Volume (L)	328
Total Gross Volume (L)	348
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	599
Depth of Product without handle(mm)	635
Net Weight (kg)	158
Gross Weight (kg)	178
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer
ACCESSORIES (from page 118 to page 227)	

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°

S600TST

60 cm, FRIDGE FREEZERS, MODEL 0T

FULLY INTEGRATED

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S600TST6 (right hinge)	9.730 €
S600TST3 (left hinge)	9.730 €
CAPACITY	
Volume Compartment1 (L)	251
Volume Compartment2 (L)	
Volume Compartment3 (L)	77
Total Net Volume (L)	328
Total Gross Volume (L)	348
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	599
Depth of Product without handle(mm)	610
Net Weight (kg)	148
Gross Weight (kg)	168
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation • Central Joining Kit for side-by-side installed units • Ø 30 mm Tubular Stainless Steel Handles – Classic • Ø 30 mm Tubular Stainless Steel Handles – Pro • Ø 18 mm Tubular Stainless Steel Handles • Stainless steel panels • Extra length anti-tipping kit • Cleaning Kit • Front ventilation kit • Door stop 90°	

S600TGT

60 cm, FRIDGE FREEZERS, MODEL 0T

FULLY INTEGRATED, Glass Door

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S600TGT6 (right hinge)	10.710 €
S600TGT3 (left hinge)	10.710 €
CAPACITY	
Volume Compartment1 (L)	251
Volume Compartment2 (L)	/
Volume Compartment3 (L)	77
Total Net Volume (L)	328
Total Gross Volume (L)	348
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	599
Depth of Product without handle(mm)	610
Net Weight (kg)	148
Gross Weight (kg)	168
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	from 8 to -22
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	/
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	2
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation • Central Joining Kit for side-by-side installed units • Ø 30 mm Tubular Stainless Steel Handles – Classic • Ø 30 mm Tubular Stainless Steel Handles – Pro • Ø 18 mm Tubular Stainless Steel Handles • Stainless steel panels • Extra length anti-tipping kit • Cleaning Kit • Front ventilation kit • Door stop 90°	



WINE CELLAR

FULL SIZE: WINE CELLARS

Model: 0T

Width: 60cm

One door, one drawer, 2 separate temperatures

Upper compartment: Wine cellar

Lower compartment: Wine cellar

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.

Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.

Galvanized Steel Structure: Strength and stability engineered to last.

Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.

Technology and Functionality

ProVent™: Uniform cold air distribution across every zone.

EquiLance™: Patented variable pivot hinge for silent, stable movement.

OptiView™: Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

Full Colour TFT Display : Clear, intuitive, high definition interface.

Active Safety: Visual and acoustic alerts.

100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.

Variable Speed Compressors: Precise temperature control and reduced vibrations.

Sabbath Mode: Dedicated function for observance needs.

Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

Two Independent Climate Zones: Dedicated temperature and humidity control for red, white, and sparkling wines.

Triple-layer bronzed glass door: Total protection against UV rays and external temperature fluctuations.

Humidity control: Precise regulation to preserve corks, labels, and bottle integrity.

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	9
Slide-out shelves	NO
Type of shelves	WOOD
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom drawers	1+1 internal drawer
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity Control	YES
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

XS600TWT


60 cm, WINE CELLAR, MODEL 0T

BUILT-IN

X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS600TWT6 (right hinge)	11.610 €
XS600TWT3 (left hinge)	11.610 €
CAPACITY	
Volume Compartment1 (L)	240
Volume Compartment2 (L)	/
Volume Compartment3 (L)	77
Total Net Volume (L)	317
Total Gross Volume (L)	332
Compartment 1 / Upper wine cellar capacity (bottles)	54
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	171



DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	599
Depth of Product without handle(mm)	635
Net Weight (kg)	157
Gross Weight (kg)	177
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Wine kit
• Central Joining Kit for side-by-side installed units	• Cheese drawer
• X-Pro top grill kit	• Set of knives
• Extra length anti-tipping kit	• Prosciutteria kit
• Anti-condensation kit	• Cigar drawer
• Cleaning Kit	• Beverage drawer
• Active Carbon Filter	• Beverage shelf
• Front panel painting, handles, and side panels	• Beverage removable shelf
• Door stop 90°	• Chocolate kit

RS600TWT


60 cm, WINE CELLAR, MODEL 0T

BUILT-IN

DESIGNER® SERIES




AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS600TWT6 (right hinge)	10.410 €
RS600TWT3 (left hinge)	10.410 €
CAPACITY	
Volume Compartment1 (L)	240
Volume Compartment2 (L)	/
Volume Compartment3 (L)	77
Total Net Volume (L)	317
Total Gross Volume (L)	332
Compartment 1 / Upper wine cellar capacity (bottles)	54
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	171



DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	608
Depth of Product without handle(mm)	620
Net Weight (kg)	155
Gross Weight (kg)	175
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units	• Set of knives
• Extra length anti-tipping kit	• Prosciutteria kit
• Cleaning Kit	• Cigar drawer
• Active Carbon Filter	• Beverage drawer
• Front ventilation kit	• Beverage shelf
• Front panel painting, handles	• Beverage removable shelf
• Door stop 90°	• Chocolate kit
• Wine kit	
• Cheese drawer	

KS600TWT
60 cm, WINE CELLAR, MODEL 0T
BUILT-IN
CLASSIC® SERIES




AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS600TWT6 (right hinge)	10.410 €
KS600TWT3 (left hinge)	10.410 €
CAPACITY	
Volume Compartment1 (L)	240
Volume Compartment2 (L)	/
Volume Compartment3 (L)	77
Total Net Volume (L)	317
Total Gross Volume (L)	332
Compartment 1 / Upper wine cellar capacity (bottles)	54
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	171

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	599
Depth of Product without handle(mm)	635
Net Weight (kg)	155
Gross Weight (kg)	175
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Wine kit
• Central Joining Kit for side-by-side installed units	• Cheese drawer
• Extra length anti-tipping kit	• Set of knives
• Cleaning Kit	• Prosciutteria kit
• Active Carbon Filter	• Cigar drawer
• Front ventilation kit	• Beverage drawer
• Front panel painting, handles, and side panels	• Beverage shelf
• Door stop 90°	• Beverage removable shelf
	• Chocolate kit

S600TWT
60 cm, WINE CELLAR, MODEL 0T
FULLY INTEGRATED
INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S600TWT6 (right hinge)	9.610 €
S600TWT3 (left hinge)	9.610 €
CAPACITY	
Volume Compartment1 (L)	240
Volume Compartment2 (L)	/
Volume Compartment3 (L)	77
Total Net Volume (L)	317
Total Gross Volume (L)	332
Compartment 1 / Upper wine cellar capacity (bottles)	54
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	171

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	599
Depth of Product without handle(mm)	610
Net Weight (kg)	142
Gross Weight (kg)	162
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	YES
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	9
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	1+1 internal drawer

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Active Carbon Filter
• Central Joining Kit for side-by-side installed units	• Front ventilation kit
• Ø 30 mm Tubular Stainless Steel Handles – Classic	• Door stop 90°
• Ø 30 mm Tubular Stainless Steel Handles – Pro	• Wine kit
• Ø 18 mm Tubular Stainless Steel Handles	• Cheese drawer
• Stainless steel panels	• Set of knives
• Extra length anti-tipping kit	• Prosciutteria kit
• Cleaning Kit	• Cigar drawer
	• Beverage drawer
	• Beverage shelf
	• Beverage removable shelf
	• Chocolate kit

FULL SIZE: FRIDGES
Model: 0F
Width: 60cm

One door, 1 temperature
Upper compartment: Fridge
Lower compartment: Low Temp



FRIDGE

LOW TEMP

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.
Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.
Galvanized Steel Structure: Strength and stability engineered to last.
Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.

Technology and Functionality

EventLift™: Shelves adjustable to any height without removal.
ProVent™: Uniform cold air distribution across every zone.
EquiLance™: Patented variable pivot hinge for silent, stable movement.
OptiView™: Diffuse, uniform LED lighting.
Full Colour TFT Display : Clear, intuitive, high definition interface.
100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.
Variable Speed Compressors: Precise temperature control and reduced vibrations.
Sabbath Mode: Dedicated function for observance needs.
Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

One climate zone: Precise temperature control for optimal food preservation.
Low Temperature Zone: Dedicated area with a temperature 2°C lower than the refrigerator compartment, ideal for meat, fish, and vegetables.
Tempered Glass Shelves: With aluminum profiles

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	4 - 1 fixed, 3 adjustable
Slide-out shelves	NO
Type of shelves	GLASS
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom drawers	/
Full Extension shelves 90° door opening	/
Full Extension drawers 90° door opening	YES
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	YES
Shopping Freezer	NO
Power Failure Function	YES

XS600FR

60 cm, FRIDGE, MODEL 0FR
BUILT-IN
X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS600FR6 (right hinge)	9.980 €
XS600FR3 (left hinge)	9.980 €
CAPACITY	
Volume Compartment1 (L)	368
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	368
Total Gross Volume (L)	378
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	118

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	599
Depth of Product without handle(mm)	635
Net Weight (kg)	134
Gross Weight (kg)	156
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - X-Pro top grill kit - Extra length anti-tipping kit - Anti-condensation kit - Cleaning Kit - Front panel painting, handles, and side panels - Door stop 90°	

XS600FG

60 cm, FRIDGE, MODEL 0FG
BUILT-IN, Glass Door
X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS600FG6 (right hinge)	10.970 €
XS600FG3 (left hinge)	10.970 €
CAPACITY	
Volume Compartment1 (L)	368
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	368
Total Gross Volume (L)	378
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	118

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	599
Depth of Product without handle(mm)	635
Net Weight (kg)	134
Gross Weight (kg)	156
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - X-Pro top grill kit - Extra length anti-tipping kit - Anti-condensation kit - Cleaning Kit - Front panel painting, handles, and side panels - Door stop 90°	

RS600FR

60 cm, FRIDGE, MODEL 0FR
BUILT-IN
DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS600FR6 (right hinge)	8.780 €
RS600FR3 (left hinge)	8.780 €
CAPACITY	
Volume Compartment1 (L)	368
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	368
Total Gross Volume (L)	378
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	118

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	608
Depth of Product without handle(mm)	620
Net Weight (kg)	134
Gross Weight (kg)	156
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units • Extra length anti-tipping kit • Cleaning Kit • Front ventilation kit • Front panel painting, handles • Door stop 90°	

RS600FG

60 cm, FRIDGE, MODEL 0FG
BUILT-IN, Glass Door
DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS600FG6 (right hinge)	9.770 €
RS600FG3 (left hinge)	9.770 €
CAPACITY	
Volume Compartment1 (L)	368
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	368
Total Gross Volume (L)	378
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	118

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	608
Depth of Product without handle(mm)	620
Net Weight (kg)	134
Gross Weight (kg)	156
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units • Extra length anti-tipping kit • Cleaning Kit • Front ventilation kit • Front panel painting, handles • Door stop 90°	

KS600FR

60 cm, FRIDGE, MODEL 0FR
BUILT-IN
CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS600FR6 (right hinge)	8.780 €
KS600FR3 (left hinge)	8.780 €
CAPACITY	
Volume Compartment1 (L)	368
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	368
Total Gross Volume (L)	378
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	118

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	599
Depth of Product without handle(mm)	635
Net Weight (kg)	134
Gross Weight (kg)	156
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation • Central Joining Kit for side-by-side installed units • Extra length anti-tipping kit • Cleaning Kit • Front ventilation kit • Front panel painting, handles, and side panels • Door stop 90°	

KS600FG

60 cm, FRIDGE, MODEL 0FG
BUILT-IN, Glass Door
CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS600FG6 (right hinge)	9.770 €
KS600FG3 (left hinge)	9.770 €
CAPACITY	
Volume Compartment1 (L)	368
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	368
Total Gross Volume (L)	378
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	118

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	599
Depth of Product without handle(mm)	635
Net Weight (kg)	134
Gross Weight (kg)	156
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation • Central Joining Kit for side-by-side installed units • Extra length anti-tipping kit • Cleaning Kit • Front ventilation kit • Front panel painting, handles, and side panels • Door stop 90°	

S600FR

60 cm, FRIDGE, MODEL 0FR

FULLY INTEGRATED

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S600FR6 (right hinge)	7.980 €
S600FR3 (left hinge)	7.980 €
CAPACITY	
Volume Compartment1 (L)	368
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	368
Total Gross Volume (L)	378
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	118

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	599
Depth of Product without handle(mm)	610
Net Weight (kg)	132
Gross Weight (kg)	152
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	3
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation • Central Joining Kit for side-by-side installed units • Ø 30 mm Tubular Stainless Steel Handles – Classic • Ø 30 mm Tubular Stainless Steel Handles – Pro • Ø 18 mm Tubular Stainless Steel Handles • Stainless steel panels • Extra length anti-tipping kit • Cleaning Kit • Front ventilation kit • Door stop 90° • Push to open	

S600FG

60 cm, FRIDGE, MODEL 0FG

FULLY INTEGRATED, Glass Door

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S600FG6 (right hinge)	8.970 €
S600FG3 (left hinge)	8.970 €
CAPACITY	
Volume Compartment1 (L)	368
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	368
Total Gross Volume (L)	378
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	118

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	599
Depth of Product without handle(mm)	610
Net Weight (kg)	132
Gross Weight (kg)	152
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	YES
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	4 - 1 fixed, 3 adjustable
Type of shelves	GLASS
Door Bins	0
Fridge drawers type	LOW TEMP
Fresco/LowTemp Drawers	3
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation • Central Joining Kit for side-by-side installed units • Ø 30 mm Tubular Stainless Steel Handles – Classic • Ø 30 mm Tubular Stainless Steel Handles – Pro • Ø 18 mm Tubular Stainless Steel Handles • Stainless steel panels • Extra length anti-tipping kit • Cleaning Kit • Front ventilation kit • Door stop 90° • Push to open	



WINE CELLAR

FULL SIZE: WINE CELLARS

Model: 0F

Width: 60cm

One door, 2 separate temperatures

Upper compartment: Wine cellar

Lower compartment: Wine cellar

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.

Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.

Galvanized Steel Structure: Strength and stability engineered to last.

Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.

Technology and Functionality

ProVent™: Uniform cold air distribution across every zone.

EquiLance™: Patented variable pivot hinge for silent, stable movement.

OptiView™: Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

Full Colour TFT Display : Clear, intuitive, high definition interface.

Active Safety: Visual and acoustic alerts.

100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.

Variable Speed Compressors: Precise temperature control and reduced vibrations.

Sabbath Mode: Dedicated function for observance needs.

Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

Two Independent Climate Zones: Dedicated temperature and humidity control for red, white, and sparkling wines.


Triple-layer bronzed glass door: Total protection against UV rays and external temperature fluctuations.

Humidity control: Precise regulation to preserve corks, labels, and bottle integrity.

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optievew (LED light spots)	YES
Shelves	13
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom drawers	/
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity Control	YES
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

XS600FW
60 cm, WINE CELLAR, MODEL 0FW
BUILT-IN
X-PRO® SERIES




AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS600FW6 (right hinge)	11.290 €
XS600FW3 (left hinge)	11.290 €
CAPACITY	
Volume Compartment1 (L)	352
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	352
Total Gross Volume (L)	364
Compartment 1 / Upper wine cellar capacity (bottles)	48
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	30
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	143

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	599
Depth of Product without handle(mm)	635
Net Weight (kg)	134
Gross Weight (kg)	156
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Wine kit
• Central Joining Kit for side-by-side installed units	• Cheese drawer
• X-Pro top grill kit	• Set of knives
• Extra length anti-tipping kit	• Prosciutteria kit
• Anti-condensation kit	• Cigar drawer
• Cleaning Kit	• Beverage drawer
• Active Carbon Filter	• Beverage shelf
• Front panel painting, handles, and side panels	• Beverage removable shelf
• Door stop 90°	• Chocolate kit

RS600FW
60 cm, WINE CELLAR, MODEL 0FW
BUILT-IN
DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS600FW6 (right hinge)	10.090 €
RS600FW3 (left hinge)	10.090 €
CAPACITY	
Volume Compartment1 (L)	352
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	352
Total Gross Volume (L)	364
Compartment 1 / Upper wine cellar capacity (bottles)	48
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	30
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	143

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	608
Depth of Product without handle(mm)	620
Net Weight (kg)	152
Gross Weight (kg)	172
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units	• Prosciutteria kit
• Extra length anti-tipping kit	• Cigar drawer
• Cleaning Kit	• Beverage drawer
• Active Carbon Filter	• Beverage shelf
• Front ventilation kit	• Beverage removable shelf
• Front panel painting, handles	• Chocolate kit
• Door stop 90°	
• Wine kit	
• Cheese drawer	
• Set of knives	

KS600FW


60 cm, WINE CELLAR, MODEL 0FW

BUILT-IN

CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS600FW6 (right hinge)	10.090 €
KS600FW3 (left hinge)	10.090 €
CAPACITY	
Volume Compartment1 (L)	352
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	352
Total Gross Volume (L)	364
Compartment 1 / Upper wine cellar capacity (bottles)	48
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	30
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	143



DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	599
Depth of Product without handle(mm)	635
Net Weight (kg)	152
Gross Weight (kg)	172
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Set of knives
• Central Joining Kit for side-by-side installed units	• Prosciutteria kit
• Extra length anti-tipping kit	• Cigar drawer
• Cleaning Kit	• Beverage drawer
• Active Carbon Filter	• Beverage shelf
• Front ventilation kit	• Beverage removable shelf
• Front panel painting, handles, and side panels	• Chocolate kit
• Door stop 90°	
• Wine kit	
• Cheese drawer	

S600FW


60 cm, WINE CELLAR, MODEL 0FW

FULLY INTEGRATED

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S600FW6 (right hinge)	9.290 €
S600FW3 (left hinge)	9.290 €
CAPACITY	
Volume Compartment1 (L)	352
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	352
Total Gross Volume (L)	364
Compartment 1 / Upper wine cellar capacity (bottles)	48
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	30
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	143



DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	599
Depth of Product without handle(mm)	610
Net Weight (kg)	133
Gross Weight (kg)	153
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Front ventilation kit
• Central Joining Kit for side-by-side installed units	• Door stop 90°
• Ø 30 mm Tubular Stainless Steel Handles – Classic	• Wine kit
• Ø 30 mm Tubular Stainless Steel Handles – Pro	• Cheese drawer
• Ø 18 mm Tubular Stainless Steel Handles	• Set of knives
• Stainless steel panels	• Prosciutteria kit
• Extra length anti-tipping kit	• Cigar drawer
• Cleaning Kit	• Beverage drawer
• Active Carbon Filter	• Beverage shelf
	• Beverage removable shelf
	• Chocolate kit
	• Push to open

BKS600FW


60 cm, WINE CELLAR, MODEL 0FW

BUILT-IN

BRILLIANCE® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	White painted aluminium
PRICE (VAT and delivery charges not included)	
BKS600FW6 (right hinge)	8.910 €
BKS600FW3 (left hinge)	8.910 €
CAPACITY	
Volume Compartment1 (L)	352
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	352
Total Gross Volume (L)	364
Compartment 1 / Upper wine cellar capacity (bottles)	48
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	30
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	143



DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	599
Depth of Product without handle(mm)	635
Net Weight (kg)	152
Gross Weight (kg)	172
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Cheese drawer
• Central Joining Kit for side-by-side installed units	• Set of knives
• Extra length anti-tipping kit	• Prosciutteria kit
• Anti-condensation kit	• Cigar drawer
• Cleaning Kit	• Beverage drawer
• Active Carbon Filter	• Beverage shelf
• Front ventilation kit	• Beverage removable shelf
• Front panel painting, handles, and side panels	• Chocolate kit
• Door stop 90°	
• Wine kit	

BS600FW


60 cm, WINE CELLAR, MODEL 0FW

FULLY INTEGRATED

BRILLIANCE® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	White painted aluminium
PRICE (VAT and delivery charges not included)	
BS600FW6 (right hinge)	8.800 €
BS600FW3 (left hinge)	8.800 €
CAPACITY	
Volume Compartment1 (L)	352
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	352
Total Gross Volume (L)	364
Compartment 1 / Upper wine cellar capacity (bottles)	48
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	30
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	143



DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	599
Depth of Product without handle(mm)	610
Net Weight (kg)	133
Gross Weight (kg)	153
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Front ventilation kit
• Central Joining Kit for side-by-side installed units	• Door stop 90°
• Ø 30 mm Tubular Stainless Steel Handles – Classic	• Wine kit
• Ø 30 mm Tubular Stainless Steel Handles – Pro	• Cheese drawer
• Ø 18 mm Tubular Stainless Steel Handles	• Set of knives
• Stainless steel panels	• Prosciutteria kit
• Extra length anti-tipping kit	• Cigar drawer
• Cleaning Kit	• Beverage drawer
• Active Carbon Filter	• Beverage shelf
	• Beverage removable shelf
	• Chocolate kit
	• Push to open



FREEZER

FULL SIZE: FREEZER
Model: 0F
Width: 60cm
One door, 1 temperature
Single compartment: Freezer

FEATURES
Made in Italy: Designed and built entirely in Italy with artisanal precision.
Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.
Galvanized Steel Structure: Strength and stability engineered to last.
Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.
Technology and Functionality
ProVent™: Uniform cold air distribution across every zone.
EquiLance™: Patented variable pivot hinge for silent, stable movement.
OptiView™: Diffuse, uniform LED lighting.
Full Colour TFT Display : Clear, intuitive, high definition interface.
100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.
Variable Speed Compressors: Precise temperature control and reduced vibrations.
Sabbath Mode: Dedicated function for observance needs.
Easy Installation: Adjustable front feet and rear wheels.
Conservation Performance
One climate zone: Gestione precisa della temperatura per una conservazione ottimale degli alimenti congelati.
Tempered Glass Shelves: With aluminum profiles

GENERAL PROPERTIES	
Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	3 - 1 fixed, 2 adjustable
Slide-out shelves	NO
Type of shelves	2 Glass & 1 Stainless steel
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom drawers	4
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	YES
Power Failure Function	YES

XS600FZ

60 cm, FREEZER, MODEL 0FZ
BUILT-IN
X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS600FZ6 (right hinge)	10.310 €
XS600FZ3 (left hinge)	10.310 €
XS600FZ6I (right hinge, with ice maker)	11.150 €
XS600FZ3I (left hinge, with ice maker)	11.150 €
CAPACITY	
Volume Compartment1 (L)	342
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	342
Total Gross Volume (L)	344
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	271

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	599
Depth of Product without handle(mm)	635
Net Weight (kg)	160
Gross Weight (kg)	180
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from -15 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed, 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	4

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - X-Pro top grill kit - Extra length anti-tipping kit - Anti-condensation kit - Cleaning Kit - Front panel painting, handles, and side panels - Door stop 90°	

RS600FZ

60 cm, FREEZER, MODEL 0FZ
BUILT-IN
DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS600FZ6 (right hinge)	9.110 €
RS600FZ3 (left hinge)	9.110 €
RS600FZ6I (right hinge, with ice maker)	9.950 €
RS600FZ3I (left hinge, with ice maker)	9.950 €
CAPACITY	
Volume Compartment1 (L)	342
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	342
Total Gross Volume (L)	344
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	271

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	608
Depth of Product without handle(mm)	620
Net Weight (kg)	151
Gross Weight (kg)	171
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from -15 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed, 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	4

ACCESSORIES (from page 118 to page 227)	
- Central Joining Kit for side-by-side installed units - Extra length anti-tipping kit - Cleaning Kit - Front ventilation kit - Front panel painting, handles - Door stop 90°	

KS600FZ

60 cm, FREEZER, MODEL 0FZ

BUILT-IN

CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS600FZ6 (right hinge)	9.110 €
KS600FZ3 (left hinge)	9.110 €
KS600FZ6I (right hinge, with ice maker)	9.950 €
KS600FZ3I (left hinge, with ice maker)	9.950 €
CAPACITY	
Volume Compartment1 (L)	342
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	342
Total Gross Volume (L)	344
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	271

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	599
Depth of Product without handle(mm)	635
Net Weight (kg)	151
Gross Weight (kg)	171
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from -15 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed, 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	4
ACCESSORIES (from page 118 to page 227)	

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Front panel painting, handles, and side panels
- Door stop 90°

S600FZ

60 cm, FREEZER, MODEL 0FZ

FULLY INTEGRATED

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S600FZ6 (right hinge)	8.310 €
S600FZ3 (left hinge)	8.310 €
S600FZ6I (right hinge, with ice maker)	9.150 €
S600FZ3I (left hinge, with ice maker)	9.150 €
CAPACITY	
Volume Compartment1 (L)	342
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	342
Total Gross Volume (L)	344
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	271

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	599
Depth of Product without handle(mm)	610
Net Weight (kg)	141
Gross Weight (kg)	161
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from -15 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed, 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	4
ACCESSORIES (from page 118 to page 227)	

- Stainless Steel Side Panels for freestanding installation
- Central Joining Kit for side-by-side installed units
- Ø 30 mm Tubular Stainless Steel Handles – Classic
- Ø 30 mm Tubular Stainless Steel Handles – Pro
- Ø 18 mm Tubular Stainless Steel Handles
- Stainless steel panels
- Extra length anti-tipping kit
- Cleaning Kit
- Front ventilation kit
- Door stop 90°
- Push to open

FULL SIZE: FREEZERS/WINE CELLARS
Width: 45cm

OF
Wine Cellars Freezer

X-PRO
Top compressors

45


XS450FW

45


XS450FZ

DESIGNER
Bottom compressors


RS450FW


RS450FZ

CLASSIC
Bottom compressors


KS450FW


KS450FZ

INTEGRATED
Bottom compressors


S450FW


S450FZ



WINE CELLAR

FULL SIZE: WINE CELLARS

Model: 0F

Width: 45cm

One door, 2 separate temperatures

Upper compartment: Wine cellar

Lower compartment: Wine cellar

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.

Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.

Galvanized Steel Structure: Strength and stability engineered to last.

Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.

Technology and Functionality

ProVent™: Uniform cold air distribution across every zone.

EquiLance™: Patented variable pivot hinge for silent, stable movement.

OptiView™: Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.

Full Colour TFT Display : Clear, intuitive, high definition interface.

Active Safety: Visual and acoustic alerts.

100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.

Variable Speed Compressors: Precise temperature control and reduced vibrations.

Sabbath Mode: Dedicated function for observance needs.

Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

Two Independent Climate Zones: Dedicated temperature and humidity control for red, white, and sparkling wines.

Triple-layer bronzed glass door: Total protection against UV rays and external temperature fluctuations.

Humidity control: Precise regulation to preserve corks, labels, and bottle integrity.

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	13
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom drawers	/
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity Control	YES
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

XS450FW6


45 cm, WINE CELLAR, MODEL 0FW

BUILT-IN

X-PRO® SERIES



AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS450FW6 (right hinge)	10.970 €
XS450FW3 (left hinge)	10.970 €
CAPACITY	
Volume Compartment1 (L)	229
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	229
Total Gross Volume (L)	239
Compartment 1 / Upper wine cellar capacity (bottles)	32
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	20
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	169



DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	449
Depth of Product without handle(mm)	635
Net Weight (kg)	141
Gross Weight (kg)	161
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	• Cheese drawer
• Central Joining Kit for side-by-side installed units	• Cigar drawer
• X-Pro top grill kit	• Beverage drawer
• Extra length anti-tipping kit	• Beverage shelf
• Anti-condensation kit	• Beverage removable shelf
• Cleaning Kit	• Prosciutteria kit
• Active Carbon Filter	
• Front panel painting, handles, and side panels	
• Door stop 90°	
• Wine kit	

RS450FW6


45 cm, WINE CELLAR, MODEL 0FW

BUILT-IN

DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS450FW6 (right hinge)	9.770 €
RS450FW3 (left hinge)	9.770 €
CAPACITY	
Volume Compartment1 (L)	229
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	229
Total Gross Volume (L)	239
Compartment 1 / Upper wine cellar capacity (bottles)	32
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	20
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	169



DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	455
Depth of Product without handle(mm)	620
Net Weight (kg)	141
Gross Weight (kg)	161
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	/

ACCESSORIES (from page 118 to page 227)	
• Central Joining Kit for side-by-side installed units	• Beverage shelf
• Extra length anti-tipping kit	• Beverage removable shelf
• Cleaning Kit	• Prosciutteria kit
• Active Carbon Filter	
• Front ventilation kit	
• Front panel painting, handles	
• Door stop 90°	
• Wine kit	
• Cheese drawer	
• Cigar drawer	
• Beverage drawer	

KS450FW6

45 cm, WINE CELLAR, MODEL 0FW

BUILT-IN

CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS450FW6 (right hinge)	9.770 €
KS450FW3 (left hinge)	9.770 €
CAPACITY	
Volume Compartment1 (L)	229
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	229
Total Gross Volume (L)	239
Compartment 1 / Upper wine cellar capacity (bottles)	32
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	20
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	449
Depth of Product without handle(mm)	635
Net Weight (kg)	141
Gross Weight (kg)	161
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	/
ACCESSORIES (from page 118 to page 227)	

- Stainless Steel Side Panels for freestanding installation
 - Central Joining Kit for side-by-side installed units
 - Extra length anti-tipping kit
 - Cleaning Kit
 - Active Carbon Filter
 - Front ventilation kit
 - Front panel painting, handles, and side panels
 - Door stop 90°
 - Wine kit
 - Cheese drawer
- Cigar drawer
 - Beverage drawer
 - Beverage shelf
 - Beverage removable shelf
 - Prosciutteria kit

S450FW6

45 cm, WINE CELLAR, MODEL 0FW

FULLY INTEGRATED

INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S450FW6 (right hinge)	8.970 €
S450FW3 (left hinge)	8.970 €
CAPACITY	
Volume Compartment1 (L)	229
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	229
Total Gross Volume (L)	239
Compartment 1 / Upper wine cellar capacity (bottles)	32
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	20
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	169

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	449
Depth of Product without handle(mm)	610
Net Weight (kg)	128
Gross Weight (kg)	148
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	from 4 to 18
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	13
Type of shelves	WOOD
Door Bins	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	/
ACCESSORIES (from page 118 to page 227)	

- Stainless Steel Side Panels for freestanding installation
 - Central Joining Kit for side-by-side installed units
 - Ø 30 mm Tubular Stainless Steel Handles – Classic
 - Ø 30 mm Tubular Stainless Steel Handles – Pro
 - Ø 18 mm Tubular Stainless Steel Handles
 - Stainless steel panels
 - Extra length anti-tipping kit
 - Cleaning Kit
- Active Carbon Filter
 - Front ventilation kit
 - Door stop 90°
 - Wine kit
 - Cheese drawer
 - Cigar drawer
 - Beverage drawer
 - Beverage shelf
 - Beverage removable shelf
 - Prosciutteria kit
 - Push to open



FULL SIZE: FREEZER

Model: 0F

Width: 45cm

One door, 1 temperature

Single compartment: Freezer

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.

Long Term Reliability: Premium materials and rigorous testing ensure consistent, durable performance.

Galvanized Steel Structure: Strength and stability engineered to last.

Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.

Technology and Functionality

ProVent™: Uniform cold air distribution across every zone.

EquiLance™: Patented variable pivot hinge for silent, stable movement.

OptiView™: Diffuse, uniform LED lighting.

Full Colour TFT Display : Clear, intuitive, high definition interface.

100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.

Variable Speed Compressors: Precise temperature control and reduced vibrations.

Sabbath Mode: Dedicated function for observance needs.

Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

One climate zone: Gestione precisa della temperatura per una conservazione ottimale degli alimenti congelati.

Tempered Glass Shelves: With aluminum profiles

GENERAL PROPERTIES

Reversible door	NO
Equilance	YES
SoftClosing Runner	YES
Low vibration	YES
Optievew (LED light spots)	YES
Shelves	3 - 1 fixed, 2 adjustable
Slide-out shelves	NO
Type of shelves	2 Glass & 1 Stainless steel
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom drawers	3
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	YES
Power Failure Function	YES

FREEZER

XS450FZ

45 cm, FREEZER, MODEL 0FZ
BUILT-IN
X-PRO® SERIES




AESTHETIC	
Compressor position	Top
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
XS450FZ6 (right hinge)	10.190 €
XS450FZ3 (left hinge)	10.190 €
XS450FZ6I (right hinge, with ice maker)	11.040 €
XS450FZ3I (left hinge, with ice maker)	11.040 €
CAPACITY	
Volume Compartment1 (L)	223
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	223
Total Gross Volume (L)	225
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	238

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	449
Depth of Product without handle(mm)	635
Net Weight (kg)	131
Gross Weight (kg)	151
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from -15 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed, 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	3

ACCESSORIES (from page 118 to page 227)	
- Stainless Steel Side Panels for freestanding installation - Central Joining Kit for side-by-side installed units - X-Pro top grill kit - Extra length anti-tipping kit - Anti-condensation kit - Cleaning Kit - Front panel painting, handles, and side panels - Door stop 90°	

RS450FZ

45 cm, FREEZER, MODEL 0FZ
BUILT-IN
DESIGNER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Pro
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
RS450FZ6 (right hinge)	8.990 €
RS450FZ3 (left hinge)	8.990 €
RS450FZ6I (right hinge, with ice maker)	9.840 €
RS450FZ3I (left hinge, with ice maker)	9.840 €
CAPACITY	
Volume Compartment1 (L)	223
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	223
Total Gross Volume (L)	225
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	238

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	455
Depth of Product without handle(mm)	620
Net Weight (kg)	131
Gross Weight (kg)	151
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from -15 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed, 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	3

ACCESSORIES (from page 118 to page 227)	
- Central Joining Kit for side-by-side installed units - Extra length anti-tipping kit - Cleaning Kit - Front ventilation kit - Front panel painting, handles - Door stop 90°	

KS450FZ

45 cm, FREEZER, MODEL 0FZ
BUILT-IN
CLASSIC® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Classic
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
KS450FZ6 (right hinge)	8.990 €
KS450FZ3 (left hinge)	8.990 €
KS450FZ6I (right hinge, with ice maker)	9.840 €
KS450FZ3I (left hinge, with ice maker)	9.840 €
CAPACITY	
Volume Compartment1 (L)	223
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	223
Total Gross Volume (L)	225
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	238

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2050
Width of the product (mm)	449
Depth of Product without handle(mm)	635
Net Weight (kg)	131
Gross Weight (kg)	151
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from -15 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed, 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	3

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	
• Central Joining Kit for side-by-side installed units	
• Extra length anti-tipping kit	
• Cleaning Kit	
• Front ventilation kit	
• Front panel painting, handles, and side panels	
• Door stop 90°	

S450FZ

45 cm, FREEZER, MODEL 0FZ
BUILT-IN
INTEGRATED® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
PRICE (VAT and delivery charges not included)	
S450FZ6 (right hinge)	8.190 €
S450FZ3 (left hinge)	8.190 €
S450FZ6I (right hinge, with ice maker)	9.040 €
S450FZ3I (left hinge, with ice maker)	9.040 €
CAPACITY	
Volume Compartment1 (L)	223
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	223
Total Gross Volume (L)	225
Compartment 1 / Upper wine cellar capacity (bottles)	/
Compartment 2 / Middle wine cellar capacity (bottles)	/
Compartment 2 / Lower wine cellar capacity (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	238


DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	2120
Width of the product (mm)	449
Depth of Product without handle(mm)	610
Net Weight (kg)	121
Gross Weight (kg)	141
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from -15 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	3 - 1 fixed, 2 adjustable
Type of shelves	2 Glass & 1 Stainless steel
Door Bins	2
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom Drawers	3

ACCESSORIES (from page 118 to page 227)	
• Stainless Steel Side Panels for freestanding installation	
• Central Joining Kit for side-by-side installed units	
• Ø 30 mm Tubular Stainless Steel Handles – Classic	
• Ø 30 mm Tubular Stainless Steel Handles – Pro	
• Ø 18 mm Tubular Stainless Steel Handles	
• Stainless steel panels	
• Extra length anti-tipping kit	
• Cleaning Kit	
• Front ventilation kit	
• Door stop 90°	
• Push to open	

ACCESSORIES

Door opening hinge					
	Code	Series	Model Ref	Description	Price
	6	Integrated Classic Brilliance XPro Country Designer	90 75 60 45	Right hinge	FREE
	3	Integrated Classic Brilliance XPro Country Designer	90 75 60 45	Left hinge	FREE
Stainless steel sides					
	Code	Series	Model Ref	Description	Price
	FKK65T	Integrated, Classic, Brilliance	90 1T/OT 75 OT	Stainless steel sides	570 €
	FKK65H	Integrated, Classic, Brilliance	90 OH 75 OH	Stainless steel sides	570 €
	FKK65T599	Integrated, Classic, Brilliance	60 1T/OT	Stainless steel sides	570 €
	FKK65F	Integrated, Classic, Brilliance	90 OF 75 OF	Stainless steel sides	570 €
	FKK65F599	Integrated, Classic, Brilliance	60 OF 45 OF	Stainless steel sides	570 €
	FMX65T	X-Pro	90 1T/OT 75 OT	Stainless steel sides	570 €
	FMX65FD	X-Pro	120 FD 105 FD 90 FD	Coppia fianchi in acciaio inox	570 €
	FMX65H	X-Pro	90 OH 75 OH	Stainless steel sides	570 €
	FMX65T599	X-Pro	60 1T/OT	Stainless steel sides	570 €
	FMX65F	X-Pro	90 OF 75 OF	Stainless steel sides	570 €
	FMX65F599	X-Pro	60 OF 45 OF	Stainless steel sides	570 €

The sides will be pre-installed in the factory and are not removable.
At the end of the zip code, add 3 to the left and 6 for the right hinge.
For the installation of 2 or more units, indicate the model and where you want to apply the stainless steel sides.
NB: Side panels are not available for all models of the Designer Series.

Joining kit - Xpro and Country Series					
	Code	Series	Model Ref	Description	Price
	KCCMTX	XPro Country	120 FD 105 FD 90 1T/OT/0H/0F 75 1T/OT/0H/0F 60 1T/OT/0H/0F 45 0F	Joining kit - central models with stainless steel sides (Joining brackets, airflow separation included +Anti-condensation kit)	200 €

XPro top ventilation grille					
	Code	Series	Model Ref	Description	Price
	XPRO90TOP	XPro	XS45 + XS45	Kit grill + single socket	670 €
	XPRO105TOP	XPro	XS45 + XS60	Kit grill + single socket	690 €
	XPRO120TOP	XPro	XS60 + XS60 XS75 + XS45	Kit grill + single socket	720 €
	XPRO135TOP	XPro	XS75 + XS60 XS90 + XS45	Kit grill + single socket	770 €
	XPRO150TOP	XPro	XS75 + XS75 XS90 + XS60	Kit grill + single socket	820 €
	XPRO165TOP	XPro	XS75 + XS90	Kit grill + single socket	880 €
	XPRO180TOP	XPro	XS90 + XS90	Kit grill + single socket	930 €
	XPRO195TOP	XPro	XS75 + XS60 + XS60	Kit grill + single socket	950 €
	XPRO210TOP	XPro	XS75 + XS75 + XS60	Kit grill + single socket	980 €
	XPRO225TOP	XPro	XS75 + XS75 + XS75	Kit grill + single socket	1.000 €
	XPRO240TOP	XPro	XS90 + XS90 + XS60	Kit grill + single socket	1.020 €
	XPRO255TOP	XPro	XS90 + XS90 + XS75	Kit grill + single socket	1.040 €



Kit grill + single socket (free kit if required when ordering the equipment)

Classic Single lower grille kit					
	Code	Series	Model Ref	Description	Price
	GK90	Classic	KS45 + KS45	Single lower grille kit	670 €
	GK105	Classic	KS45 + KS60	Single lower grille kit	690 €
	GK120	Classic	KS60 + KS60	Single lower grille kit	720 €
	GK135	Classic	KS75 + KS45	Single lower grille kit	770 €
	GK150	Classic	KS75 + KS60	Single lower grille kit	820 €
	GK165	Classic	KS90 + KS45	Single lower grille kit	880 €
	GK180	Classic	KS75 + KS75	Single lower grille kit	930 €
	GK195	Classic	KS90 + KS60	Single lower grille kit	950 €
	GK210	Classic	KS75 + KS90	Single lower grille kit	980 €
	GK225	Classic	KS90 + KS90	Single lower grille kit	1.000 €
	GK240	Classic	KS75 + KS60 + KS60	Single lower grille kit	1.020 €
	GK255	Classic	KS75 + KS75 + KS60	Single lower grille kit	1.040 €



Single lower grille kit (free kit if required when ordering the equipment)

ACCESSORIES

Joining kit - Integrated and Brilliance Series					
	Code	Series	Model Ref	Description	Price
	KCCITFU	Integrated	90 1T/0T/0H/0F 75 1T/0T/0H/0F 60 1T/0T/0H/0F 45 0F	Joining kit (Joining brackets, airflow separation included)	170 €
	KCCITFWU	Brilliance Integrated	90 1T/0T/0H/0F 75 1T/0T/0H/0F 60 1T/0T/0H/0F 45 0F	Joining kit - central white (Joining brackets, airflow separation included)	170 €
Joining kit - Classic and Brilliance Series					
	Code	Series	Model Ref	Description	Price
	KCCKTF	Classic	90 1T/0T/0H/0F 75 1T/0T/0H/0F 60 1T/0T/0H/0F 45 0F	Joining kit (Joining brackets, airflow separation included)	200 €
	KCCKTFW	Brilliance Classic	90 1T/0T/0H/0F 75 1T/0T/0H/0F 60 1T/0T/0H/0F 45 0F	Joining kit - central white (Joining brackets, airflow separation included)	200 €
Joining kit - Designer Series					
	Code	Series	Model Ref	Description	Price
	KCCKTFU	Designer	90 1T/0T/0H/0F 75 1T/0T/0H/0F 60 1T/0T/0H/0F 45 0F	Joining kit (Joining brackets, airflow separation included)	200 €
Tubular handles AISI 304					
	Code	Series	Model Ref	Description	Price
	HV	Integrated	120/105 90/75/60/45	Classic Vertical tubular handle, round section Ø30 mm (1104 mm/43,4 in)	220 €
	HVF	Integrated	120/105 90/75/60/45	Classic Vertical tubular handle, round section Ø30 mm to join 0F and 0H models	260 €
	HO8	Integrated	90	Classic Horizontal tubular handle, round section Ø30 mm (794 mm/ 31.2 in)	220 €
	HO7	Integrated	75	Classic Horizontal tubular handle, round section Ø30 mm (644 mm/25.3 in)	210 €
	HO5	Integrated	60	Classic Horizontal tubular handle, round section Ø30 mm (494 mm/ 19.4 in)	200 €
	HCV	Integrated	120/105 90/75/60/45	Vertical tubular handle, round section Ø18 mm	190 €
	HC8	Integrated	90	Horizontal tubular handle, round section Ø18 mm	170 €
	HC7	Integrated	75	Horizontal tubular handle, round section Ø18 mm	160 €
	HC5	Integrated	60	Horizontal tubular handle, round section Ø18 mm	150 €
	HPROV	Integrated	120/105 90/75/60/45	Pro Vertical tubular handle, round section Ø30 mm	265 €
	HPRO8	Integrated	90	Pro Horizontal tubular handle, round section Ø30 mm	265 €
	HPRO7	Integrated	75	Pro Horizontal tubular handle, round section Ø30 mm	265 €
	HPRO5	Integrated	60	Pro Horizontal tubular handle, round section Ø30 mm	265 €

Extra length anti-tipping kit					
	Code	Series	Model Ref	Description	Price
	B04000900	Integrated Classic Designer Brilliance XPro Country	90 75 60 45	Extra Length Anti-tipping Kit (allows the installation in units with depth of 80 cm)	FREE
Anti-condensation kit					
	Code	Series	Model Ref	Description	Price
	KAC16	XPro Country	90 75 60 45	Anti-condensation Kit adhesive 1,6 cm thick for side-by-side installation of two or more top compressors units (not required for models with compressors at the bottom)	50 €
Colour box					
	Code	Series	Model Ref	Description	Price
	CARTCOL	Classic Designer Brilliance XPro Country	90 75 60 45	Sample box 12×24×12h format, matte scratch-resistant laminated finish, containing 12 Stainless Steel AISI 304 color samples.	370 €
Painting					
	Code	Series	Model Ref	Description	Price
		Xpro	120 FD 105 FD 90 FD	Front	2.980 €
		XPro	90 1T/0T/0H/0F 75 60 45	Front	1.490 €
		XPro	120 105 90 75 60 45	Sides	960 €
		Designer	120 FD 105 FD 90 FD	Front	2.760 €
		Classic Designer Brilliance	90 1T/0T/0H/0F 75 60 45	Front	1.380 €
		Classic Designer Brilliance	90 75 60 45	Sides	960 €
		Integrated Classic Designer Brilliance XPro	90 75 60 45	Vertical handle	190 €
		Integrated Classic Designer Brilliance XPro	90 75 60 45	Horizontal handle	190 €

ACCESSORIES

Cleaning and hygiene					
	Code	Series	Model Ref	Description	Price
	RP00KP	Integrated Classic Designer Brilliance XPro Country	120 105 90 75 60 45	Cleaning kit microfiber cloth and magic sponge	70 €
	RP00FA	Integrated Classic Designer Brilliance XPro Country	120 105 90 75 60 45	Water filter cartridge (for models with Ice Maker and Water Dispenser)	90 €
	ACF	Integrated Classic Designer Brilliance XPro Country	90 75 60 45	Active Carbon Filter	60 €
Door options					
	Code	Series	Model Ref	Description	Price
	90STOP	Integrated Classic Designer Brilliance XPro Country	120 105 90 75 60 45	90° door stop	210 €
	PAP-INT	Integrated	90 OF 75 OF 60 OF 45 OF	Push to open	930 €
Front ventilation kit					
	Code	Series	Model Ref	Description	Price
	ESPKIT	Integrated Classic Designer Brilliance	90 75	Front ventilation kit	490 €
Stainless steel panels					
	Code	Series	Model Ref	Description	Price
		Integrated	90 75 60 45	Stainless steel panels	on request
Stainless steel portal for freestanding installation					
	Code	Series	Model Ref	Description	Price
		Integrated Classic Designer Brilliance XPro Country	90 75 60 45	Stainless steel portal for freestanding installation	on request

Wine Kit					
	Code	Series	Model Ref	Description	Price
	NBK45N	Integrated Classic Designer Brilliance XPro	45 wine cellar	Bottle Holder Crafted from fine Canaletto walnut wood Capacity: 4 bottles (750 ml) or 2 magnum bottles. Includes: 1 corkscrew	370 €
	NBK60N	Integrated Classic Designer Brilliance XPro	60 wine cellar	Bottle Holder Crafted from fine Canaletto walnut wood Capacity: 6 bottles (750 ml) or 3 magnum bottles Includes: 1 corkscrew	400 €
	NBK75N	Integrated Classic Designer Brilliance XPro	75 wine cellar	Bottle Holder Crafted from fine Canaletto walnut wood Capacity: 8 bottles (750 ml) or 4 magnum bottles Includes: 1 corkscrew	460 €
	NBK90N	Integrated Classic Designer Brilliance XPro	90 wine cellar	Bottle Holder Crafted from fine Canaletto walnut wood Capacity: 12 bottles (750 ml) or 6 magnum bottles Includes: 1 corkscrew	590 €
Cheese drawers					
	Code	Series	Model Ref	CAPACITY	Price
	NCTB45N	Integrated Classic Designer Brilliance XPro	45 wine cellar	13,9 lt - height 22 cm	510 €
	NCTB60N	Integrated Classic Designer Brilliance XPro	60 wine cellar	23,8 lt - height 22 cm	560 €
	NCTB75N	Integrated Classic Designer Brilliance XPro	75 wine cellar	33,1 lt - height 22 cm	630 €
	NCTB90N	Integrated Classic Designer Brilliance XPro	90 wine cellar	43 lt - height 22 cm	660 €
	NCTS45N	Integrated Classic Designer Brilliance XPro	45 wine cellar	8,8 lt - height 14 cm	490 €
	NCTS60N	Integrated Classic Designer Brilliance XPro	60 wine cellar	15 lt - height 14 cm	530 €
	NCTS75N	Integrated Classic Brilliance XPro Country	75 wine cellar	20,9 lt - height 14 cm	610 €
	NCTS90N	Integrated Classic Designer Brilliance XPro Country	90 wine cellar	27,1 lt - height 14 cm	630 €

Discover artisanal excellence with our exquisite drawers crafted from premium Canaletto walnut. Designed to seamlessly blend elegance and functionality, they are available in two height options to perfectly suit your needs—offering a flawless harmony between aesthetics and practicality.

ACCESSORIES

Bottle display kit					
	Code	Series	Model Ref	Description	Price
	NEK60N	Integrated Classic Designer Brilliance XPro Country	60 wine cellar	New bottle display kit	590 €
Beverage drawer					
	Code	Series	Model Ref	Description	Price
	NBGD45	Integrated Classic Designer Brilliance XPro	45 wine cellar	Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity 10,5 L.)	300 €
	NBGD60	Integrated Classic Designer Brilliance XPro Country	60 wine cellar	Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity 18,4 L.)	310 €
	NBGD75	Integrated Classic Designer Brilliance XPro Country	75 wine cellar	Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity 25,9 L.)	320 €
	NBGD90	Integrated Classic Designer Brilliance XPro Country	90 wine cellar	Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity 33,8 L.)	330 €
Removable Beverage shelf					
	Code	Series	Model Ref	Description	Price
	NBGS45	Integrated Classic Designer Brilliance XPro	45 wine cellar	Removable 6mm tempered glass shelves (cans capacity:21 33/50 cc)	280 €
	NBGS60	Integrated Classic Designer Brilliance XPro Country	60 wine cellar	Removable 6mm tempered glass shelves (cans capacity:42 33/50 cc)	290 €
	NBGS75	Integrated Classic Designer Brilliance XPro Country	75 wine cellar	Removable 6mm tempered glass shelves (cans capacity:56 33/50 cc)	300 €
	NBGS90	Integrated Classic Designer Brilliance XPro Country	90 wine cellar	Removable 6mm tempered glass shelves (cans capacity:70 33/50 cc)	310 €

Chocolate kit					
	Code	Series	Model Ref	Description	Price
	NCK60N	Integrated Classic Designer Brilliance XPro Country	60 wine cellar	Chocolate kit	480 €
Cigars drawers					
	Code	Series	Model Ref	CAPACITY	Price
	NCSGB45N	Integrated Classic Designer Brilliance XPro	45 wine cellar	13,9 lt - height 22 cm	490 €
	NCSGB60N	Integrated Classic Designer Brilliance XPro Country	60 wine cellar	23,8 lt - height 22 cm	530 €
	NCSGB75N	Integrated Classic Designer Brilliance XPro Country	75 wine cellar	33,1 lt - height 22 cm	610 €
	NCSGB90N	Integrated Classic Designer Brilliance XPro Country	90 wine cellar	43 lt - height 22 cm	630 €
	NCSGS45N	Integrated Classic Designer Brilliance XPro	45 wine cellar	8,8 lt - height 14 cm	470 €
	NCSGS60N	Integrated Classic Designer Brilliance XPro Country	60 wine cellar	15 lt - height 14 cm	510 €
	NCSGS75N	Integrated Classic Designer Brilliance XPro Country	75 wine cellar	20,9 lt - height 14 cm	590 €
	NCSGS90N	Integrated Classic Designer Brilliance XPro Country	90 wine cellar	27,1 lt - height 14 cm	610 €

Discover artisanal excellence with our exquisite drawers crafted from premium Canaletto walnut. Designed to seamlessly blend elegance and functionality, they are available in two height options to perfectly suit your needs—offering a flawless harmony between aesthetics and practicality.

ACCESSORIES

Knife kit					
	Code	Series	Model Ref	Description	Price
	NCP60N	Integrated Classic Designer Brilliance XPro Country	60 wine cellar	Elegant Tray with Fine Kitchen Knives An elegant tray crafted from premium Canaletto walnut, paired with a sophisticated selection of kitchen knives: a chef's knife (20 cm), a bread knife (22 cm), and a ham knife (26 cm). Each knife features a finely balanced wooden handle for a comfortable grip, along with a dedicated wooden base for stylish and practical storage.	520 €
	NCP75N	Integrated Classic Designer Brilliance XPro Country	75 wine cellar	Elegant Tray with Fine Kitchen Knives An elegant tray crafted from premium Canaletto walnut, paired with a sophisticated selection of kitchen knives: a chef's knife (20 cm), a bread knife (22 cm), and a ham knife (26 cm). Each knife features a finely balanced wooden handle for a comfortable grip, along with a dedicated wooden base for stylish and practical storage.	560 €
	NCP90N	Integrated Classic Designer Brilliance XPro Country	90 wine cellar	Elegant Tray with Fine Kitchen Knives An elegant tray crafted from premium Canaletto walnut, paired with a sophisticated selection of kitchen knives: a chef's knife (20 cm), a bread knife (22 cm), and a ham knife (26 cm). Each knife features a finely balanced wooden handle for a comfortable grip, along with a dedicated wooden base for stylish and practical storage.	600 €
Prosciutteria kit					
	Code	Series	Model Ref	Description	Price
	KP4	Integrated Classic Designer XPro	45 wine cellar	Prosciutteria kit	630 €
	KP5	Integrated Classic Designer Brilliance XPro Country	60 wine cellar	Prosciutteria kit	650 €
	KP7	Integrated Classic Designer Brilliance XPro Country	75 wine cellar	Prosciutteria kit	670 €
	KP9	Integrated Classic Designer Brilliance XPro Country	90 wine cellar	Prosciutteria kit	700 €
EvenLift™ separate shelves					
	Code	Series	Model Ref	Description	Price
	EL33	Integrated Classic Designer Brilliance XPro Country	90 OT/0H/0F	3+3 double EvenLift shelves in aluminium and glass	730 €
	EL33_75	Integrated Classic Designer Brilliance XPro Country	75 OT/0H/0F	3+3 double EvenLift shelves in aluminium and glass	730 €

Navigation door lock kit					
	Code	Brilliance	Model Ref	Description	Price
	KBN	XPro	90 75 60 45	Navigation door lock kit	730 €
Gastronorm trays					
	Code	Series	Model Ref	Description	Price
		Integrated Classic Designer Brilliance XPro Country	90 OF	Gastronorm trays	730 €
Knives and bottle accessories					
	Code	Series	Model Ref	Description	Price
	KKNF	Integrated Classic Designer Brilliance XPro Country	90 75 60 45	Canaletto walnut wooden base for housing the knives: 20 cm chef's knife, 22 cm bread knife, 26 cm ham knife, all with Canaletto walnut wooden handle	188 €
	KNF3	Integrated Classic Designer Brilliance XPro Country	90 75 60 45	20 cm chef's knife	102 €
	KNF1	Integrated Classic Designer Brilliance XPro Country	90 75 60 45	22 cm bread knife	102 €
	KNF2	Integrated Classic Designer Brilliance XPro Country	90 75 60 45	26 cm ham knife	102 €
	CPN	Integrated Classic Designer Brilliance XPro Country	90 75 60 45	Corkscrew	135 €
	WBC	Integrated Classic Designer Brilliance XPro Country	90 75 60 45	Bottle stopper	92 €
Stainless Steel AISI 316L Marine Gray					
	Code	Series	Model Ref	Description	Price
		Integrated Classic Designer Brilliance XPro Country	120 105 90 75 60 45	Stainless Steel AISI 316L Marine Gray, ideal for environments exposed to extreme conditions, such as seaside homes, yachts, outdoor kitchens, or high-humidity areas.	on request
Ambra Light					
	Codice	Serie	Rif Modello	Descrizione	Prezzo
		Integrated Classic Designer Brilliance XPro Country	wine cellar	Ambra Light	865 €

UNDERCOUNTER

PRODUCT CODE SPECIFICATIONS

Example:

UC	W	60	1T	P	O	X
----	---	----	----	---	---	---

UC	digit # 1 > model series UC = UNDERCOUNTER
W	digit # 2 > model type R = fridges B = beverage center W= wine Cellars 2D = TriMode drawers H = Humidor
60	digit # 3 > width 90 = 90 cm 75 = 75 cm 60 = 60 cm
1T	digit # 4 > fridges, beverage, wine cellar and humidor configuration 1T = 1 temperature 2T = 2 separate microclimates
P	digit # 5 > series P = Premium GM = Gran Maestro
O	digit # 6 > Front finish empty = Custom Panel Ready O = Stainless Steel front panel with Ø18 mm handle
X	digit # 7 > optional X = Model X - empty I = To indicate a unit equipped with Ice Maker (available only on 90 and 75cm GranMaestro drawers models)

Fhiaba Collection Undercounter Indoor & Outdoor

	Fridge	Beverage		Wine Cellars		Humidor	TriMode drawers			
	1 Temperature	1 Temperature	2 Temperatures	1 Temperature		2 Temperatures	1 Temperature			
	60	60	60	60		60	60	90	75	60
GRAN MAESTRO										
	UCR601TGM	UCB601TGM	UCB602TGM	UCW601TGM		UCW602TGM		UC2D90GM	UC2D75GM	UC2D60GM
										
	UCR601TPO	UCB601TPO	UCB602TPO	UCW601TPO		UCW602TPO		UC2D90GMO	UC2D75GMO	UC2D60GMO
PREMIUM										
	UCR601TP	UCB601TP	UCB602TP	UCW601TP		UCW602TP	UCH601TP	UC2D90P	UC2D75P	UC2D60P
										
	UCR601TPO	UCB601TPO	UCB602TPO	UCW601TPO		UCW602TPO	UCH601TPO	UC2D90PO	UC2D75PO	UC2D60PO



Export Price list 2.2 / 2026					
Version	Temperatura	Width	Hinge	Finitura	Accessori
FRIDGES	1 Temperature	60	DX	Solid Door	
BEVERAGE	2 Temperatures	60	DX	Glass Door	
	1 Temperature	60	DX	Glass Door	
WINE CELLARS	2 Temperatures	60	DX	Glass Door	
	1 Temperature	60	DX	Glass Door	
MODEL X	1 Temperature	60	DX	Glass Door	
HUMIDOR	1 Temperature	60	DX	Glass Door	
2 CASSTTONI TRIMODE	Freezer, fresco, fridge	90			
					Ice maker
		75			
					Ice maker
		60			

Reversible door:
Right hinge STANDARD
Left hinge ON REQUEST

Premium						Gran Maestro					
Custom Panel			Stainless Steel front			Custom Panel			Stainless Steel front		
Product code	Price	Page	Product code	Price	Page	Product code	Price	Page	Product code	Price	Page
UCR601TP	3.390 €	246	UCR601TP0	3.920 €	247	UCR601TGM	4.020 €	248	UCR601TGMO	4.550 €	249
UCB602TP	3.940 €	252	UCB602TP0	4.470 €	253	UCB602TGM	4.570 €	254	UCB602TGMO	5.100 €	255
UCB601TP	3.380 €	258	UCB601TPO	3.910 €	259	UCB601TGM	4.010 €	260	UCB601TGMO	4.540 €	261
UCW602TP	4.150 €	264	UCW602TPO	4.680 €	265	UCW602TGM	4.780 €	266	UCW602TGMO	5.310 €	267
UCW601TP	3.500 €	270	UCW601TPO	4.030 €	271	UCW601TGM	4.130 €	272	UCW601TGMO	4.660 €	273
/			/			UC601TGMX	3.390 €	272	UC601TGMOX	3.920 €	273
UCH601TP	6.035 €	276	UCH601TPO	6.565 €	277	/			/		
UC2D90P	5.250 €	282	UC2D90PO	5.780 €	283	UC2D90GM	5.880 €	284	UC2D90GMO	6.410 €	285
/			/			UC2D90GMI	6.700 €	284	UC2D90GMIO	7.230 €	285
UC2D75P	4.920 €	288	UC2D75PO	5.450 €	289	UC2D75GM	5.550 €	290	UC2D75GMO	6.080 €	291
/			/			UC2D75GMI	6.370 €	290	UC2D75GMIO	6.900 €	291
UC2D60P	4.590 €	294	UC2D60PO	5.120 €	295	UC2D60GM	5.220 €	296	UC2D60GMO	5.750 €	297

UNDERCOUNTER:
FRIDGE/BEVERAGE/WINE CELLAR/HUMIDOR
Width: 60cm

	Frigoriferi	Beverage		Wine Cellars		Humidor
	1 Temperature	1 Temperature	2 Temperatures	1 Temperature	2 Temperatures	1 Temperature
	60	60	60	60	60	60
GRAN MAESTRO	Custom Panel					
	UCR601TGM	UCB601TGM	UCB602TGM	UCW601TGM	UCW602TGM	
Stainless Steel front						
	UCR601TPO	UCB601TPO	UCB602TPO	UCW601TPO	UCW602TPO	
PREMIUM	Custom Panel					
	UCR601TP	UCB601TP	UCB602TP	UCW601TP	UCW602TP	UCH601TP
Stainless Steel front						
	UCR601TPO	UCB601TPO	UCB602TPO	UCW601TPO	UCW602TPO	UCH601TPO

UNDERCOUNTER: FRIDGES

Model: 1T

Width: 60cm

One door, 1 temperature

Single compartment: Fridge



FRIDGE

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.
Stainless Steel AISI 304 structure: High-quality material, corrosion-resistant, ideal for professional and premium domestic use.
Solid door: Robust and precise construction, designed to ensure stability, durability, and flawless closure over time.
Antibacterial Interior: Hygienic surfaces that preserve freshness, safety, and food quality.

Technology and Functionality

OptiView™: Diffuse, uniform LED lighting.
Active Safety: Visual and acoustic alerts.
100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.
Variable Speed Compressors: Precise temperature control, reduced vibrations, and maximum efficiency.
Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

One climate zone: Precise temperature control for optimal food preservation.
Tempered Glass Shelves: With aluminum profiles

Design and Installation

Fully Integrated / Built in: Designed to integrate seamlessly into your décor, with a clean and minimal aesthetic.
Indoor & Outdoor Installation: Designed to perform flawlessly in both indoor spaces and covered outdoor areas, ensuring consistent performance even in variable climatic conditions.
Reversible door: Maximum installation flexibility, adaptable to any configuration.

GENERAL PROPERTIES

Reversible door	YES
Equilance	NO
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	3
Slide-out shelves	YES
Type of shelves	GLASS
Cassetti interni	1
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

UCR601TP

60 cm, UNDERCOUNTER FRIDGE, MODEL 1T

PREMIUM

FULLY INTEGRATED

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
Display	OLED
PRICE (VAT and delivery charges not included)	
UCR601TP (right hinge)	3.390 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	23
Glass shelf capacity (cans)	42
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	572
Net Weight (kg)	55
Gross Weight (kg)	70
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	3
Type of shelves	GLASS
Cassettoni interni	1

ACCESSORIES (from page 290 to page 294)	
• Ø 30 mm Tubular Stainless Steel Handles – Classic	• Set of knives
• Ø 30 mm Tubular Stainless Steel Handles – Pro	• Prosciutteria kit
• Ø 18 mm Tubular Stainless Steel Handles	
• Stainless steel panels	
• Cleaning Kit	
• Active Carbon Filter	
• Door stop 90°	
• Cheese drawer	
• Cigar drawer	
• Beverage drawer	
• Beverage shelf	
• Beverage removable shelf	

UCR601TPO

60 cm, UNDERCOUNTER FRIDGE, MODEL 1T

PREMIUM

BUILT-IN

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Ø18mm
Interior material finish	Stainless Steel
Display	OLED
PRICE (VAT and delivery charges not included)	
UCR601TPO (right hinge)	3.920 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	23
Glass shelf capacity (cans)	42
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	576
Net Weight (kg)	59
Gross Weight (kg)	74
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	3
Type of shelves	GLASS
Cassettoni interni	1

ACCESSORIES (from page 290 to page 294)	
• Cleaning Kit	
• Active Carbon Filter	
• Door stop 90°	
• Cheese drawer	
• Cigar drawer	
• Beverage drawer	
• Beverage shelf	
• Beverage removable shelf	
• Set of knives	
• Prosciutteria kit	
• Front panel painting, handles	

UCR601TGM

60 cm, UNDERCOUNTER FRIDGE, MODEL 1T

GRAN MAESTRO

FULLY INTEGRATED

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
Display	TFT
PRICE (VAT and delivery charges not included)	
UCR601TGM (right hinge)	4.020 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	23
Glass shelf capacity (cans)	42
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	572
Net Weight (kg)	55
Gross Weight (kg)	70
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	3
Type of shelves	GLASS
Cassettoni interni	1

ACCESSORIES (from page 290 to page 294)	
• Ø 30 mm Tubular Stainless Steel Handles – Classic	• Set of knives
• Ø 30 mm Tubular Stainless Steel Handles – Pro	• Prosciutteria kit
• Ø 18 mm Tubular Stainless Steel Handles	
• Stainless steel panels	
• Cleaning Kit	
• Active Carbon Filter	
• Door stop 90°	
• Cheese drawer	
• Cigar drawer	
• Beverage drawer	
• Beverage shelf	
• Beverage removable shelf	

UCR601TGMO

60 cm, UNDERCOUNTER FRIDGE, MODEL 1T

GRAN MAESTRO

BUILT-IN

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Ø18mm
Interior material finish	Stainless Steel
Display	TFT
PRICE (VAT and delivery charges not included)	
UCR601TGMO (right hinge)	4.550 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	23
Glass shelf capacity (cans)	42
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	576
Net Weight (kg)	59
Gross Weight (kg)	74
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	3
Type of shelves	GLASS
Cassettoni interni	1

ACCESSORIES (from page 290 to page 294)	
• Cleaning Kit	
• Active Carbon Filter	
• Door stop 90°	
• Cheese drawer	
• Cigar drawer	
• Beverage drawer	
• Beverage shelf	
• Beverage removable shelf	
• Set of knives	
• Prosciutteria kit	
• Front panel painting, handles	



BEVERAGE

BEVERAGE

UNDERCOUNTER: BEVERAGE

Model: 2T

Width: 60cm

One door, 2 separate temperatures

Upper compartment: Beverage

Lower compartment: Beverage

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.
Stainless Steel AISI 304 structure: High-quality material, corrosion-resistant, ideal for professional and premium domestic use.
Antibacterial Interior: Hygienic surfaces that preserve freshness, safety, and food quality.

Technology and Functionality

OptiView™: Diffuse, uniform LED lighting.
Active Safety: Visual and acoustic alerts.
100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.
Variable Speed Compressors: Precise temperature control, reduced vibrations, and maximum efficiency.
Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

Two Independent Climate Zones: Dedicated temperature and humidity control for different types of beverages.
Tempered Glass Shelves: With aluminum profiles

Design and Installation

Fully Integrated / Built in: Designed to integrate seamlessly into your décor, with a clean and minimal aesthetic.
Indoor & Outdoor Installation: Designed to perform flawlessly in both indoor spaces and covered outdoor areas, ensuring consistent performance even in variable climatic conditions.
Triple-layer bronzed glass door: Total protection against UV rays and external temperature fluctuations.
Reversible door: Maximum installation flexibility, adaptable to any configuration.

GENERAL PROPERTIES

Reversible door	YES
Equilance	NO
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	5
Slide-out shelves	YES
Type of shelves	GLASS/ WOOD
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom drawers	/
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

UCB602TP

60 cm, UNDERCOUNTER BEVERAGE, MODEL 2T

PREMIUM

FULLY INTEGRATED

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
Display	OLED
PRICE (VAT and delivery charges not included)	
UCB602TP (right hinge)	3.940 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	23
Glass shelf capacity (cans)	42
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	572
Net Weight (kg)	60
Gross Weight (kg)	75
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	from 2 to 8
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	GLASS/WOOD
Bottom Drawers	/

ACCESSORIES (from page 290 to page 294)	
• Ø 30 mm Tubular Stainless Steel Handles – Classic • Ø 30 mm Tubular Stainless Steel Handles – Pro • Ø 18 mm Tubular Stainless Steel Handles • Stainless steel panels • Cleaning Kit • Active Carbon Filter • Door stop 90° • Cheese drawer • Cigar drawer • Beverage drawer • Beverage shelf • Beverage removable shelf	• Set of knives

UCB602TPO

60 cm, UNDERCOUNTER BEVERAGE, MODEL 2T

PREMIUM

BUILT-IN

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Ø18mm
Interior material finish	Stainless Steel
Display	OLED
PRICE (VAT and delivery charges not included)	
UCB602TPO (right hinge)	4.470 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	23
Glass shelf capacity (cans)	42
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	576
Net Weight (kg)	63
Gross Weight (kg)	78
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	from 2 to 8
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	GLASS/WOOD
Bottom Drawers	/

ACCESSORIES (from page 290 to page 294)	
• Cleaning Kit • Active Carbon Filter • Door stop 90° • Cheese drawer • Cigar drawer • Beverage drawer • Beverage shelf • Beverage removable shelf • Set of knives • Front panel painting, handles, and side panels	

UCB602TGM

60 cm, UNDERCOUNTER BEVERAGE, MODEL 2T

GRAN MAESTRO

FULLY INTEGRATED

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
Display	TFT
PRICE (VAT and delivery charges not included)	
UCB602TGM (right hinge)	4.570 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	23
Glass shelf capacity (cans)	42
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	572
Net Weight (kg)	60
Gross Weight (kg)	75
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	from 2 to 8
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	GLASS/WOOD
Bottom Drawers	/

ACCESSORIES (from page 290 to page 294)	
• Ø 30 mm Tubular Stainless Steel Handles – Classic	• Set of knives
• Ø 30 mm Tubular Stainless Steel Handles – Pro	
• Ø 18 mm Tubular Stainless Steel Handles	
• Stainless steel panels	
• Cleaning Kit	
• Active Carbon Filter	
• Door stop 90°	
• Cheese drawer	
• Cigar drawer	
• Beverage drawer	
• Beverage shelf	
• Beverage removable shelf	

UCB602TGMO

60 cm, UNDERCOUNTER BEVERAGE, MODEL 2T

GRAN MAESTRO

BUILT-IN

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Ø18mm
Interior material finish	Stainless Steel
Display	TFT
PRICE (VAT and delivery charges not included)	
UCB602TGMO (right hinge)	5.100 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	23
Glass shelf capacity (cans)	42
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	576
Net Weight (kg)	63
Gross Weight (kg)	78
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	from 2 to 8
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	GLASS/WOOD
Bottom Drawers	/

ACCESSORIES (from page 290 to page 294)	
• Cleaning Kit	
• Active Carbon Filter	
• Door stop 90°	
• Cheese drawer	
• Cigar drawer	
• Beverage drawer	
• Beverage shelf	
• Beverage removable shelf	
• Set of knives	
• Front panel painting, handles	

UNDERCOUNTER: BEVERAGE

Model: 1T

Width: 60cm

One door, 1 temperature

Single compartment: Beverage



BEVERAGE

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.
Stainless Steel AISI 304 structure: High-quality material, corrosion-resistant, ideal for professional and premium domestic use.
Antibacterial Interior: Hygienic surfaces that preserve freshness, safety, and food quality.

Technology and Functionality

OptiView™: Diffuse, uniform LED lighting.
Active Safety: Visual and acoustic alerts.
100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.
Variable Speed Compressors: Precise temperature control, reduced vibrations, and maximum efficiency.
Easy Installation: Adjustable front feet and rear wheels.

Conservation Performance

One climate zone: Precise temperature control for optimal beverage preservation.
Tempered Glass Shelves: With aluminum profiles

Design and Installation

Fully Integrated / Built in: Designed to integrate seamlessly into your décor, with a clean and minimal aesthetic.
Indoor & Outdoor Installation: Designed to perform flawlessly in both indoor spaces and covered outdoor areas, ensuring consistent performance even in variable climatic conditions.
Triple-layer bronzed glass door: Total protection against UV rays and external temperature fluctuations.
Reversible door: Maximum installation flexibility, adaptable to any configuration.

GENERAL PROPERTIES

Reversible door	YES
Equilance	NO
SoftClosing Runner	YES
Low vibration	YES
Optievew (LED light spots)	YES
Shelves	4
Slide-out shelves	YES
Type of shelves	GLASS/WOOD
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom drawers	/
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

UCB601TP

60 cm, UNDERCOUNTER BEVERAGE, MODEL 1T

PREMIUM

FULLY INTEGRATED

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
Display	OLED
PRICE (VAT and delivery charges not included)	
UCB601TP (right hinge)	3.380 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	23
Glass shelf capacity (cans)	42
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	572
Net Weight (kg)	55
Gross Weight (kg)	70
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	4
Type of shelves	GLASS/WOOD
Bottom Drawers	/

ACCESSORIES (from page 290 to page 294)	
• Ø 30 mm Tubular Stainless Steel Handles – Classic • Ø 30 mm Tubular Stainless Steel Handles – Pro • Ø 18 mm Tubular Stainless Steel Handles • Stainless steel panels • Cleaning Kit • Active Carbon Filter • Door stop 90° • Cheese drawer • Cigar drawer • Beverage drawer • Beverage shelf • Beverage removable shelf	• Set of knives • Prosciutteria kit

UCB601TPO

60 cm, UNDERCOUNTER BEVERAGE, MODEL 1T

PREMIUM

BUILT-IN

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Ø18mm
Interior material finish	Stainless Steel
Display	OLED
PRICE (VAT and delivery charges not included)	
UCB601TPO (right hinge)	3.910 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	23
Glass shelf capacity (cans)	42
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	576
Net Weight (kg)	59
Gross Weight (kg)	74
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	4
Type of shelves	GLASS/WOOD
Bottom Drawers	/

ACCESSORIES (from page 290 to page 294)	
• Cleaning Kit • Active Carbon Filter • Door stop 90° • Cheese drawer • Cigar drawer • Beverage drawer • Beverage shelf • Beverage removable shelf • Set of knives • Prosciutteria kit • Front panel painting, handles	

UCB601TGM

60 cm, UNDERCOUNTER BEVERAGE, MODEL 1T

GRAN MAESTRO

FULLY INTEGRATED

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
Display	TFT
PRICE (VAT and delivery charges not included)	
UCB601TGM (right hinge)	4.010 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	23
Glass shelf capacity (cans)	42
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	572
Net Weight (kg)	55
Gross Weight (kg)	70
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	4
Type of shelves	GLASS/WOOD
Bottom Drawers	/

ACCESSORIES (from page 290 to page 294)	
• Ø 30 mm Tubular Stainless Steel Handles – Classic • Ø 30 mm Tubular Stainless Steel Handles – Pro • Ø 18 mm Tubular Stainless Steel Handles • Stainless steel panels • Cleaning Kit • Active Carbon Filter • Door stop 90° • Cheese drawer • Cigar drawer • Beverage drawer • Beverage shelf • Beverage removable shelf	• Set of knives • Prosciutteria kit

UCB601TGMO

60 cm, UNDERCOUNTER BEVERAGE, MODEL 1T

GRAN MAESTRO

BUILT-IN

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Ø18mm
Interior material finish	Stainless Steel
Display	TFT
PRICE (VAT and delivery charges not included)	
UCB601TGMO (right hinge)	4.540 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	23
Glass shelf capacity (cans)	42
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	576
Net Weight (kg)	59
Gross Weight (kg)	74
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 2 to 8
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	4
Type of shelves	GLASS/WOOD
Bottom Drawers	/

ACCESSORIES (from page 290 to page 294)	
• Cleaning Kit • Active Carbon Filter • Door stop 90° • Cheese drawer • Cigar drawer • Beverage drawer • Beverage shelf • Beverage removable shelf • Set of knives • Prosciutteria kit • Front panel painting, handles	

UNDERCOUNTER: WINE CELLARS

Model: 2T

Width: 60cm

One door, 2 separate temperatures

Upper compartment: Wine cellar

Lower compartment: Wine cellar



FEATURES	
Made in Italy: Designed and built entirely in Italy with artisanal precision.	
Stainless Steel AISI 304 structure: High-quality material, corrosion-resistant, ideal for professional and premium domestic use.	
Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.	
Technology and Functionality	
OptiView™: Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.	
Active Safety: Visual and acoustic alerts.	
100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.	
Variable Speed Compressors: Precise temperature control, reduced vibrations, and maximum efficiency.	
Easy Installation: Adjustable front feet and rear wheels.	
Conservation Performance	
Two Independent Climate Zones: Dedicated temperature and humidity control for red, white, and sparkling wines.	
Canaletto walnut wood shelves: Elegant, sturdy, and equipped with soft-closing slides, they enhance the presentation of bottles while ensuring smooth and silent operation.	
Design and Installation	
Fully Integrated / Built in: Designed to integrate seamlessly into your décor, with a clean and minimal aesthetic.	
Indoor & Outdoor Installation: Designed to perform flawlessly in both indoor spaces and covered outdoor areas, ensuring consistent performance even in variable climatic conditions.	
Triple-layer bronzed glass door: Total protection against UV rays and external temperature fluctuations.	
Reversible door: Maximum installation flexibility, adaptable to any configuration.	

GENERAL PROPERTIES	
Reversible door	YES
Equilance	NO
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	5
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom drawers	/
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity Control	YES
Active Carbon Filter	YES
Air filter control	YES
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES


UCW602TP

60 cm, UNDERCOUNTER WINE CELLAR, MODEL 2T

PREMIUM

FULLY INTEGRATED

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
Display	OLED
PRICE (VAT and delivery charges not included)	
UCW602TP (right hinge)	4.150 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	41
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	128

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	572
Net Weight (kg)	60
Gross Weight (kg)	75
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD
Bottom Drawers	/

ACCESSORIES (from page 290 to page 294)	
• Ø 30 mm Tubular Stainless Steel Handles – Classic	• Set of knives
• Ø 30 mm Tubular Stainless Steel Handles – Pro	
• Ø 18 mm Tubular Stainless Steel Handles	
• Stainless steel panels	
• Cleaning Kit	
• Active Carbon Filter	
• Door stop 90°	
• Cheese drawer	
• Cigar drawer	
• Beverage drawer	
• Beverage shelf	
• Beverage removable shelf	


UCW602TPO

60 cm, UNDERCOUNTER WINE CELLAR, MODEL 2T

PREMIUM

BUILT-IN

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Ø18mm
Interior material finish	Stainless Steel
Display	OLED
PRICE (VAT and delivery charges not included)	
UCW602TPO (right hinge)	4.680 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	41
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	128

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	576
Net Weight (kg)	63
Gross Weight (kg)	78
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD
Bottom Drawers	/

ACCESSORIES (from page 290 to page 294)	
• Cleaning Kit	
• Active Carbon Filter	
• Door stop 90°	
• Cheese drawer	
• Cigar drawer	
• Beverage drawer	
• Beverage shelf	
• Beverage removable shelf	
• Set of knives	
• Front panel painting, handles, and side panels	


UCW602TGM

60 cm, UNDERCOUNTER WINE CELLAR, MODEL 2T

GRAN MAESTRO

FULLY INTEGRATED

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
Display	TFT
PRICE (VAT and delivery charges not included)	
UCW602TGM (right hinge)	4.780 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	41
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	128

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	572
Net Weight (kg)	60
Gross Weight (kg)	75
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD
Bottom Drawers	/

ACCESSORIES (from page 290 to page 294)	
• Ø 30 mm Tubular Stainless Steel Handles – Classic	• Set of knives
• Ø 30 mm Tubular Stainless Steel Handles – Pro	
• Ø 18 mm Tubular Stainless Steel Handles	
• Stainless steel panels	
• Cleaning Kit	
• Active Carbon Filter	
• Door stop 90°	
• Cheese drawer	
• Cigar drawer	
• Beverage drawer	
• Beverage shelf	
• Beverage removable shelf	


UCW602TGMO

60 cm, UNDERCOUNTER WINE CELLAR, MODEL 2T

GRAN MAESTRO

BUILT-IN

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Ø18mm
Interior material finish	Stainless Steel
Display	TFT
PRICE (VAT and delivery charges not included)	
UCW602TGMO (right hinge)	5.310 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	41
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	128

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	576
Net Weight (kg)	63
Gross Weight (kg)	78
TEMPERATURE RANGES	
Climatic compartments	2
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	from 4 to 18
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD
Bottom Drawers	/

ACCESSORIES (from page 290 to page 294)	
• Cleaning Kit	
• Active Carbon Filter	
• Door stop 90°	
• Cheese drawer	
• Cigar drawer	
• Beverage drawer	
• Beverage shelf	
• Beverage removable shelf	
• Set of knives	
• Front panel painting, handles	

UNDERCOUNTER: WINE CELLARS

Model: 1T

Width: 60cm

One door, 1 temperature

Single compartment: Wine Cellars



WINE CELLAR

FEATURES	
Made in Italy: Designed and built entirely in Italy with artisanal precision.	
Stainless Steel AISI 304 structure: High-quality material, corrosion-resistant, ideal for professional and premium domestic use.	
Antibacterial Interior: Hygienic surfaces preserving freshness and bottle quality.	
Technology and Functionality	
OptiView™: Diffused and uniform LED lighting, elegant and with low heat emission to preserve the wine's properties.	
Active Safety: Visual and acoustic alerts.	
100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.	
Variable Speed Compressors: Precise temperature control, reduced vibrations, and maximum efficiency.	
Easy Installation: Adjustable front feet and rear wheels.	
Conservation Performance	
One climate zone: Dedicated temperature and humidity control for red, white, and sparkling wines.	
Canaletto walnut wood shelves: Elegant, sturdy, and equipped with soft-closing slides, they enhance the presentation of bottles while ensuring smooth and silent operation.	
Design and Installation	
Fully Integrated / Built in: Designed to integrate seamlessly into your décor, with a clean and minimal aesthetic.	
Triple-layer bronzed glass door: Total protection against UV rays and external temperature fluctuations.	
Reversible door: Maximum installation flexibility, adaptable to any configuration.	

GENERAL PROPERTIES	
Reversible door	YES
Equilance	NO
SoftClosing Runner	YES
Low vibration	YES
Optievew (LED light spots)	YES
Shelves	5
Slide-out shelves	YES
Type of shelves	WOOD
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom drawers	/
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES


UCW601TP

60 cm, UNDERCOUNTER WINE CELLAR, MODEL 1T

PREMIUM

FULLY INTEGRATED

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
Display	OLED
PRICE (VAT and delivery charges not included)	
UCW601TP (right hinge)	3.500 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	41
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	572
Net Weight (kg)	55
Gross Weight (kg)	70
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD
Bottom Drawers	/

ACCESSORIES (from page 290 to page 294)	
• Ø 30 mm Tubular Stainless Steel Handles – Classic	• Set of knives
• Ø 30 mm Tubular Stainless Steel Handles – Pro	• Prosciutteria kit
• Ø 18 mm Tubular Stainless Steel Handles	
• Stainless steel panels	
• Cleaning Kit	
• Active Carbon Filter	
• Door stop 90°	
• Cheese drawer	
• Cigar drawer	
• Beverage drawer	
• Beverage shelf	
• Beverage removable shelf	


UCW601TPO

60 cm, UNDERCOUNTER WINE CELLAR, MODEL 1T

PREMIUM

BUILT-IN

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Ø18mm
Interior material finish	Stainless Steel
Display	OLED
PRICE (VAT and delivery charges not included)	
UCW601TPO (right hinge)	4.030 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	41
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	576
Net Weight (kg)	59
Gross Weight (kg)	74
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD
Bottom Drawers	/

ACCESSORIES (from page 290 to page 294)	
• Cleaning Kit	
• Active Carbon Filter	
• Door stop 90°	
• Cheese drawer	
• Cigar drawer	
• Beverage drawer	
• Beverage shelf	
• Beverage removable shelf	
• Set of knives	
• Prosciutteria kit	
• Front panel painting, handles	


UCW601TGM

60 cm, UNDERCOUNTER WINE CELLAR, MODEL 1T

GRAN MAESTRO

FULLY INTEGRATED

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
Display	TFT
PRICE (VAT and delivery charges not included)	
UCW601TGM (right hinge)	4.130 €
UC601TGMX (Right hinge, Model X vuoto)	3.390 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	41
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	572
Net Weight (kg)	55
Gross Weight (kg)	70
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD
Bottom Drawers	/

ACCESSORIES (from page 290 to page 294)	
• Ø 30 mm Tubular Stainless Steel Handles – Classic	• Set of knives
• Ø 30 mm Tubular Stainless Steel Handles – Pro	• Prosciutteria kit
• Ø 18 mm Tubular Stainless Steel Handles	
• Stainless steel panels	
• Cleaning Kit	
• Active Carbon Filter	
• Door stop 90°	
• Cheese drawer	
• Cigar drawer	
• Beverage drawer	
• Beverage shelf	
• Beverage removable shelf	


UCW601TGMO

60 cm, UNDERCOUNTER WINE CELLAR, MODEL 1T

GRAN MAESTRO

BUILT-IN

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Ø18mm
Interior material finish	Stainless Steel
Display	TFT
PRICE (VAT and delivery charges not included)	
UCW601TGMO (right hinge)	4.660 €
UC601TGMOX (Right hinge, Model X vuoto)	3.920 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	41
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	11
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	576
Net Weight (kg)	59
Gross Weight (kg)	74
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Shelves	5
Type of shelves	WOOD
Bottom Drawers	/

ACCESSORIES (from page 290 to page 294)	
• Cleaning Kit	
• Active Carbon Filter	
• Door stop 90°	
• Cheese drawer	
• Cigar drawer	
• Beverage drawer	
• Beverage shelf	
• Beverage removable shelf	
• Set of knives	
• Prosciutteria kit	
• Front panel painting, handles	

UNDERCOUNTER: HUMIDOR

Model: 1T

Width: 60cm

One door, 1 temperature

Single compartment: Humidor



HUMIDOR

FEATURES

- Made in Italy:** Designed and built entirely in Italy with artisanal precision.
- Stainless Steel AISI 304 structure:** High-quality material, corrosion-resistant, ideal for professional and premium domestic use.
- Antibacterial Interior:** Superfici igieniche che preservano la purezza dell’ambiente interno e la qualità dei sigari.
- Technology and Functionality**
 - OptiView™:** Diffused and uniform LED lighting, elegant and with low heat emission to preserve the cigars’ properties.
 - Active Safety:** Visual and acoustic alerts.
 - 100% Total No Frost:** Automatic system that prevents ice formation and ensures impeccable humidity control.
 - Variable Speed Compressors:** Precise temperature control, reduced vibrations, and maximum efficiency.
 - Easy Installation:** Adjustable front feet and rear wheels.

Conservation Performance

- One climate zone:** Precise temperature control for optimal cigar preservation.
- Canaletto walnut wood drawers:**Elegant, sturdy, and equipped with soft-closing slides, they ensure smooth and silent operation while enhancing the display of your collection.

Design and Installation

- Fully Integrated / Built in:** Designed to integrate seamlessly into your décor, with a clean and minimal aesthetic.
- Triple-layer bronzed glass door:** Total protection against UV rays and external temperature fluctuations.
- Reversible door:** Maximum installation flexibility, adaptable to any configuration.

GENERAL PROPERTIES

Reversible door	YES
Equilance	NO
SoftClosing Runner	YES
Low vibration	YES
Optievew (LED light spots)	YES
Shelves	/
Cassetti estraibili	YES
Type of shelves	/
Fridge drawers type	WOOD
Cassetti interni	2
Full Extension shelves 90° door opening	YES
Full Extension drawers 90° door opening	NO
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	YES
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	NO
Power Failure Function	YES

UCH601TP

60 cm, UNDERCOUNTER HUMIDOR, Model 1T

PREMIUM

FULLY INTEGRATED

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
Display	OLED
PRICE (VAT and delivery charges not included)	
UCH601TP (right hinge)	6.035 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	/
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	572
Net Weight (kg)	55
Gross Weight (kg)	70
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Numero cassettei	2
Type of shelves	/
Cassetti interni	WOOD

ACCESSORIES (from page 290 to page 294)	
• Ø 30 mm Tubular Stainless Steel Handles – Classic	
• Ø 30 mm Tubular Stainless Steel Handles – Pro	
• Ø 18 mm Tubular Stainless Steel Handles	
• Stainless steel panels	
• Cleaning Kit	
• Active Carbon Filter	
• Door stop 90°	

UCH601TPO

60 cm, UNDERCOUNTER HUMIDOR, MODEL 1T

PREMIUM

BUILT-IN

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Ø18mm
Interior material finish	Stainless Steel
Display	OLED
PRICE (VAT and delivery charges not included)	
UCH601TPO (right hinge)	6.565 €
CAPACITY	
Volume Compartment1 (L)	143
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	143
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	/
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	G
Energy consumption (kWh/year)	122

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	576
Net Weight (kg)	59
Gross Weight (kg)	74
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 4 to 18
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	YES
Low vibration	YES
Numero cassettei	2
Type of shelves	/
Cassetti interni	WOOD

ACCESSORIES (from page 290 to page 294)	
• Cleaning Kit	
• Active Carbon Filter	
• Door stop 90°	
• Front panel painting, handles	

UNDERCOUNTER: TRIMODE DRAWERS
Width: 90/75/60cm

TriMode drawers

GRAN MAESTRO

Custom Panel



UC2D90GM



UC2D75GM



UC2D60GM

Stainless Steel front



UC2D90GMO



UC2D75GMO



UC2D60GMO

PREMIUM

Custom Panel



UC2D90P



UC2D75P



UC2D60P

Stainless Steel front



UC2D90PO



UC2D75PO



UC2D60PO



UNDERCOUNTER: TRIMODE DRAWERS

Model: 2D

Width: 90cm

Two drawers, 1 temperature

Single compartment: TriMode (Fridge/Fresco/Freezer)

FEATURES		GENERAL PROPERTIES	
Made in Italy: Designed and built entirely in Italy with artisanal precision.		Reversible door	NO
Stainless Steel AISI 304 structure: High-quality material, corrosion-resistant, ideal for professional and premium domestic use.		Equilance	NO
Antibacterial Interior: Hygienic surfaces that preserve freshness, safety, and food quality.		SoftClosing Runner	YES
		Low vibration	YES
		Optiview (LED light spots)	YES
Technology and Functionality		Shelves	/
OptiView™: Diffuse, uniform LED lighting.		Slide-out shelves	/
Active Safety: Visual and acoustic alerts.		Type of shelves	/
100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.		Fridge drawers type	/
Variable Speed Compressors: Precise temperature control, reduced vibrations, and maximum efficiency.		Fresco/LowTemp Drawers	/
Sabbath Mode: Dedicated function for observance needs.		Bottom drawers	2
Easy Installation: Adjustable front feet and rear wheels.		Full Extension shelves 90° door opening	/
		Full Extension drawers 90° door opening	/
Performance — TriMode™ Function		Defrost Process	AUTOMATIC
Fridge (2°C – 8°C): Ideal temperature for daily fresh food storage.		Ice maker with water filter	AVAILABLE
Fresco (-2°C – +2°C): Dedicated environment for meat, fish, and delicate ingredients, maintaining structure and quality.		Door Open Alarms	NO
Freezer (-18°C – +22°C): Maximum flexibility: freezing, long-term storage, or use as a temperature-controlled compartment up to +22°C.		Humidity Control	NO
		Active Carbon Filter	NO
Design and Installation		Air filter control	NO
Fully Integrated / Built in: Designed to integrate seamlessly into your décor, with a clean and minimal aesthetic.		Shopping Fridge	NO
Indoor & Outdoor Installation: Designed to perform flawlessly in both indoor spaces and covered outdoor areas, ensuring consistent performance even in variable climatic conditions.		Shopping Freezer	YES
Full-Extension Drawers: Equipped with soft-closing slides for smooth, silent operation and full access to the interior space.		Power Failure Function	YES
Stainless Steel AISI 304 Interior: Elegant, hygienic, and durable, built to last.			
Additional Options			
Ice maker with water filter (75 cm and 90 cm models): Available as an option, producing pure, crystal-clear ice thanks to the integrated filtration system.			

UC2D90P

90 cm, UNDERCOUNTER TRIMODE, MODEL 2D

PREMIUM

FULLY INTEGRATED

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
Display	OLED
PRICE (VAT and delivery charges not included)	
UC2D90P	5.250 €
CAPACITY	
Volume Compartment1 (L)	175
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	175
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	/
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	219

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	898
Depth of Product without handle(mm)	572
Net Weight (kg)	79
Gross Weight (kg)	94
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 8 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	/
Type of shelves	/
Bottom Drawers	2

ACCESSORI	
• Ø 30 mm Tubular Stainless Steel Handles – Classic	
• Ø 30 mm Tubular Stainless Steel Handles – Pro	
• Ø 18 mm Tubular Stainless Steel Handles	
• Stainless steel panels	
• Cleaning Kit	

UC2D90PO

90 cm, UNDERCOUNTER TRIMODE, MODEL 2D

PREMIUM

BUILT-IN

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Ø18mm
Interior material finish	Stainless Steel
Display	OLED
PRICE (VAT and delivery charges not included)	
UC2D90PO	5.780 €
CAPACITY	
Volume Compartment1 (L)	175
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	175
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	/
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	219

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	898
Depth of Product without handle(mm)	576
Net Weight (kg)	85
Gross Weight (kg)	100
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 8 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	/
Type of shelves	/
Bottom Drawers	2

ACCESSORI	
• Cleaning Kit	
• Front panel painting, handles	

UC2D90GM

90 cm, UNDERCOUNTER TRIMODE, MODEL 2D

GRAN MAESTRO

FULLY INTEGRATED

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
Display	TFT
PRICE (VAT and delivery charges not included)	
UC2D90GM	5.880 €
UC2D90GM (with ice maker)	6.700 €
CAPACITY	
Volume Compartment1 (L)	175
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	175
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	/
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	219

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	898
Depth of Product without handle(mm)	572
Net Weight (kg)	79
Gross Weight (kg)	94
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 8 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	/
Type of shelves	/
Bottom Drawers	2

ACCESSORIES (from page 290 to page 294)	
• Ø 30 mm Tubular Stainless Steel Handles – Classic • Ø 30 mm Tubular Stainless Steel Handles – Pro • Ø 18 mm Tubular Stainless Steel Handles • Stainless steel panels • Cleaning Kit	

UC2D90GMO

90 cm, UNDERCOUNTER TRIMODE, MODEL 2D

GRAN MAESTRO

BUILT-IN

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Ø18mm
Interior material finish	Stainless Steel
Display	TFT
PRICE (VAT and delivery charges not included)	
UC2D90GMO	6.410 €
UC2D90GMIO (with ice maker)	7.230 €
CAPACITY	
Volume Compartment1 (L)	175
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	175
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	/
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	219

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	898
Depth of Product without handle(mm)	576
Net Weight (kg)	85
Gross Weight (kg)	100
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 8 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	/
Type of shelves	/
Bottom Drawers	2

ACCESSORIES (from page 290 to page 294)	
• Cleaning Kit • Front panel painting, handles	



UNDERCOUNTER: TRIMODE DRAWERS

Model: 2D

Width: 75cm

Two drawers, 1 temperature

Single compartment: TriMode (Fridge/Fresco/Freezer)

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.

Stainless Steel AISI 304 structure: High-quality material, corrosion-resistant, ideal for professional and premium domestic use.

Antibacterial Interior: Hygienic surfaces that preserve freshness, safety, and food quality.

Technology and Functionality

OptiView™:Diffuse, uniform LED lighting.

Active Safety: Visual and acoustic alerts.

100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.

Variable Speed Compressors: Precise temperature control, reduced vibrations, and maximum efficiency.

Sabbath Mode: Dedicated function for observance needs.

Easy Installation: Adjustable front feet and rear wheels.

Performance — TriMode™ Function

Fridge (2°C – 8°C): Ideal temperature for daily fresh food storage.

Fresco (-2°C – +2°C): Dedicated environment for meat, fish, and delicate ingredients, maintaining structure and quality.

Freezer (-18°C – +22°C): Maximum flexibility: freezing, long-term storage, or use as a temperature-controlled compartment up to +22°C.

Design and Installation

Fully Integrated / Built in: Designed to integrate seamlessly into your décor, with a clean and minimal aesthetic.

Indoor & Outdoor Installation: Designed to perform flawlessly in both indoor spaces and covered outdoor areas, ensuring consistent performance even in variable climatic conditions.

Full-Extension Drawers: Equipped with soft-closing slides for smooth, silent operation and full access to the interior space.

Stainless Steel AISI 304 Interior: Elegant, hygienic, and durable, built to last.

Additional Options

Ice maker with water filter (75 cm and 90 cm models): Available as an option, producing pure, crystal-clear ice thanks to the integrated filtration system.

GENERAL PROPERTIES

Reversible door	NO
Equilance	NO
SoftClosing Runner	YES
Low vibration	YES
Optieview (LED light spots)	YES
Shelves	/
Slide-out shelves	/
Type of shelves	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom drawers	2
Full Extension shelves 90° door opening	/
Full Extension drawers 90° door opening	/
Defrost Process	AUTOMATIC
Ice maker with water filter	AVAILABLE
Door Open Alarms	NO
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	YES
Power Failure Function	YES

UC2D75P

75 cm, UNDERCOUNTER TRIMODE, MODEL 2D

PREMIUM

FULLY INTEGRATED

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
Display	OLED
PRICE (VAT and delivery charges not included)	
UC2D75P	4.920 €
CAPACITY	
Volume Compartment1 (L)	141
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	141
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	/
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	207

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	748
Depth of Product without handle(mm)	572
Net Weight (kg)	69
Gross Weight (kg)	84
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 8 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	/
Type of shelves	/
Bottom Drawers	2

- ACCESSORIES (from page 290 to page 294)
- Ø 30 mm Tubular Stainless Steel Handles – Classic
 - Ø 30 mm Tubular Stainless Steel Handles – Pro
 - Ø 18 mm Tubular Stainless Steel Handles
 - Stainless steel panels
 - Cleaning Kit

UC2D75PO

75 cm, UNDERCOUNTER TRIMODE, MODEL 2D

PREMIUM

BUILT-IN

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Ø18mm
Interior material finish	Stainless Steel
Display	OLED
PRICE (VAT and delivery charges not included)	
UC2D75PO	5.450 €
CAPACITY	
Volume Compartment1 (L)	141
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	141
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	/
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	207

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	748
Depth of Product without handle(mm)	576
Net Weight (kg)	85
Gross Weight (kg)	100
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 8 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	/
Type of shelves	/
Bottom Drawers	2

- ACCESSORIES (from page 290 to page 294)
- Cleaning Kit
 - Front panel painting, handles

UC2D75GM

75 cm, UNDERCOUNTER TRIMODE, MODEL 2D

GRAN MAESTRO

FULLY INTEGRATED

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
Display	TFT
PRICE (VAT and delivery charges not included)	
UC2D75GM	5.550 €
UC2D75GMI (with ice maker)	6.370 €
CAPACITY	
Volume Compartment1 (L)	141
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	141
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	/
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	207

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	748
Depth of Product without handle(mm)	572
Net Weight (kg)	69
Gross Weight (kg)	84
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 8 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	/
Type of shelves	/
Bottom Drawers	2

ACCESSORIES (from page 290 to page 294)	
• Ø 30 mm Tubular Stainless Steel Handles – Classic • Ø 30 mm Tubular Stainless Steel Handles – Pro • Ø 18 mm Tubular Stainless Steel Handles • Stainless steel panels • Cleaning Kit	

UC2D75GMO

75 cm, UNDERCOUNTER TRIMODE, MODEL 2D

GRAN MAESTRO

BUILT-IN

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Ø18mm
Interior material finish	Stainless Steel
Display	TFT
PRICE (VAT and delivery charges not included)	
UC2D75GMO	6.080 €
UC2D75GMIO (with ice maker)	6.900 €
CAPACITY	
Volume Compartment1 (L)	141
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	141
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	/
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	207

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	748
Depth of Product without handle(mm)	576
Net Weight (kg)	85
Gross Weight (kg)	100
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 8 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	/
Type of shelves	/
Bottom Drawers	2

ACCESSORIES (from page 290 to page 294)	
• Cleaning Kit • Front panel painting, handles	



TRIMODE DRAWERS

UNDERCOUNTER: TRIMODE DRAWERS

Model: 2D

Width: 60cm

Two drawers, 1 temperature

Single compartment: TriMode (Fridge/Fresco/Freezer)

FEATURES

Made in Italy: Designed and built entirely in Italy with artisanal precision.

Stainless Steel AISI 304 structure: High-quality material, corrosion-resistant, ideal for professional and premium domestic use.

Antibacterial Interior: Hygienic surfaces that preserve freshness, safety, and food quality.

Technology and Functionality

OptiView™: Diffuse, uniform LED lighting.

Active Safety: Visual and acoustic alerts.

100% Total No Frost: Automatic system that prevents ice formation and ensures impeccable humidity control.

Variable Speed Compressors: Precise temperature control, reduced vibrations, and maximum efficiency.

Sabbath Mode: Dedicated function for observance needs.

Easy Installation: Adjustable front feet and rear wheels.

Performance — TriMode™ Function

Fridge (2°C – 8°C): Ideal temperature for daily fresh food storage.

Fresco (–2°C – +2°C): Dedicated environment for meat, fish, and delicate ingredients, maintaining structure and quality.

Freezer (–18°C – +22°C): Maximum flexibility: freezing, long-term storage, or use as a temperature-controlled compartment up to +22°C.

Design and Installation

Fully Integrated / Built in: Designed to integrate seamlessly into your décor, with a clean and minimal aesthetic.

Indoor & Outdoor Installation: Designed to perform flawlessly in both indoor spaces and covered outdoor areas, ensuring consistent performance even in variable climatic conditions.

Full-Extension Drawers: Equipped with soft-closing slides for smooth, silent operation and full access to the interior space.

Stainless Steel AISI 304 Interior: Elegant, hygienic, and durable, built to last.

GENERAL PROPERTIES

Reversible door	NO
Equilance	NO
SoftClosing Runner	YES
Low vibration	YES
Optievew (LED light spots)	YES
Shelves	/
Slide-out shelves	/
Type of shelves	/
Fridge drawers type	/
Fresco/LowTemp Drawers	/
Bottom drawers	2
Full Extension shelves 90° door opening	/
Full Extension drawers 90° door opening	/
Defrost Process	AUTOMATIC
Ice maker with water filter	NO
Door Open Alarms	NO
Humidity Control	NO
Active Carbon Filter	NO
Air filter control	NO
Shopping Fridge	NO
Shopping Freezer	YES
Power Failure Function	YES

UC2D60P

60 cm, UNDERCOUNTER TRIMODE, MODEL 2D

PREMIUM

FULLY INTEGRATED

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
Display	OLED
PRICE (VAT and delivery charges not included)	
UC2D60P	4.590 €
CAPACITY	
Volume Compartment1 (L)	107
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	107
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	/
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	194

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	572
Net Weight (kg)	60
Gross Weight (kg)	75
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 8 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	/
Type of shelves	/
Bottom Drawers	2

- ACCESSORIES (from page 290 to page 294)
- Ø 30 mm Tubular Stainless Steel Handles – Classic
 - Ø 30 mm Tubular Stainless Steel Handles – Pro
 - Ø 18 mm Tubular Stainless Steel Handles
 - Stainless steel panels
 - Cleaning Kit

UC2D60PO

60 cm, UNDERCOUNTER TRIMODE, MODEL 2D

PREMIUM

BUILT-IN

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Ø18mm
Interior material finish	Stainless Steel
Display	OLED
PRICE (VAT and delivery charges not included)	
UC2D60PO	5.120 €
CAPACITY	
Volume Compartment1 (L)	107
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	107
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	/
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50/60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	194

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	576
Net Weight (kg)	66
Gross Weight (kg)	81
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 8 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	/
Type of shelves	/
Bottom Drawers	2

- ACCESSORIES (from page 290 to page 294)
- Cleaning Kit
 - Front panel painting, handles

UC2D60GM

60 cm, UNDERCOUNTER TRIMODE, MODEL 2D

GRAN MAESTRO INDOOR

FULLY INTEGRATED

UNDERCOUNTER® SERIES



AESTHETIC	
Compressor position	Bottom
Front finish	Custom Panel Ready
Handles	NO
Interior material finish	Stainless Steel
Display	TFT
PRICE (VAT and delivery charges not included)	
UC2D60GM	5.220 €
CAPACITY	
Volume Compartment1 (L)	107
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	107
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	/
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	194

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	572
Net Weight (kg)	60
Gross Weight (kg)	75
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 8 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	/
Type of shelves	/
Bottom Drawers	2

- ACCESSORIES (from page 290 to page 294)
- Ø 30 mm Tubular Stainless Steel Handles – Classic
 - Ø 30 mm Tubular Stainless Steel Handles – Pro
 - Ø 18 mm Tubular Stainless Steel Handles
 - Stainless steel panels
 - Cleaning Kit

UC2D60GMO

60 cm, UNDERCOUNTER TRIMODE, MODEL 2D

GRAN MAESTRO OUTDOOR

BUILT-IN

UNDERCOUNTER® SERIES





AESTHETIC	
Compressor position	Bottom
Front finish	Stainless Steel
Handles	Stainless Steel Ø18mm
Interior material finish	Stainless Steel
Display	TFT
PRICE (VAT and delivery charges not included)	
UC2D60GMO	5.750 €
CAPACITY	
Volume Compartment1 (L)	107
Volume Compartment2 (L)	/
Volume Compartment3 (L)	/
Total Net Volume (L)	107
Total Gross Volume (L)	/
Capacity wine cellar (bottles)	/
Glass shelf capacity (cans)	/
Drawer capacity (cans)	/
Fixed 3/4 wooden bottle holder (bottles)	/
TECHNICAL DETAILS	
Voltage (V)	220-240V
Frequency (Hz)	50-60 Hz
Climatic class	SN/T
Noise level (dB)	41
EFFICIENCY	
Energy Label class	E
Energy consumption (kWh/year)	194

DIMENSIONS & WEIGHT	
Product height (closed wheels)(mm)	865
Width of the product (mm)	598
Depth of Product without handle(mm)	576
Net Weight (kg)	66
Gross Weight (kg)	81
TEMPERATURE RANGES	
Climatic compartments	1
Compartment 1 / Temperature (°C)	from 8 to -22
Compartment 2 / Temperature (°C)	/
Low temp zone	NO
Compartment 3 / Temperature (°C)	/
Dual zone	NO
GENERAL PROPERTIES	
Reversible door	NO
Low vibration	YES
Shelves	/
Type of shelves	/
Bottom Drawers	2

- ACCESSORIES (from page 290 to page 294)
- Cleaning Kit
 - Front panel painting, handles

UNDERCOUNTER: ACCESSORIES

Door opening hinge (Reversible door)					
	Code	Series	Model Ref	Description	Price
		PREMIUM GRAN MAESTRO	UCW /UCB	Right hinge (STANDARD)	FREE
Handles tubolari AISI 304					
	Code	Series	Model Ref	Description	Price
	HO8	PREMIUM GRAN MAESTRO	UC2D90	Classic Horizontal tubular handle, round section Ø30 mm (794 mm/ 31.2 in)	220 €
	HO7	PREMIUM GRAN MAESTRO	UC2D75	Classic Horizontal tubular handle, round section Ø30 mm (644 mm/25.3 in)	210 €
	HO5	PREMIUM GRAN MAESTRO	UC2D60 UCB /UCR UCW /UCH	Classic tubular handle, round section Ø30 mm (494 mm/ 19.4 in)	200 €
	HCVU	PREMIUM GRAN MAESTRO	UCB /UCR UCW /UCH	Vertical tubular handle, round section Ø18 mm	190 €
	HC8	PREMIUM GRAN MAESTRO	UC2D90	Horizontal tubular handle, round section Ø18 mm	170 €
	HC7	PREMIUM GRAN MAESTRO	UC2D75	Horizontal tubular handle, round section Ø18 mm	160 €
	HC5	PREMIUM GRAN MAESTRO	UC2D60	Horizontal tubular handle, round section Ø18 mm	150 €
	HPRO8	PREMIUM GRAN MAESTRO	UC2D90	Pro Horizontal tubular handle, round section Ø30 mm	265 €
	HPRO7	PREMIUM GRAN MAESTRO	UC2D75	Pro Horizontal tubular handle, round section Ø30 mm	265 €
	HPRO5	PREMIUM GRAN MAESTRO	UC2D60 UCB /UCR UCW /UCH	Pro tubular handle, round section Ø30 mm	265 €
Cleaning and Hygiene					
	Code	Series	Model Ref	Description	Price
	RP00KP	PREMIUM GRAN MAESTRO	UC2D UCB /UCR UCW /UCH	Cleaning kit microfiber cloth and magic sponge	70 €
	RP00FA	GRAN MAESTRO	UC2D90G-MI UC2D75G-MI	Water filter cartridge	90 €
	ACF	PREMIUM GRAN MAESTRO	UCB /UCR UCW /UCH	Active Carbon Filter	60 €

Navigation door lock kit					
	Code	Series	Model Ref	Description	Price
	KBN	PREMIUM GRAN MAESTRO	UC2D UCB /UCR UCW /UCH	Navigation door lock kit	730 €
Colour box					
	Code	Series	Model Ref	Description	Price
	CARTCOL	PREMIUM GRAN MAESTRO	90 75 60 45	Sample box 12x24x12h format, matte scratch-resistant laminated finish, containing 12 Stainless Steel AISI 304 color samples.	370 €
Painting					
	Code	Series	Model Ref	Description	Price
		PREMIUM GRAN MAESTRO	UC2D UCB /UCR UCW /UCH	Front Front Panel	930 €
		PREMIUM GRAN MAESTRO	UC2D UCB /UCR UCW /UCH	Top	190 €
		PREMIUM GRAN MAESTRO	UC2D UCB /UCR UCW /UCH	Handles	190 €
Stainless steel panels (for Ø 30 SS ClassicTubular handles)					
	Code	Series	Model Ref	Description	Price
	PF62D30MM	PREMIUM GRAN MAESTRO	UC2D60	Drawer stainless steel panels - 60 cm	590 €
	PF72D30MM	PREMIUM GRAN MAESTRO	UC2D75	Drawer stainless steel panels - 75 cm	610 €
	PF92D30MM	PREMIUM GRAN MAESTRO	UC2D90	Drawer stainless steel panels - 90 cm	630 €
	PF6W30MM	PREMIUM GRAN MAESTRO	UCB /UCR UCW /UCH	Glass door stainless panel - 60 cm	670 €
Stainless steel panels (for Ø 18 SS Tubular handles)					
	Code	Series	Model Ref	Description	Price
	PF62D18MM	PREMIUM GRAN MAESTRO	UC2D60	Drawer stainless steel panels - 60 cm	590 €
	PF72D18MM	PREMIUM GRAN MAESTRO	UC2D75	Drawer stainless steel panels - 75 cm	610 €
	PF92D18MM	PREMIUM GRAN MAESTRO	UC2D90	Drawer stainless steel panels - 90 cm	630 €
	PF6W18MM	PREMIUM GRAN MAESTRO	UCB /UCR UCW /UCH	Glass door stainless panel - 60 cm	670 €

UNDERCOUNTER: ACCESSORIES

Cheese drawers					
	Code	Series	Model Ref	CAPACITY	Price
	NCTBUCN	PREMIUM GRAN MAESTRO	UCB /UCR UCW /UCH	28,8 lt - height 22 cm	580 €
	NCTSUCN	PREMIUM GRAN MAESTRO	UCB /UCR UCW /UCH	16,3 lt - height 14 cm	560 €

Discover artisanal excellence with our exquisite drawers crafted from premium Canaletto walnut. Designed to seamlessly blend elegance and functionality, they are available in two height options to perfectly suit your needs—offering a flawless harmony between aesthetics and practicality.

Beverage drawers					
	Code	Series	Model Ref	Description	Price
	NBGDUC	PREMIUM GRAN MAESTRO	UCB /UCR UCW /UCH	Full extraction drawer with sandblasted stain- less steel interior, soft closing runners and with 6mm tempered glass (capacity 20,2 L.)	310 €

Beverage shelf					
	Code	Series	Model Ref	Description	Price
	NBGSFUC	PREMIUM GRAN MAESTRO	UCB /UCR UCW /UCH	6mm tempered glass shelves with aluminum edges that can be positioned on side racks (cans capacity: 42 of 33/50 cc)	230 €

Removable Beverage shelf					
	Code	Series	Model Ref	Description	Price
	NBGSUC	PREMIUM GRAN MAESTRO	UCB /UCR UCW /UCH	Removable 6mm tempered glass shelves (cans capacity:42 of 33/50 cc)	290 €

Cigars drawers					
	Code	Series	Model Ref	CAPACITY	Price
	NCSGBUCN	PREMIUM GRAN MAESTRO	UCB /UCR UCW /UCH	28,8 lt - height 22 cm	560 €
	NCSGSUCN	PREMIUM GRAN MAESTRO	UCB /UCR UCW /UCH	16,3 lt - height 14 cm	530 €

Discover artisanal excellence with our exquisite drawers crafted from premium Canaletto walnut. Designed to seamlessly blend elegance and functionality, they are available in two height options to perfectly suit your needs—offering a flawless harmony between aesthetics and practicality.

3/4 bottle support					
	Code	Series	Model Ref	Description	Price
	NWSFUCN	PREMIUM	UCB /UCR UCW /UCH	Fixed Canaletto walnut wood bottle support (3/4), installed at the bottom of the unit	260 €

Wine wooden shelf					
	Code	Series	Model Ref	Description	Price
	NWSGUCN	PREMIUM GRAN MAESTRO	UCB /UCR UCW /UCH	The latest-generation wine shelf, featuring a stainless steel frame, treated aluminum dividers, and Canaletto walnut inserts, is carefully designed to optimize space and holds up to eight 750 ml bottles.	300 €

Prosciutteria kit					
	Code	Series	Model Ref	Description	Price
	KPUC	PREMIUM GRAN MAESTRO	UCB /UCR UCW /UCH	Prosciutteria kit	650 €

Stainless Steel AISI 316L Marine Gray					
	Code	Series	Model Ref	Description	Price
		PREMIUM GRAN MAESTRO	UC2D UCB /UCR UCW /UCH	Stainless Steel AISI 316L Marine Gray, ideal for environments exposed to extreme conditions, such as seaside homes, yachts, outdoor kitchens, or high-humidity areas.	on request

UNDERCOUNTER: ACCESSORIES

Knives and bottle accessories					
	Code	Series	Model Ref	Description	Price
	KKNF	PREMIUM GRAN MAESTRO	90 75 60 45	Canaletto walnut wooden base for housing the knives: 20 cm chef's knife, 22 cm bread knife, 26 cm ham knife, all with Canaletto walnut wooden handle	188 €
	KNF3	PREMIUM GRAN MAESTRO	90 75 60 45	20 cm chef's knife	102 €
	KNF1	PREMIUM GRAN MAESTRO	90 75 60 45	22 cm bread knife	102 €
	KNF2	PREMIUM GRAN MAESTRO	90 75 60 45	26 cm ham knife	102 €
	CPN	PREMIUM GRAN MAESTRO	90 75 60 45	Corkscrew	135 €
	WBC	PREMIUM GRAN MAESTRO	90 75 60 45	Bottle stopper	92 €

BLAST CHILLER
Model: BF
Width: 75cm



BLAST CHILLER

FEATURES

- Door with left or right opening.
- Fhiaba hinges with variable concealed fulcrum.
- Full-height door with double-beveled side edges.
- 5-chamber seal designed to withstand extreme temperatures, both high and low.
- Multipoint heart probe
- Integrable and panelable.
- Internal and external structure in AISI 304 stainless steel.
- Integrated air condensation system.
- Use of environmentally friendly R290 refrigerant gas.
- Removable internal structure for 4 GN11 baking trays.
- Four wheels + adjustable feet with variable height.
- Integrated Wi-Fi module for IOT “FhiabaInCloud®” connection and HACCP management.
- Rounded corners and diamond bottom.
- 8.8” display with capacitive touchscreen and USB port.

SBFUC753

75 cm, BLAST CHILLER

BUILT-IN

BLAST CHILLER® SERIES



PRICE (VAT and delivery charges not included)	
SBFUC753 Display: TFT Front finish: Custom Panel Ready Handle: No	8.500 €
FEATURES	
Temperature	-40°C / +65°C
Adjustable ventilation	20-100%
Display	Touch screen 8.8"
Capacity	90 l net
Refrigerant gas	R290
Nominal refrigerant charge	0.15 kg
Dimensions (width x depth)	748x715 mm
Internal chamber dimensions (width x depth x height)	595x585x400 mm
Product net / packed product weight	105 kg /120 kg
Nominal electric power	910 W
Rated current	4.6 A
Power cable	Single-phase
Cooling capacity (-10°C/+40°C)	1600 W
Max condensation power (-5°C/+45°C)	2450 W
Power supply	220-240 V - 50Hz
Climate class	5
Defrosting	Hot gas
Minimum air exchange	890 m3/h
Valve	Optional electronic expansion

OPTIONS ON REQUEST
Left- or right-hand door opening.
Special voltages available upon request.
Base support for oven stacking.
Unit supplied without refrigerant charge.
Steam generator.
Three-point core temperature probe.
Heated single-point core temperature probe.

XSBFUC753

75 cm, BLAST CHILLER

BUILT-IN

BLAST CHILLER® SERIES



PRICE (VAT and delivery charges not included)	
XSBFUC753 Display: TFT Front finish: Stainless Steel Handle: Stainless Steel Ø30mm	8.800 €
FEATURES	
Temperature	-40°C / +65°C
Adjustable ventilation	20-100%
Display	Touch screen 8.8"
Capacity	90 l net
Refrigerant gas	R290
Nominal refrigerant charge	0.15 kg
Dimensions (width x depth)	748x715 mm
Internal chamber dimensions (width x depth x height)	595x585x400 mm
Product net / packed product weight	105 kg /120 kg
Nominal electric power	910 W
Rated current	4.6 A
Power cable	Single-phase
Cooling capacity (-10°C/+40°C)	1600 W
Max condensation power (-5°C/+45°C)	2450 W
Power supply	220-240 V - 50Hz
Climate class	5
Defrosting	Hot gas
Minimum air exchange	890 m3/h
Valve	Optional electronic expansion

OPTIONS ON REQUEST
Left- or right-hand door opening.
Special voltages available upon request.
Base support for oven stacking.
Unit supplied without refrigerant charge.
Steam generator.
Three-point core temperature probe.
Heated single-point core temperature probe.

Fhiaba

Assist2Enjoy Bv/SRL

Hogestraat 53

B - 8830 - Hooglede

België

T : +32 51 660 380

I-Net : info@assist2enjoy.be

www.assist2enjoy.be